





PAIR: YOLO vs FastYOLO METRIC: metrics/precision(B)

YOLO: n=20 slope=0.007172 (se=0.002384) t=3.009 p=0.007543 R²=0.3346

intercept=0.872343 (se=0.028557) t=30.547 p=0.000000

FastYOLO: n=20 slope=0.007440 (se=0.001486) t=5.006 p=0.000092 R²=0.5820



intercept=0.858242 (se=0.017802) t=48.210 p=0.000000

DIFF (A - B): n=20 slope=-0.000267 (se=0.002413) t=-0.111 p=0.913014 R²=0.0007

intercept = 0.014101 (se=0.028912) t=0.488 p=0.631631

Interpretation: slope not significant → difference does not systematically change with epoch.

Baseline: intercept not significant → no consistent baseline difference detected.



PAIR: YOLO vs FastYOLO METRIC: metrics/recall(B)

YOLO: n=20 slope=0.011652 (se=0.003365) t=3.463 p=0.002774 R²=0.3999

intercept=0.813767 (se=0.040304) t=20.191 p=0.000000

FastYOLO: n=20 slope=0.008841 (se=0.001223) t=7.230 p=0.000001 R²=0.7439



intercept=0.823602 (se=0.014648) t=56.228 p=0.000000

DIFF (A - B): n=20 slope=0.002811 (se=0.004028) t=0.698 p=0.494179 R²=0.0263

intercept = -0.009835 (se=0.048252) t=-0.204 p=0.840777

Interpretation: slope not significant → difference does not systematically change with epoch.

Baseline: intercept not significant → no consistent baseline difference detected.



PAIR: YOLO vs FastYOLO METRIC: metrics/mAP50(B)

YOLO: n=20 slope=0.007230 (se=0.003087) t=2.342 p=0.030902 R²=0.2335

intercept=0.886876 (se=0.036986) t=23.979 p=0.000000

FastYOLO: n=20 slope=0.006261 (se=0.001309) t=4.783 p=0.000149 R²=0.5596



intercept=0.895546 (se=0.015683) t=57.105 p=0.000000

DIFF (A - B): n=20 slope=0.000969 (se=0.003635) t=0.266 p=0.792890 R²=0.0039

intercept = -0.008670 (se=0.043545) t=-0.199 p=0.844414

Interpretation: slope not significant → difference does not systematically change with epoch.

Baseline: intercept not significant → no consistent baseline difference detected.



PAIR: YOLO vs FastYOLO METRIC: metrics/mAP50-95(B)

YOLO: n=20 slope=0.011811 (se=0.002228) t=5.300 p=0.000049 R²=0.6095

intercept=0.505461 (se=0.026695) t=18.935 p=0.000000

FastYOLO: n=20 slope=0.011525 (se=0.001160) t=9.940 p=0.000000 R²=0.8459



intercept=0.493261 (se=0.013890) t=35.512 p=0.000000

DIFF (A - B): n=20 slope=0.000286 (se=0.002502) t=0.114 p=0.910337 R²=0.0007

intercept = 0.012200 (se=0.029976) t=0.407 p=0.688809

Interpretation: slope not significant → difference does not systematically change with epoch.

Baseline: intercept not significant → no consistent baseline difference detected.



PAIR: YOLO vs FastYOLO METRIC: speed/val_median_ms

YOLO: n=20 slope=-0.721078 (se=0.245875) t=-2.933 p=0.008894 R²=0.3233

intercept=231.990239 (se=2.525463) t=91.860 p=0.000000

FastYOLO: n=20 slope=0.107095 (se=0.072334) t=1.481 p=0.156015 R²=0.1086



intercept=103.964397 (se=0.742966) t=139.932 p=0.000000

DIFF (A - B): n=20 slope=-0.828173 (se=0.235761) t=-3.513 p=0.002485 R²=0.4067

intercept = 128.025842 (se=2.421573) t=52.869 p=0.000000

Interpretation: slope is statistically significant → difference changes with epoch.

Baseline: intercept significant → persistent baseline difference between models across epochs.



PAIR: YOLO vs FastYOLO METRIC: speed/val_p95_ms

YOLO: n=20 slope=-2.090675 (se=1.169316) t=-1.788 p=0.090632 R²=0.1508

intercept=287.486174 (se=12.010418) t=23.936 p=0.000000



FastYOLO: n=20 slope=0.315107 (se=0.346260) t=0.910 p=0.374831 R²=0.0440

intercept=111.757659 (se=3.556542) t=31.423 p=0.000000

DIFF (A - B): n=20 slope=-2.405782 (se=1.205152) t=-1.996 p=0.061262 R²=0.1813

intercept = 175.728515 (se=12.378505) t=14.196 p=0.000000

Interpretation: slope not significant → difference does not systematically change with epoch.
 Baseline: intercept significant → persistent baseline difference between models across epochs.



PAIR: YOLO vs FastYOLO METRIC: speed/val_mean_ms

YOLO: n=20 slope=-0.938150 (se=0.369453) t=-2.539 p=0.020554 R²=0.2637

intercept=241.380233 (se=3.794765) t=63.609 p=0.000000

FastYOLO: n=20 slope=0.143645 (se=0.084001) t=1.710 p=0.104439 R²=0.1398



intercept=104.619112 (se=0.862798) t=121.256 p=0.000000

DIFF (A - B): n=20 slope=-1.081795 (se=0.346918) t=-3.118 p=0.005937 R²=0.3507

intercept = 136.761121 (se=3.563304) t=38.380 p=0.000000

Interpretation: slope is statistically significant → difference changes with epoch.

Baseline: intercept significant → persistent baseline difference between models across epochs.



PAIR: YOLO vs FastYOLO METRIC: speed/val_fps

YOLO: n=20 slope=0.014345 (se=0.004826) t=2.973 p=0.008155 R²=0.3293

intercept=4.310230 (se=0.049565) t=86.962 p=0.000000

FastYOLO: n=20 slope=-0.009532 (se=0.006588) t=-1.447 p=0.165154 R²=0.1042



intercept=9.619251 (se=0.067672) t=142.146 p=0.000000

DIFF (A - B): n=20 slope=0.023877 (se=0.006945) t=3.438 p=0.002934 R²=0.3964

intercept = -5.309021 (se=0.071335) t=-74.424 p=0.000000

Interpretation: slope is statistically significant → difference changes with epoch.

Baseline: intercept significant → persistent baseline difference between models across epochs.



PAIR: YOLO vs FastYOLO METRIC: speed/val_throughput_fps

YOLO: n=20 slope=0.017566 (se=0.006836) t=2.570 p=0.019285 R²=0.2684

intercept=4.143821 (se=0.070212) t=59.019 p=0.000000

FastYOLO: n=20 slope=-0.012656 (se=0.007525) t=-1.682 p=0.109843 R²=0.1358



intercept=9.559700 (se=0.077287) t=123.690 p=0.000000

DIFF (A - B): n=20 slope=0.030222 (se=0.007942) t=3.805 p=0.001296 R²=0.4458

intercept = -5.415879 (se=0.081580) t=-66.388 p=0.000000

Interpretation: slope is statistically significant → difference changes with epoch.

Baseline: intercept significant → persistent baseline difference between models across epochs.





PAIR: YOLO vs FastYOLO METRIC: speed/val_flops_g

YOLO: n=20 slope=0.000000 (se=0.000000) t=N/A p=N/A R²=0.0000
intercept=28.437658 (se=0.000000) t=N/A p=N/A
FastYOLO: n=20 slope=0.000000 (se=0.000000) t=0.000 p=1.000000 R²=0.0000
intercept=8.085197 (se=0.000000) t=10840922270245462.000 p=0.000000

DIFF (A - B): n=20 slope=0.000000 (se=0.000000) t=0.000 p=1.000000 R²=0.0000
intercept = 20.352461 (se=0.000000) t=13644655226018606.000 p=0.000000

Interpretation: slope not significant → difference does not systematically change with epoch.
Baseline: intercept significant → persistent baseline difference between models across epochs.



PAIR: YOLO vs UnpretrainedYOLO METRIC: metrics/precision(B)

YOLO: n=20 slope=0.007172 (se=0.002384) t=3.009 p=0.007543 R²=0.3346

intercept=0.872343 (se=0.028557) t=30.547 p=0.000000

UnpretrainedYOLO: n=20 slope=0.041639 (se=0.003105) t=13.410 p=0.000000 R²=0.9090



intercept=0.093582 (se=0.037195) t=2.516 p=0.021578

DIFF (A - B): n=20 slope=-0.034467 (se=0.003839) t=-8.977 p=0.000000 R²=0.8174

intercept = 0.778761 (se=0.045991) t=16.933 p=0.000000

Interpretation: slope is statistically significant → difference changes with epoch.

Baseline: intercept significant → persistent baseline difference between models across epochs.



PAIR: YOLO vs UnpretrainedYOLO METRIC: metrics/recall(B)

YOLO: n=20 slope=0.011652 (se=0.003365) t=3.463 p=0.002774 R²=0.3999

intercept=0.813767 (se=0.040304) t=20.191 p=0.000000

UnpretrainedYOLO: n=20 slope=0.036195 (se=0.004622) t=7.831 p=0.000000 R²=0.7731

intercept=0.224810 (se=0.055364) t=4.061 p=0.000734


DIFF (A - B): n=20 slope=-0.024543 (se=0.005417) t=-4.531 p=0.000259 R²=0.5328

intercept = 0.588957 (se=0.064893) t=9.076 p=0.000000


Interpretation: slope is statistically significant → difference changes with epoch.

Baseline: intercept significant → persistent baseline difference between models across epochs.

metrics/mAP50(B) — YOLO & UnpretrainedYOLO



YOLO – UnpretrainedYOLO : difference



PAIR: YOLO vs UnpretrainedYOLO METRIC: metrics/mAP50(B)

YOLO: n=20 slope=0.007230 (se=0.003087) t=2.342 p=0.030902 R²=0.2335

intercept=0.886876 (se=0.036986) t=23.979 p=0.000000

UnpretrainedYOLO: n=20 slope=0.044431 (se=0.003622) t=12.266 p=0.000000 R²=0.8931



intercept=0.140754 (se=0.043393) t=3.244 p=0.004507

DIFF (A - B): n=20 slope=-0.037202 (se=0.004351) t=-8.550 p=0.000000 R²=0.8024

intercept = 0.746122 (se=0.052121) t=14.315 p=0.000000

Interpretation: slope is statistically significant → difference changes with epoch.

Baseline: intercept significant → persistent baseline difference between models across epochs.



PAIR: YOLO vs UnpretrainedYOLO METRIC: metrics/mAP50-95(B)

YOLO: n=20 slope=0.011811 (se=0.002228) t=5.300 p=0.000049 R²=0.6095

intercept=0.505461 (se=0.026695) t=18.935 p=0.000000

UnpretrainedYOLO: n=20 slope=0.023440 (se=0.001454) t=16.118 p=0.000000 R²=0.9352


intercept=0.040033 (se=0.017421) t=2.298 p=0.033770

DIFF (A - B): n=20 slope=-0.011629 (se=0.002575) t=-4.517 p=0.000267 R²=0.5313

intercept = 0.465428 (se=0.030841) t=15.091 p=0.000000

Interpretation: slope is statistically significant → difference changes with epoch.

Baseline: intercept significant → persistent baseline difference between models across epochs.



PAIR: YOLO vs UnpretrainedYOLO METRIC: speed/val_median_ms

YOLO: n=20 slope=-0.721078 (se=0.245875) t=-2.933 p=0.008894 R²=0.3233

intercept=231.990239 (se=2.525463) t=91.860 p=0.000000

UnpretrainedYOLO: n=20 slope=0.098373 (se=0.225249) t=0.437 p=0.667500 R²=0.0105

intercept=216.786654 (se=2.313600) t=93.701 p=0.000000


DIFF (A - B): n=20 slope=-0.819451 (se=0.198823) t=-4.122 p=0.000641 R²=0.4855

intercept = 15.203584 (se=2.042177) t=7.445 p=0.000001


Interpretation: slope is statistically significant → difference changes with epoch.

Baseline: intercept significant → persistent baseline difference between models across epochs.

speed/val_p95_ms — YOLO & UnpretrainedYOLO



YOLO – UnpretrainedYOLO : difference



PAIR: YOLO vs UnpretrainedYOLO METRIC: speed/val_p95_ms

YOLO: n=20 slope=-2.090675 (se=1.169316) t=-1.788 p=0.090632 R²=0.1508

intercept=287.486174 (se=12.010418) t=23.936 p=0.000000

UnpretrainedYOLO: n=20 slope=0.933423 (se=0.884441) t=1.055 p=0.305211 R²=0.0583

intercept=240.475262 (se=9.084378) t=26.471 p=0.000000


DIFF (A - B): n=20 slope=-3.024099 (se=1.333166) t=-2.268 p=0.035847 R²=0.2223

intercept = 47.010913 (se=13.693371) t=3.433 p=0.002966


Interpretation: slope is statistically significant → difference changes with epoch.

Baseline: intercept significant → persistent baseline difference between models across epochs.

speed/val_mean_ms — YOLO & UnpretrainedYOLO



YOLO – UnpretrainedYOLO : difference



PAIR: YOLO vs UnpretrainedYOLO METRIC: speed/val_mean_ms

YOLO: n=20 slope=-0.938150 (se=0.369453) t=-2.539 p=0.020554 R²=0.2637

intercept=241.380233 (se=3.794765) t=63.609 p=0.000000

UnpretrainedYOLO: n=20 slope=0.319155 (se=0.262471) t=1.216 p=0.239706 R²=0.0759



intercept=219.601529 (se=2.695922) t=81.457 p=0.000000

DIFF (A - B): n=20 slope=-1.257305 (se=0.294669) t=-4.267 p=0.000464 R²=0.5028

intercept = 21.778704 (se=3.026642) t=7.196 p=0.000001

Interpretation: slope is statistically significant → difference changes with epoch.

Baseline: intercept significant → persistent baseline difference between models across epochs.



PAIR: YOLO vs UnpretrainedYOLO METRIC: speed/val_fps

YOLO: n=20 slope=0.014345 (se=0.004826) t=2.973 p=0.008155 R²=0.3293

intercept=4.310230 (se=0.049565) t=86.962 p=0.000000

UnpretrainedYOLO: n=20 slope=-0.002257 (se=0.004687) t=-0.482 p=0.635950 R²=0.0127

intercept=4.617226 (se=0.048142) t=95.908 p=0.000000


DIFF (A - B): n=20 slope=0.016602 (se=0.004066) t=4.083 p=0.000699 R²=0.4808

intercept = -0.306996 (se=0.041768) t=-7.350 p=0.000001


Interpretation: slope is statistically significant → difference changes with epoch.

Baseline: intercept significant → persistent baseline difference between models across epochs.

speed/val_throughput_fps — YOLO & UnpretrainedYOLO



YOLO – UnpretrainedYOLO : difference



PAIR: YOLO vs UnpretrainedYOLO METRIC: speed/val_throughput_fps



YOLO: n=20 slope=0.017566 (se=0.006836) t=2.570 p=0.019285 R²=0.2684
intercept=4.143821 (se=0.070212) t=59.019 p=0.000000

UnpretrainedYOLO: n=20 slope=-0.006553 (se=0.005287) t=-1.239 p=0.231094 R²=0.0786
intercept=4.557822 (se=0.054304) t=83.932 p=0.000000

DIFF (A - B): n=20 slope=0.024119 (se=0.005541) t=4.353 p=0.000383 R²=0.5128
intercept = -0.414001 (se=0.056911) t=-7.274 p=0.000001

Interpretation: slope is statistically significant → difference changes with epoch.

Baseline: intercept significant → persistent baseline difference between models across epochs.



PAIR: YOLO vs UnpretrainedYOLO METRIC: speed/val_flops_g

YOLO: n=20 slope=0.000000 (se=0.000000) t=N/A p=N/A R²=0.0000

intercept=28.437658 (se=0.000000) t=N/A p=N/A

UnpretrainedYOLO: n=20 slope=0.000000 (se=0.000000) t=N/A p=N/A R²=0.0000

intercept=28.437658 (se=0.000000) t=N/A p=N/A


DIFF (A - B): n=20 slope=0.000000 (se=0.000000) t=N/A p=N/A R²=0.0000

intercept = 0.000000 (se=0.000000) t=N/A p=N/A


Interpretation: slope p-value unavailable in this environment.

Baseline: intercept p-value unavailable in this environment.

metrics/precision(B) — FastYOLO & UnpretrainedYOLO



FastYOLO — UnpretrainedYOLO : difference



PAIR: FastYOLO vs UnpretrainedYOLO METRIC: metrics/precision(B)

FastYOLO: n=20 slope=0.007440 (se=0.001486) t=5.006 p=0.000092 R²=0.5820

intercept=0.858242 (se=0.017802) t=48.210 p=0.000000

UnpretrainedYOLO: n=20 slope=0.041639 (se=0.003105) t=13.410 p=0.000000 R²=0.9090



intercept=0.093582 (se=0.037195) t=2.516 p=0.021578

DIFF (A - B): n=20 slope=-0.034199 (se=0.003259) t=-10.493 p=0.000000 R²=0.8595

intercept = 0.764660 (se=0.039042) t=19.586 p=0.000000

Interpretation: slope is statistically significant → difference changes with epoch.

Baseline: intercept significant → persistent baseline difference between models across epochs.



PAIR: FastYOLO vs UnpretrainedYOLO METRIC: metrics/recall(B)

FastYOLO: n=20 slope=0.008841 (se=0.001223) t=7.230 p=0.000001 R²=0.7439

intercept=0.823602 (se=0.014648) t=56.228 p=0.000000

UnpretrainedYOLO: n=20 slope=0.036195 (se=0.004622) t=7.831 p=0.000000 R²=0.7731



intercept=0.224810 (se=0.055364) t=4.061 p=0.000734

DIFF (A - B): n=20 slope=-0.027354 (se=0.004527) t=-6.042 p=0.000010 R²=0.6698

intercept = 0.598792 (se=0.054231) t=11.041 p=0.000000

Interpretation: slope is statistically significant → difference changes with epoch.

Baseline: intercept significant → persistent baseline difference between models across epochs.



PAIR: FastYOLO vs UnpretrainedYOLO METRIC: metrics/mAP50(B)

FastYOLO: n=20 slope=0.006261 (se=0.001309) t=4.783 p=0.000149 R²=0.5596

intercept=0.895546 (se=0.015683) t=57.105 p=0.000000

UnpretrainedYOLO: n=20 slope=0.044431 (se=0.003622) t=12.266 p=0.000000 R²=0.8931

intercept=0.140754 (se=0.043393) t=3.244 p=0.004507


DIFF (A - B): n=20 slope=-0.038170 (se=0.003272) t=-11.667 p=0.000000 R²=0.8832

intercept = 0.754792 (se=0.039191) t=19.259 p=0.000000


Interpretation: slope is statistically significant → difference changes with epoch.

Baseline: intercept significant → persistent baseline difference between models across epochs.

metrics/mAP50-95(B) — FastYOLO & UnpretrainedYOLO



FastYOLO — UnpretrainedYOLO : difference



PAIR: FastYOLO vs UnpretrainedYOLO METRIC: metrics/mAP50-95(B)

FastYOLO: n=20 slope=0.011525 (se=0.001160) t=9.940 p=0.000000 R²=0.8459

intercept=0.493261 (se=0.013890) t=35.512 p=0.000000

UnpretrainedYOLO: n=20 slope=0.023440 (se=0.001454) t=16.118 p=0.000000 R²=0.9352

intercept=0.040033 (se=0.017421) t=2.298 p=0.033770


DIFF (A - B): n=20 slope=-0.011915 (se=0.001619) t=-7.361 p=0.000001 R²=0.7507

intercept = 0.453228 (se=0.019389) t=23.375 p=0.000000


Interpretation: slope is statistically significant → difference changes with epoch.

Baseline: intercept significant → persistent baseline difference between models across epochs.

speed/val_median_ms — FastYOLO & UnpretrainedYOLO



FastYOLO – UnpretrainedYOLO : difference



PAIR: FastYOLO vs UnpretrainedYOLO METRIC: speed/val_median_ms

FastYOLO: n=20 slope=0.107095 (se=0.072334) t=1.481 p=0.156015 R²=0.1086

intercept=103.964397 (se=0.742966) t=139.932 p=0.000000

UnpretrainedYOLO: n=20 slope=0.098373 (se=0.225249) t=0.437 p=0.667500 R²=0.0105



intercept=216.786654 (se=2.313600) t=93.701 p=0.000000

DIFF (A - B): n=20 slope=0.008722 (se=0.209481) t=0.042 p=0.967247 R²=0.0001

intercept = -112.822257 (se=2.151647) t=-52.435 p=0.000000

Interpretation: slope not significant → difference does not systematically change with epoch.

Baseline: intercept significant → persistent baseline difference between models across epochs.





PAIR: FastYOLO vs UnpretrainedYOLO METRIC: speed/val_p95_ms

FastYOLO: n=20 slope=0.315107 (se=0.346260) t=0.910 p=0.374831 R²=0.0440
intercept=111.757659 (se=3.556542) t=31.423 p=0.000000

UnpretrainedYOLO: n=20 slope=0.933423 (se=0.884441) t=1.055 p=0.305211 R²=0.0583
intercept=240.475262 (se=9.084378) t=26.471 p=0.000000

DIFF (A - B): n=20 slope=-0.618316 (se=0.942217) t=-0.656 p=0.519974 R²=0.0234
intercept = -128.717602 (se=9.677809) t=-13.300 p=0.000000

Interpretation: slope not significant → difference does not systematically change with epoch.
Baseline: intercept significant → persistent baseline difference between models across epochs.



PAIR: FastYOLO vs UnpretrainedYOLO METRIC: speed/val_mean_ms

FastYOLO: n=20 slope=0.143645 (se=0.084001) t=1.710 p=0.104439 R²=0.1398

intercept=104.619112 (se=0.862798) t=121.256 p=0.000000



UnpretrainedYOLO: n=20 slope=0.319155 (se=0.262471) t=1.216 p=0.239706 R²=0.0759

intercept=219.601529 (se=2.695922) t=81.457 p=0.000000

DIFF (A - B): n=20 slope=-0.175510 (se=0.251145) t=-0.699 p=0.493585 R²=0.0264

intercept = -114.982417 (se=2.579595) t=-44.574 p=0.000000

Interpretation: slope not significant → difference does not systematically change with epoch.
Baseline: intercept significant → persistent baseline difference between models across epochs.



PAIR: FastYOLO vs UnpretrainedYOLO METRIC: speed/val_fps

FastYOLO: n=20 slope=-0.009532 (se=0.006588) t=-1.447 p=0.165154 R²=0.1042

intercept=9.619251 (se=0.067672) t=142.146 p=0.000000

UnpretrainedYOLO: n=20 slope=-0.002257 (se=0.004687) t=-0.482 p=0.635950 R²=0.0127


intercept=4.617226 (se=0.048142) t=95.908 p=0.000000

DIFF (A - B): n=20 slope=-0.007275 (se=0.006492) t=-1.121 p=0.277176 R²=0.0652


intercept = 5.002025 (se=0.066680) t=75.016 p=0.000000

Interpretation: slope not significant → difference does not systematically change with epoch.
 Baseline: intercept significant → persistent baseline difference between models across epochs.

speed/val_throughput_fps — FastYOLO & UnpretrainedYOLO



FastYOLO — UnpretrainedYOLO : difference



PAIR: FastYOLO vs UnpretrainedYOLO METRIC: speed/val_throughput_fps

FastYOLO: n=20 slope=-0.012656 (se=0.007525) t=-1.682 p=0.109843 R²=0.1358

intercept=9.559700 (se=0.077287) t=123.690 p=0.000000



UnpretrainedYOLO: n=20 slope=-0.006553 (se=0.005287) t=-1.239 p=0.231094 R²=0.0786

intercept=4.557822 (se=0.054304) t=83.932 p=0.000000

DIFF (A - B): n=20 slope=-0.006103 (se=0.007834) t=-0.779 p=0.446042 R²=0.0326

intercept = 5.001878 (se=0.080461) t=62.165 p=0.000000

Interpretation: slope not significant → difference does not systematically change with epoch.
Baseline: intercept significant → persistent baseline difference between models across epochs.



PAIR: FastYOLO vs UnpretrainedYOLO METRIC: speed/val_flops_g

FastYOLO: n=20 slope=0.000000 (se=0.000000) t=0.000 p=1.000000 R²=0.0000
intercept=8.085197 (se=0.000000) t=10840922270245462.000 p=0.000000
UnpretrainedYOLO: n=20 slope=0.000000 (se=0.000000) t=N/A p=N/A R²=0.0000
intercept=28.437658 (se=0.000000) t=N/A p=N/A

DIFF (A - B): n=20 slope=0.000000 (se=0.000000) t=0.000 p=1.000000 R²=0.0000
intercept = -20.352461 (se=0.000000) t=-13644655226018606.000 p=0.000000

Interpretation: slope not significant → difference does not systematically change with epoch.
Baseline: intercept significant → persistent baseline difference between models across epochs.