DATE ___/___/___

Select ID, Name, Salary
Group by ID, Count(*) as count
Having count > 1

Day 1

1) Created storage account in ADLS
   ↳ Storage blob contrib
2) Assigned the roles (3 roles) → event subscription
   ↳ storage aec contrib
3) Created SQL container.
4) Landing container → uploaded datasets.
5) Configured Azure SQL & created tables.
   departments & ~~tables~~ patients.

from batch	110 rows	150 rows
1-9 (13 col)	13 columns	

↳ 2 types of datasets (csv, database)
↳ contains primary, secondary & status update.

↳ batch no 10, 11, 12 contains source-schema-ver column. → atlast we have 14 columns

DATE ___/___/___

Before this, we read 12 csv files for profiling From Batch 1-12

Total rows = 11540

Combined Columns = 14

create JDBC Connection

database name - capstone8

load two types ; for Loading we need

Bronze

Database → Databricks → Table.

JDBC connection.

→ patients - bronze

department - bronze.

Catalog -> capstone_8hospital.

↓

schema → hospital_schema

↓

volume → ext_capstone8_v01

Validate schema evolution.

DATE ___/___/___

primary data

Total primary rows - 11540
Distinct encounter IDs - 11500
Encounter IDs occuring more than one - 40
Duplicate rows - 40
Null count - 12

} Data profiling & null value count profiling.

Completed - 2890
Failed - 2922
Open - 2827
Pending - 2901

} Status profiling

CDC rows

185/520 -> cancelled.
163 -> completed
172 -> reversed.

} Profiling for Status update

Total rows = 310
Columns = 7.

} Secondary data profiling

Validating sql datasets.

Dept = 110 rows, dlare distinct()
patients = 150 rows.

↓

Summarized Table containing all profiling

DATE ___/___/___

'5

Bronze Layer Ingestion.

Spark.readStream —> autoloader.
We have 12 Batches in primary events,
~~we do~~ why to use autoloader?

Ingestion completed.

Version 1 - Batch 1-9 - 9000 records.
V2 - Batch 10, 11, 12 - 2540 records.