




THE PROBLEM

India has a weather-decision problem

Same city. Different weather.

Rainfall (mm) • IMD • 26 July 2005 • stations 20 km apart



WHAT A CITY-LEVEL ALERT SAYS

“Heavy rain in Mumbai.”



WHAT IT NEEDS TO DECIDE

“Which zones do I act on, right now?”



Businesses decide blind
dispatch, incentives, delivery
times




Workers carry the loss
income and safety, street by
street

Weather is lived street by street. Decisions are still made city by city.



THE INSIGHT

Jio's microwave links may carry a weather signal



Rain weakens the signal. Measure the excess loss and estimate path-averaged rainfall along each link, in near-real-time. This technique uses microwave links, not fibre.

IT IS

- Weather intelligence from existing infrastructure
- Alerts and data for businesses
- A trigger for future worker protection

JIOMASAM IS

decision infrastructure, not a weather map

It converts link signals, IMD radar and rain gauges into a high-resolution weather grid, then into decision-ready alerts and triggers for the teams who act on them.

IT ISN'T

A new sensor network · A consumer weather app
An insurer · Heat sensing from towers

Jio may already own the infrastructure for a new weather-sensing layer.



WHAT'S PROVEN • WHAT WE CHECKED • WHAT ISN'T

Links alone are promising, but fall short of our bar



PROVEN • PUBLISHED

Physics: rain weakens microwave signals
Method: Science 2006 • PNAS 2013
Rain mapped across a whole country



OUR CHECK • PUBLIC DATA

We ran the open-source method ourselves on 500 real links, with radar as the reference



NOT YET PROVEN • THE PILOT

Jio's coverage, Indian accuracy, business value, who pays, insurance-grade triggers

OUR CHECK • 500 REAL LINKS • PUBLIC RESEARCH DATA, GERMANY • NOT JIO DATA

68%

of rain events caught by links alone


links alone: 68%

our bar: 80%

Below our bar, so we never use links alone.

Event = 10 mm+ of rain in 3 hours in a ~4 km zone • 8 unseen test days

Network average, hour by hour: links tracked radar closely



We didn't invent the science. We checked it, found where it fails, and built around it.



RAISING ACCURACY

Let accuracy determine the mix

CANDIDATE SOURCES AND WHAT EACH ADDS

	Jio microwave links	Internal
	Network health: faults, outages, maintenance	Internal
	IMD Doppler radar: spatial check	Low cost
	IMD and BMC gauges: ground truth	Free / low
	Satellite: coverage fallback	Free
	New gauges on Jio sites, where links are thin	Capex
	Commercial data, only if it lifts accuracy	Paid

THE PILOT SCORES EVERY MIX AGAINST HELD-OUT RAIN GAUGES

Links only

Our check: 68%

Links + radar

measured in the pilot

Links + radar + gauges

measured in the pilot

Radar + gauges, no links

shows what Jio adds

+ paid data

measured in the pilot

our bar: 80% of events

Rule: pick the lowest-cost mix that clears every accuracy gate: $\geq 80\%$ of predefined trigger events, totals within $\pm 10\%$, under 15% unconfirmed.

The pilot ends with a cost-versus-accuracy answer: exactly what to scale.



Reliance is the first proving ground



THE HERO USE CASE

Jio network operations

- Can we tell rain-related signal loss from equipment faults before sending a crew?
- Potentially fewer wasted visits and earlier flood alerts.
- Jio owns both the data and the decision.

“Before Jio sells weather intelligence to anyone, it uses it to understand its own network.”

Tests accuracy and savings



JioMart and Reliance Retail

Rain-aware dispatch, delivery promises and zone pauses.

Tests commercial value



MyJio

Street-level rain alerts, plus one-tap “is it raining here?” checks.

Tests reach at scale

Prove accuracy and value at home before selling outside.



Then sell the same intelligence to the market

1

Delivery, quick commerce, ride-hailing

e.g. Swiggy, Zomato, Zepto, Uber, Rapido

Alerts

2

Logistics • cities and transport • insurers

e.g. Delhivery, Porter, BMC, railways, insurers

Alerts + data

3

Agriculture • power • construction • retail

e.g. crop insurance, discoms, metro projects, FMCG

Data + alerts

WHY BUY FROM US

- Dense sensing wherever usable microwave links exist
- Potentially denser than conventional rain gauges
- Near-real-time monitoring
- Potentially valuable wherever microwave backhaul is present
- An auditable weather trigger built on multiple data sources

RAIN

JIOMSAUSAM

CUSTOMER DECIDES

VALUE

Rain hits Zone A

Zone alert + rain
estimatePlatform adjusts
dispatch, ETAs or
incentives


Lower disruption

Alerts for those who act in real time. Data for those who need proof.




WHY JIO • HOW IT CREATES VALUE

The edge is integration, not the sensor



Reliance can connect all four layers, so Jio earns from the intelligence without carrying insurance risk.


HOW JIO CREATES VALUE



The business stands even if insurance never launches.



Insurance is one application, not the anchor



WHY IT'S AN OPTION, NOT THE ANCHOR

Only after the accuracy and actuarial gates
shadow payouts until then

Who pays is still unproven
platform, co-funded or individual: the pilot tests it

A licensed insurer carries the risk
never Jio

If it doesn't work, nothing breaks
the intelligence business is untouched

No claim, no proof of loss. Eligible = already active in the zone before the event began (predefined rules). ₹300 is a prototype assumption.

High impact if it works. Zero damage if it doesn't.



If we offer Kavach, Indian weather sets the price

City • product	Trigger	Raw days a year	Expected paid days	Illustrative price a month
Mumbai • Basic	≥204.5 mm rain a day	1.1	1.1	₹45
Nagpur • Basic	≥47°C	2.2	~1.2	₹52
Ahmedabad • Basic	≥47°C	0.7	~0.6	₹29 floor
Mumbai • Plus (platform)	≥64.5 mm rain a day	11.9	5.0 (cap)	₹208

Price = expected paid days × ₹300 ÷ 60% ÷ 12

Basic covers rare extremes for individuals. Plus is priced from ~12 historical heavy-rain days a year, with payouts capped at 5 days a year, for platforms to sponsor.



Mumbai • rain

11.9 heavy-rain days a year

Phase 1



Nagpur • heat

9.7 days at 45°C or more a year

Phase 2



Ahmedabad • heat

5.4 days at 45°C or more a year

Phase 2

Rain: Jio's own sensing. Heat: IMD stations and satellite, through the same engine.

One flat price can't fit India's different weather risks.



THE ASK

Don't believe us. Test it in 90 days

DAYS 1-30

Coverage

Audit Jio's microwave links and data readiness in Mumbai and candidate NE-monsoon cities.

GATE 1 • COVERAGE
enough usable coverage?

DAYS 15-60

Accuracy

Back-test archived Mumbai monsoon data; score every source mix against held-out gauges.

GATE 2 • ACCURACY
fused system clears every gate?

DAYS 61-90

Value

Live shadow test in one Reliance operation, in the city the audit selects. Compare matched zones with and without JioMausam.

GATE 3 • VALUE
improves a real Reliance operation?

ROADMAP

	Intelligence (core)	Kavach (optional)
0-3 m	Three gates (pilot)	Shadow payouts
4-12 m	Reliance live + first clients	Sandbox + heat
Year 2	Cities + enterprises	Basic at recharge
Year 3	National weather API	National scale

Only after all three gates pass do we scale externally.

We aren't asking Jio to build another weather network. We're asking it to discover what its existing network can tell us, and turn that signal into decisions.

First prove the signal. Then sell the intelligence. Protection comes last.

Gate 2: ≥80% of predefined trigger events caught · totals within ±10% of gauges · under 15% of triggers unconfirmed. Gate 3 KPIs: site visits · fault-resolution time · delivery delays · rider availability · incentive spend.