




THE PROBLEM

India has a weather-decision problem

Same city. Different weather.

Rainfall (mm) • IMD • 26 July 2005 • stations 20 km apart



WHAT A BUSINESS IS TOLD

“Heavy rain in Mumbai.”



WHAT IT NEEDS TO DECIDE

“Which zones do I act on, right now?”



Businesses decide blind
dispatch, incentives, delivery
times




Workers carry the loss
income and safety, street by
street

Weather is lived street by street. Decisions are still made city by city.



THE INSIGHT

Jio's microwave links may carry a weather signal



Rain weakens the signal. Measure the excess loss and estimate path-averaged rainfall along each link, minute by minute. Fibre can't do this; only microwave links can.

IT IS

- Weather intelligence from existing infrastructure
- Decisions and data for businesses
- A trigger for future worker protection

JIOMASAM IS

decision infrastructure, not a weather map

It converts link signals, IMD radar and rain gauges into a high-resolution weather grid, then turns the grid into decisions: where to dispatch, pause, alert or pay.

IT ISN'T

A new sensor network · A consumer weather app
An insurer · Heat sensing from towers

Jio doesn't need to build a weather network. It may already be running one.



WHAT'S PROVEN • WHAT WE CHECKED • WHAT ISN'T

Proven science, checked by us, with a clear limit



PROVEN • PUBLISHED

Physics: rain weakens microwave signals
Method: Science 2006 • PNAS 2013
Rain mapped across a whole country



OUR CHECK • PUBLIC DATA

We ran the open-source method ourselves on 500 real links, with radar as the reference



NOT YET PROVEN • THE PILOT

Jio's coverage, Indian accuracy, business value,
who pays, insurance-grade triggers

OUR CHECK • 500 REAL LINKS • PUBLIC RESEARCH DATA, GERMANY • NOT JIO DATA

0.95


network-wide match with
radar, on unseen days

0.88

typical single link on its own

68%

of radar trigger events caught
18% of our triggers not
confirmed



We didn't invent the science. We checked it, found its limit, and built around it.



RAISING ACCURACY

Let accuracy determine the mix

CANDIDATE SOURCES AND WHAT EACH ADDS

	Jio microwave links	Internal
	IMD Doppler radar: spatial check	Low cost
	IMD and BMC gauges: ground truth	Free / low
	Satellite: coverage fallback	Free
	New gauges on Jio sites, where links are thin	Capex
	Commercial data, only if it lifts accuracy	Paid

THE PILOT SCORES EVERY MIX AGAINST HIDDEN RAIN GAUGES

Links only	Our check: 68%
Links + radar	measured in the pilot
Links + radar + gauges	measured in the pilot
Radar + gauges, no links	shows what Jio adds
+ paid data	measured in the pilot

gate: 80% of events

Rule: pick the lowest-cost mix that clears every gate: $\geq 80\%$ of events, totals within $\pm 10\%$, under 15% unconfirmed.

The pilot ends with a cost-versus-accuracy answer: exactly what to scale.



Reliance is the first proving ground



THE HERO USE CASE

Jio network operations

- Rain fade or equipment fault? Know before sending a crew.
- Fewer wasted site visits; earlier flood alerts for sites at risk.
- The same link signal is already a network signal: Jio owns the data and the decision.

“Before Jio sells weather intelligence to anyone, it uses it to understand its own network.”

Proves accuracy • saves money



JioMart and Reliance Retail

Rain-aware dispatch, delivery promises and zone pauses.

Proves the commercial decision



MyJio

Street-level rain alerts, plus one-tap “is it raining here?” checks.

Proves distribution; crowd confirmation

Prove accuracy and value at home before selling outside.



Then sell decisions and data to the market

1

Delivery, quick commerce, ride-hailing

e.g. Swiggy, Zomato, Zepto, Uber, Rapido

Decisions

2

Logistics • cities and transport • insurers

e.g. Delhivery, Porter, BMC, railways, insurers

Decisions + data

3

Agriculture • power • construction • retail

e.g. crop insurance, discoms, metro projects, FMCG

Data + decisions

WHAT A DECISION LOOKS LIKE

Rain hits Zone A



Move riders to Zone B

Update ETAs, pause
risky routes

Adjust rain incentives


WHY BUY FROM US

- Dense sensing wherever usable microwave links exist
- Potentially denser than conventional rain gauges
- Minute-by-minute monitoring
- Potentially valuable wherever microwave backhaul is present
- One potential national channel, via Jio's enterprise reach
- An auditable weather trigger built on multiple data sources

Decisions for those who act in real time. Data for those who need proof.




The edge is integration, not the sensor



Others hold one or two of these layers. **Reliance can connect all four, and each layer makes the next more valuable.**


HOW JIO EARNS



The business stands even if insurance never launches.



Insurance is one application, not the anchor



WHY IT'S AN OPTION, NOT THE ANCHOR

Only after accuracy and actuarial gates
shadow payouts until then

Who pays is still unproven
platform, co-funded or individual: the pilot tests it

A licensed insurer carries the risk
never Jio

If it doesn't work, nothing breaks
the intelligence business is untouched

No claim, no proof of loss. Eligible = active in the zone when the event began. ₹300 is a prototype assumption.

High impact if it works. Zero damage if it doesn't.



If we offer Kavach, Indian weather sets the price

City • product	Trigger	Raw days a year	Expected paid days	Illustrative price a month
Mumbai • Basic	≥204.5 mm rain a day	1.1	1.1	₹45
Nagpur • Basic	≥47°C	2.2	~1.2	₹52
Ahmedabad • Basic	≥47°C	0.7	~0.6	₹29 floor
Mumbai • Plus (platform)	≥64.5 mm rain a day	11.9	5.0 (cap)	₹208

Price = expected paid days × ₹300 ÷ 60% ÷ 12

Basic covers rare extremes for individuals. Plus prices Mumbai's ~12 heavy-rain days a year, capped at 5 paid days, for platforms to sponsor. The pilot recalibrates the live trigger.

One flat price can't fit India's different weather risks.

IMD station data 2000–2024 • ₹300 payout • 5-day annual cap • illustrative 60% loss ratio • final pricing subject to actuarial validation.



Mumbai • rain

11.9 heavy-rain days a year

Phase 1



Nagpur • heat

9.7 days at 45°C or more a year

Phase 2



Ahmedabad • heat

5.4 days at 45°C or more a year

Phase 2

Rain: Jio's own sensing. Heat: IMD stations and satellite, through the same engine.



THE ASK

Don't believe us. Test it in 90 days

DAYS 1-30

Coverage

Audit Jio's microwave links in Mumbai and candidate NE-monsoon cities: frequency, path geometry, telemetry.

GATE 1 • COVERAGE
enough usable links?

DAYS 31-60

Accuracy

Back-test archived Mumbai monsoon data; score every source mix against hidden IMD and BMC gauges.

GATE 2 • ACCURACY
the fused mix clears every gate?

DAYS 61-90

Value

Live in one Reliance operation, in the city the audit selects. Shadow Kavach: no money moves.

GATE 3 • VALUE
savings or better operations?

ROADMAP

	Intelligence (core)	Kavach (optional)
0-3 m	Three gates (pilot)	Shadow payouts
4-12 m	Reliance live + first clients	Sandbox + heat
Year 2	Cities + enterprises	Basic at recharge
Year 3	National weather API	National scale

Only after all three gates pass do we scale externally.

We aren't asking Jio to build another weather network. We're asking it to discover what its existing network can already tell us, and turn that into decisions.

Gate 2 in full: ≥80% of events caught, totals within ±10%, under 15% of triggers unconfirmed. Months 4-12 include Mumbai's 2027 monsoon and the April-June heat season.