




THE PROBLEM

Weather changes street by street. Decisions don't

Same city. Different weather.

Rainfall (mm) • IMD • 26 July 2005 • stations 20 km apart



WHAT A BUSINESS KNOWS

“Heavy rain in Mumbai.”



WHAT IT NEEDS TO KNOW

“Where exactly is rain hitting operations right now?”



Businesses decide blind
incentives, dispatch, delivery
promises




Workers carry the loss
income and safety, street by
street

Weather is lived street by street. Most actionable weather information is still too coarse to act on at that level.



What if the network itself could sense the rain?



1 Signal strength changes logged by the network

2 Path-average rainfall standard ITU-R formula

3 1 km rain estimate with a confidence score

We don't build a new weather-sensor network.

We turn an existing telecom network into an additional sensing layer.



We use microwave links, not fibre, as the sensing layer. How many usable links Jio has is what our pilot measures first.



THE PROOF

The sensing works. It isn't insurance-grade yet


PUBLIC RESEARCH DATASET • GERMANY • 11-DAY TEST • NOT JIO NETWORK DATA

500

real commercial microwave links

0.95network-wide match with radar,
on unseen days**0.88**

typical single link on its own

68%of radar trigger events caught
18% of our triggers not confirmed by
radar

Links detect rain well, but links alone aren't reliable enough for automatic payouts.



THE SOLUTION

From network signals to weather intelligence



No single sensor decides. JioMausam combines sources into one confidence-weighted view.

Where Jio's links are sparse, the same engine runs on radar, gauges and satellite, cheapest sources first.



First product: better decisions, not insurance

BEFORE

"Heavy rain in Mumbai." The business reacts broadly:

- Incentives paid in dry zones
- Late deliveries
- Riders sent into affected zones
- Poor capacity planning

WITH JIOMASAM

Zone A • heavy

Zone B • moderate

Zone C • clear

The business acts precisely: the right zone, the right time, the right action.

Delivery

- Incentives only in affected zones
- Dispatch away from severe zones
- Weather-linked pricing, where applicable
- Pause alerts in dangerous zones

Logistics

- Route decisions
- Delivery-time (ETA) adjustments
- Capacity planning

Cities

- Localised rainfall alerts
- Flood response where it's needed

JioMausam sells actionable weather intelligence, not just a weather map.



The same intelligence can protect the worker



Traditional insurance

Loss → claim → assessment → payout

Mausam Kavach

Weather trigger → predefined benefit, target within 6 hours

Eligible worker = active in the affected zone when the qualifying event began.

₹300 and the trigger threshold are prototype assumptions; final parameters are actuarially calibrated in the pilot.

The worker doesn't prove the loss. The weather event triggers the benefit.



Different cities, different risks, different prices

City • product	Trigger	Raw days a year	Expected paid days	Illustrative price a month
Mumbai • Basic	≥204.5 mm rain a day	1.1	1.1	₹45
Nagpur • Basic	≥47°C	2.2	~1.2	₹52
Ahmedabad • Basic	≥47°C	0.7	~0.6	₹29 floor
Mumbai • Plus (platform)	≥64.5 mm rain a day	11.9	5.0 (cap)	₹208

Price = expected paid days × ₹300 ÷ 60% ÷ 12

Basic covers rare extremes for individuals. Plus covers Mumbai's ~12 heavy-rain days a year, sponsored by platforms; its 10 mm in 3 h live trigger is a prototype the pilot recalibrates.

One flat price can't fit India's different weather risks.

IMD station data 2000–2024 • ₹300 payout • 5-day annual cap • illustrative 60% loss ratio • final pricing subject to actuarial validation.



Mumbai • rain

11.9 heavy-rain days a year

Phase 1



Nagpur • heat

9.7 days at 45°C or more a year

Phase 2



Ahmedabad • heat

5.4 days at 45°C or more a year

Phase 2

Rain: Jio's own sensing. Heat: IMD stations and satellite, through the same engine.



Monetise the intelligence. Carry no insurance risk

Model	Who pays	Why
Enterprise intelligence	Business	Better weather-sensitive decisions
Platform-sponsored Kavach	Delivery or logistics platform	Partner protection and resilience
Co-funded Kavach	Platform + worker	Shared protection cost
Individual Kavach	Worker	Optional protection

The pilot identifies the commercially viable payer model.
Jio's core revenue doesn't depend on insurance adoption.

01 Decision and data fees
Weather API, alerts and operational intelligence: recurring B2B revenue

02 Kavach distribution
The insurer carries the risk; Jio earns data, technology and distribution fees. Example: $50,000 \text{ riders} \times ₹208 \times 12 = ₹12.5 \text{ Cr}$ premium pool (illustrative, not Jio revenue)

03 Reliance and enterprise applications
Reliance operations first, then enterprises, cities and insurers

The weather-intelligence business stands even if insurance isn't adopted.



WHY JIO

The moat isn't the sensor. It's the ecosystem

SENSE

**Jio network** existing telecom infrastructure

UNDERSTAND

**JioMausam** the weather-intelligence engine

REACH

**Reliance ecosystem** consumer and enterprise distribution

PROTECT

**JFS + licensed insurers** the financial and insurance layer

Reliance can connect every layer.

A startup can sense but can't reach. An insurer can pay but can't sense. A network alone can't insure.

First users: Jio network operations, JioMart, MyJio.

Jio doesn't need to build a new weather network. It can connect sensing, intelligence, distribution and financial services.



THE ASK

Don't believe us. Test it in 90 days

DAYS 1-30

Coverage

Audit Jio's Mumbai microwave links: frequency, path geometry, telemetry availability.

Gate 1 • enough usable links?

DAYS 31-60

Accuracy

Back-test archived Mumbai monsoon data against IMD radar and gauges.

Gate 2 • ≥80% of events, ±10% totals

DAYS 61-90

Business value

Live test with one Reliance operation in a NE-monsoon city with enough coverage. Shadow Kavach: no money moves.

Measure • disruptions, incentives, rider availability

ROADMAP

	Intelligence (core)	Kavach (application)
0-3 m	Coverage + back-test (Mumbai)	Shadow payouts
4-12 m	External pilot customers	Sandbox + heat
Year 2	Cities + enterprises	Basic at recharge
Year 3	National API	National scale

We aren't asking Jio to build another weather network. We're asking it to discover what its existing network can already tell us.

Gate 2 also requires under 15% of our triggers to go unconfirmed by radar. Months 4-12 include Mumbai's 2027 monsoon and the April-June heat season.