




THE PROBLEM

Weather changes street by street. Decisions don't

Same city. Different weather.

Rainfall (mm) • IMD • 26 July 2005 • stations 20 km apart



WHAT A BUSINESS KNOWS

“Heavy rain in Mumbai.”



WHAT IT NEEDS TO KNOW

“Where exactly is rain hitting operations right now?”



Businesses decide blind
incentives, dispatch, delivery
times




Workers carry the loss
income and safety, street by
street

Weather is lived street by street. Most actionable weather information is still too coarse to act on at that level.



WHAT WE'RE BUILDING

A street-level weather layer from Jio's network



Rain weakens the signal. Measure the loss and you get rainfall along every link, every minute.

IT IS

- Rain intelligence from existing infrastructure
- Decisions and data for businesses
- A trigger for future worker protection

JIOMASAM IS

a weather-intelligence layer: a minute-by-minute, 1 km picture of rain for Reliance and for businesses.

Built from the network Jio already runs, checked against IMD radar and rain gauges.

IT ISN'T

A new sensor network · A consumer weather app · An insurer · Heat sensing from towers

We use microwave links, not fibre. How many usable links Jio has is the first thing our pilot measures.



TRIED AND TESTED

Proven science, tested by us, with a clear limit



PROVEN ELSEWHERE

Published, and proven country-wide

- Science (2006): rain measured from a cellular network in Israel
- PNAS (2013): country-wide rain maps of the Netherlands from phone networks
- Open-source tools (pycomlink, KIT Germany)


TESTED BY US • 500 REAL LINKS • PUBLIC DATASET, GERMANY • 11 DAYS • NOT JIO DATA

0.95

network-wide match with radar, on unseen days

0.88

typical single link on its own

68%of radar trigger events caught
18% of our triggers not confirmed

It works. But links alone aren't accurate enough to pay claims on, and we say so.




RAISING ACCURACY

Combine sources, then let the data pick the best mix

LAYER THE SOURCES, CHEAPEST FIRST

 Jio microwave links	Internal
 IMD Doppler radar	Low cost
 IMD and BMC rain gauges	Free / low
 Satellite (outage fallback)	Free
 New gauges on Jio sites, where links are thin	Capex
 Commercial weather data, only for gaps	Paid

THE PILOT SCORES EVERY MIX AGAINST HIDDEN RAIN GAUGES



A paid source joins only if it lifts accuracy enough per rupee.

The pilot ends with a cost-versus-accuracy answer: exactly what to scale.



Reliance is the first customer

Jio network operations

Tell rain fade from equipment faults; fewer wasted site visits; flood alerts for sites.

Proves accuracy and saves money

JioMart and Reliance Retail

Rain-aware dispatch, delivery promises and zone pauses; stock for rain-driven demand.

Proves the delivery case

MyJio

Street-level rain alerts for users, plus one-tap “is it raining here?” checks.

Proves scale; crowd confirmation

JioAds

Weather-triggered ads: tea, cabs, umbrellas when it rains.

New revenue

Reliance Foundation

Flood and heavy-rain warnings for communities.

Social impact

Jio Financial Services

Prepares the insurance option with a licensed insurer.

Readiness, not dependence

Prove accuracy and value at home before selling outside.



Then sell decisions and data to the market

1

Delivery, quick commerce, ride-hailing

e.g. Swiggy, Zomato, Zepto, Uber, Rapido

Dispatch, incentives, weather-linked pricing, pause alerts

Decisions

2

Logistics • cities and transport • insurers

e.g. Delhivery, Porter, BMC, railways, insurers

Routes, flood response, auditable rain records

Decisions + data

3

Agriculture • power • construction • retail

e.g. crop insurance, discoms, metro projects, FMCG

Crop cover, storm outages, work pauses, demand

Data + decisions

WHY BUY FROM US

- A sensor on every link: far denser than gauges
- Minute by minute, with short-term early warning
- Ground-level rain, where people are
- Strongest in rural areas, where microwave links dominate
- One national supplier, via Jio's enterprise sales
- An independent trigger that no party controls

Decisions for those who act in real time. Data for those who need proof.



HOW JIO EARNS

Earn from intelligence, carry no insurance risk

01**Decision and data fees**

Weather API, alerts and operational decisions: recurring B2B revenue

02**Savings and new revenue inside Reliance**

Fewer wasted network site visits, better delivery operations, weather-triggered ads

03**Insurance distribution fees (optional)**

If Kavach launches: the insurer carries the risk; Jio earns data, technology and distribution fees


WHY JIO: RELIANCE CAN CONNECT EVERY LAYER

SENSE**Jio network****UNDERSTAND****JioMausam****REACH****Reliance ecosystem****PROTECT****JFS + licensed insurers**

The business stands even if insurance never launches.



Insurance is one application, not the anchor



WHY IT'S AN OPTION, NOT THE ANCHOR

Launches only after accuracy passes 80%

shadow payouts until then

Who pays is still unproven

platform, co-funded or individual: the pilot tests it

A licensed insurer carries the risk

never Jio

If it doesn't work, nothing breaks

the intelligence business is untouched

No claim, no proof of loss. Eligible = active in the zone when the event began. ₹300 is a prototype assumption.

High impact if it works. Zero damage if it doesn't.



If we offer it, Indian data sets the price

City • product	Trigger	Raw days a year	Expected paid days	Illustrative price a month
Mumbai • Basic	≥204.5 mm rain a day	1.1	1.1	₹45
Nagpur • Basic	≥47°C	2.2	~1.2	₹52
Ahmedabad • Basic	≥47°C	0.7	~0.6	₹29 floor
Mumbai • Plus (platform)	≥64.5 mm rain a day	11.9	5.0 (cap)	₹208

Price = expected paid days × ₹300 ÷ 60% ÷ 12

Basic covers rare extremes for individuals. Plus covers Mumbai’s ~12 heavy-rain days a year, sponsored by platforms; its 10 mm in 3 h live trigger is a prototype the pilot recalibrates.

One flat price can’t fit India’s different weather risks.

IMD station data 2000–2024 • ₹300 payout • 5-day annual cap • illustrative 60% loss ratio • final pricing subject to actuarial validation.



Mumbai • rain

11.9 heavy-rain days a year

Phase 1



Nagpur • heat

9.7 days at 45°C or more a year

Phase 2



Ahmedabad • heat

5.4 days at 45°C or more a year

Phase 2

Rain: Jio’s own sensing. Heat: IMD stations and satellite, through the same engine.



THE ASK

Don't believe us. Test it in 90 days

DAYS 1-30

Coverage

Audit Jio's Mumbai microwave links: frequency, path geometry, telemetry availability.

Gate 1 • enough usable links?

DAYS 31-60

Accuracy

Back-test archived Mumbai monsoon data; score every source mix against IMD radar and gauges.

Gate 2 • ≥80% of events, ±10% totals

DAYS 61-90

Business value

Live test with one Reliance operation in a NE-monsoon city with enough coverage. Shadow Kavach: no money moves.

Measure • disruptions, incentives, rider availability

ROADMAP

	Intelligence (core)	Kavach (optional)
0-3 m	Coverage + back-test (Mumbai)	Shadow payouts
4-12 m	Reliance live + first clients	Sandbox + heat
Year 2	Cities + enterprises	Basic at recharge
Year 3	National weather API	National scale

We aren't asking Jio to build another weather network. We're asking it to discover what its existing network can already tell us.

Gate 2 also requires under 15% of our triggers to go unconfirmed by radar. Months 4-12 include Mumbai's 2027 monsoon and the April-June heat season.