



THE PROBLEM

When the rain stops work, the income stops too

**A cloudburst hits Andheri**

The sky opens mid-shift

**Roads flood, orders stall**

Riding on becomes unsafe

**Ravi goes offline**

He is a delivery rider in Mumbai

**The day's income is gone**

Accident cover exists. Nothing covers a lost day.

Weather is local (rain, mm)

26 July 2005 · two IMD stations, 20 km apart

944



Santacruz

73




Colaba

A city-wide alert can't decide a rider-level payout.



THE INSIGHT

What if the network itself could sense the rain?



Rain absorbs the beam: about 25 dB weaker in a downpour

1 Signal loss, every minute from network logs



2 Rain rate ITU-R standard formula



3 1 km rain map with a confidence score

**We don't build a new sensor network.
We turn existing network signals into one.**




Microwave links sense rain; fibre doesn't. How many usable links Jio has in Mumbai is the first thing our pilot measures.



THE PROOF

We tested the physics before the business

Public research dataset • 500 real microwave links in Germany • 11 days • not Jio data



0.95

network-wide match with radar, hour by hour, on unseen days

0.88

typical single link on its own

BUT TO PAY CLAIMS

68% payout events caught


18% false triggers

The sensing works. It isn't insurance-grade yet. That's what we fix next.

Tuned once ($\times 1.17$) on 10–12 May 2018, scored on 13–20 May. Payout events: 10 mm in 3 hours per 4 km square. Reference: German Weather Service radar.



No single sensor decides a payout



Low confidence never auto-denies: the day is checked against gauges and radar. Sources are weighed by their measured accuracy, not by a vote.



THE PRODUCT


From weather intelligence to income protection



₹165 a rider a month

~4 days a year in Mumbai

Up to 5 payouts a year



Illustration



We start with the platform, not the worker



Today, in a storm

- Riders go offline, orders fail
- Rain surge pay rewards riding into danger
- Customers wait; service levels drop
- The weather bill is unpredictable



With Kavach Plus

- A fixed premium, budgeted per rider
- An automatic benefit, whether or not they ride
- Riders stay safe, and stay with the app
- Supports gig-worker welfare duties




The pilot measures the return in the partner's own data: orders lost · rider online rate · rain incentive spend · rider churn



THE MONEY

Jio earns from intelligence, not insurance risk



Reliance can connect the whole chain





OUR ASK

No new network. Just proof that ours is usable



DAYS 0-30

Coverage audit

Usable links in every 1 km cell;
how often Jio logs them



DAYS 31-60

Accuracy

Rain against IMD gauges and radar



DAYS 61-90

Triggers and payouts

Simulated payouts for real riders;
false triggers



DAY 90

Go / no-go

Enough coverage? $\geq 80\%$ caught?
 $< 15\%$ false? < 6 h?

What we need from Jio

- Microwave-link telemetry for Mumbai, for 90 days
- JioMart's own delivery riders as the first customer
- One JFS insurance partner and a five-person team

What it costs

Under ₹1 crore. No new hardware. No money moves in shadow mode.



We aren't asking Jio to build another weather network.

We're asking it to discover what its network can already tell us.

JioMausam

Turn the network into intelligence. Turn intelligence into protection.