# KdV Pseudospectral Methods Work-Precision Diagrams

#### HAO HAO

## October 5, 2019

```
using ApproxFun, OrdinaryDiffEq, Sundials, BenchmarkTools, DiffEqOperators
Error: ArgumentError: Package DiffEqOperators not found in current path:
- Run `import Pkg; Pkg.add("DiffEqOperators")` to install the DiffEqOperato
rs package.
using DiffEqDevTools
using LinearAlgebra
using Plots; gr()
Here is the Burgers equation using Fourier spectral methods.
S = Fourier()
n = 512
x = points(S, n)
D2 = Derivative(S,2)[1:n,1:n]
D = (Derivative(S) \rightarrow S)[1:n,1:n]
T = ApproxFun.plan_transform(S, n)
Ti = ApproxFun.plan_itransform(S, n)
D3 = (Derivative(S,3) \rightarrow S)[1:n,1:n]
\hat{\mathbf{u}}_0 = \mathbf{T} * \cos \cdot (\mathbf{x})
\delta=0.022
tmp = similar(\hat{u}_0)
p = (D,T,Ti,similar(tmp),tmp)
function kdv(dû,û,p,t)
    D,T,Ti,u,tmp = p
    mul!(u,D,û)
    mul!(tmp,Ti,u)
    mul!(u,Ti,û)
    @. tmp=u*tmp
    mul!(u,T,tmp)
    0.d\hat{u} = 6*u
end
kdv (generic function with 1 method)
Reference solution using RadauIIA5 is below:
prob = SplitODEProblem(DiffEqArrayOperator(-D3), kdv, û_0, (0.0,5.0), p)
sol = solve(prob, RadauIIA5(autodiff=false); reltol=1e-14,abstol=1e-14)
Error: InterruptException:
test_sol = TestSolution(sol)
```

```
Error: UndefVarError: sol not defined

tslices=[0.0 1.0 2.0 3.0 5.0]
ys=hcat((Ti*sol(t) for t in tslices)...)

Error: UndefVarError: sol not defined

labels=["t=$t" for t in tslices]
plot(x,ys,label=labels)

Error: UndefVarError: ys not defined
```

# 0.1 High tolerances

## 0.2 In-family comparisons

```
1.IMEX methods (diagonal linear solver)
abstols = 0.1 .^ (5:8)
reltols = 0.1 .^{(1:4)}
multipliers = 0.5 .^{\circ} (0:3)
setups = [Dict(:alg => IMEXEuler(linsolve=diag_linsolve), :dts => 1e-5 * multipliers),
          Dict(:alg => CNAB2(linsolve=diag_linsolve), :dts => 5e-7 * multipliers),
          Dict(:alg => CNLF2(linsolve=diag_linsolve), :dts => 5e-7 * multipliers),
          Dict(:alg => SBDF2(linsolve=diag_linsolve), :dts => 1e-5 * multipliers)]
Error: UndefVarError: diag_linsolve not defined
labels = ["IMEXEuler" "CNAB2" "CNLF2" "SBDF2"]
@time wp1 = WorkPrecisionSet(prob,abstols,reltols,setups;
                            print_names=true,names=labels,
                            numruns=5, seconds=5,
                            save_everystop=false,appxsol=test_sol,maxiters=Int(1e5));
Error: UndefVarError: test_sol not defined
plot(wp1,label=labels,markershape=:auto,title="IMEX methods, diagonal linsolve, low
   order")
Error: UndefVarError: wp1 not defined
 2. ExpRK methods
abstols = 0.1 .^ (5:8) # all fixed dt methods so these don't matter much
reltols = 0.1 .^{(1:4)}
multipliers = 0.5 .^{\circ} (0:3)
setups = [Dict(:alg => NorsettEuler(), :dts => 1e-3 * multipliers),
          Dict(:alg => ETDRK2(), :dts => 1e-2 * multipliers)]
labels = hcat("NorsettEuler",
              "ETDRK2 (caching)")
@time wp2 = WorkPrecisionSet(prob,abstols,reltols,setups;
                            print_names=true, names=labels,
                            numruns=5,
                            save_everystep=false, appxsol=test_sol, maxiters=Int(1e5));
Error: UndefVarError: test_sol not defined
plot(wp2, label=labels, markershape=:auto, title="ExpRK methods, low order")
Error: UndefVarError: wp2 not defined
```

# 0.3 Between family comparisons

#### 0.4 Low tolerances

## 0.5 In-family comparisons

```
1.IMEX methods (band linear solver)
abstols = 0.1 .^{(7:13)}
reltols = 0.1 .^{(4:10)}
setups = [Dict(:alg => ARKODE(Sundials.Implicit(), order=3, linear_solver=:Band,
    jac_upper=1, jac_lower=1)),
          Dict(:alg => ARKODE(Sundials.Implicit(), order=4, linear_solver=:Band,
    jac_upper=1, jac_lower=1)),
          Dict(:alg => ARKODE(Sundials.Implicit(), order=5, linear_solver=:Band,
    jac_upper=1, jac_lower=1))]
labels = hcat("ARKODE3", "ARKODE4", "ARKODE5")
@time wp4 = WorkPrecisionSet(prob,abstols,reltols,setups;
                            print_names=true, names=labels,
                            numruns=5, error_estimate=:12,
                            save_everystep=false, appxsol=test_sol, maxiters=Int(1e5));
Error: UndefVarError: test_sol not defined
plot(wp4, label=labels, markershape=:auto, title="IMEX methods, band linsolve, medium
   order")
Error: UndefVarError: wp4 not defined
2.ExpRK methods
abstols = 0.1 .^ (7:11) # all fixed dt methods so these don't matter much
reltols = 0.1 .^{(4:8)}
multipliers = 0.5 .^{(0:4)}
setups = [Dict(:alg => ETDRK3(), :dts => 1e-2 * multipliers),
          Dict(:alg => ETDRK4(), :dts => 1e-2 * multipliers),
          Dict(:alg => HochOst4(), :dts => 1e-2 * multipliers)]
labels = hcat("ETDRK3 (caching)", "ETDRK4 (caching)",
              "HochOst4 (caching)")#, "ETDRK4 (m=5)" "ETDRK3 (m=5)" "HochOst4 (m=5)")
```

## 0.6 Between family comparisons

```
abstols = 0.1 .^{(7:11)}
reltols = 0.1 .^{(4:8)}
multipliers = 0.5 .^{\circ} (0:4)
setups = [Dict(:alg => ARKODE(Sundials.Implicit(), order=5, linear_solver=:Band,
    jac_upper=1, jac_lower=1)),
          Dict(:alg => ETDRK3(), :dts => 1e-2 * multipliers),
          Dict(:alg => ETDRK4(), :dts => 1e-2 * multipliers)]
labels = hcat("ARKODE (nondiagonal linsolve)", "ETDRK3 ()", "ETDRK4 ()")
@time wp6 = WorkPrecisionSet(prob,abstols,reltols,setups;
                            print_names=true, names=labels,
                            numruns=5, error_estimate=:12,
                            save_everystep=false, appxsol=test_sol, maxiters=Int(1e5));
Error: UndefVarError: test_sol not defined
plot(wp6, label=labels, markershape=:auto, title="Between family, medium order")
Error: UndefVarError: wp6 not defined
using DiffEqBenchmarks
DiffEqBenchmarks.bench_footer(WEAVE_ARGS[:folder],WEAVE_ARGS[:file])
```

# 0.7 Appendix

LIBM: libopenlibm

These benchmarks are a part of the DiffEqBenchmarks.jl repository, found at: https://github.com/JuliaDiracelly run this tutorial, do the following commands:

```
using DiffEqBenchmarks
DiffEqBenchmarks.weave_file("MOLPDE","kdv_spectral_wpd.jmd")
Computer Information:

Julia Version 1.2.0
Commit c6da87ff4b (2019-08-20 00:03 UTC)
Platform Info:
    OS: Linux (x86_64-pc-linux-gnu)
    CPU: Intel(R) Xeon(R) CPU E5-2680 v4 @ 2.40GHz
    WORD_SIZE: 64
```

LLVM: libLLVM-6.0.1 (ORCJIT, haswell)

Environment:

JULIA\_NUM\_THREADS = 16

#### Package Information:

```
Status: `/home/crackauckas/.julia/dev/DiffEqBenchmarks/Project.toml`
[28f2ccd6-bb30-5033-b560-165f7b14dc2f] ApproxFun 0.11.7
[a134a8b2-14d6-55f6-9291-3336d3ab0209] BlackBoxOptim 0.5.0
[eb300fae-53e8-50a0-950c-e21f52c2b7e0] DiffEqBiological 3.11.0
[f3b72e0c-5b89-59e1-b016-84e28bfd966d] DiffEqDevTools 2.15.0
[1130ab10-4a5a-5621-a13d-e4788d82bd4c] DiffEqParamEstim 1.8.0
[a077e3f3-b75c-5d7f-a0c6-6bc4c8ec64a9] DiffEqProblemLibrary 4.5.1
[ef61062a-5684-51dc-bb67-a0fcdec5c97d] DiffEqUncertainty 1.2.0
[7073ff75-c697-5162-941a-fcdaad2a7d2a] IJulia 1.20.0
[7f56f5a3-f504-529b-bc02-0b1fe5e64312] LSODA 0.6.1
[76087f3c-5699-56af-9a33-bf431cd00edd] NLopt 0.5.1
[c030b06c-0b6d-57c2-b091-7029874bd033] ODE 2.5.0
[54ca160b-1b9f-5127-a996-1867f4bc2a2c] ODEInterface 0.4.6
[09606e27-ecf5-54fc-bb29-004bd9f985bf] ODEInterfaceDiffEq 3.4.0
[1dea7af3-3e70-54e6-95c3-0bf5283fa5ed] OrdinaryDiffEq 5.17.2
[65888b18-ceab-5e60-b2b9-181511a3b968] ParameterizedFunctions 4.2.1
[91a5bcdd-55d7-5caf-9e0b-520d859cae80] Plots 0.26.3
[b4db0fb7-de2a-5028-82bf-5021f5cfa881] ReactionNetworkImporters 0.1.5
[f2c3362d-daeb-58d1-803e-2bc74f2840b4] RecursiveFactorization 0.1.0
[c3572dad-4567-51f8-b174-8c6c989267f4] Sundials 3.7.0
[44d3d7a6-8a23-5bf8-98c5-b353f8df5ec9] Weave 0.9.1
[b77e0a4c-d291-57a0-90e8-8db25a27a240] InteractiveUtils
[d6f4376e-aef5-505a-96c1-9c027394607a] Markdown
[44cfe95a-1eb2-52ea-b672-e2afdf69b78f] Pkg
[9a3f8284-a2c9-5f02-9a11-845980a1fd5c] Random
```