Parent Education For Newborn Care & Circumcision Care

Maternity

SimpleNursing


Parent Education For Newborn Care

Newborn GERD

Gastroesophageal Reflux Disease

NCLEX Key Points

- Burp **during & after** feeds
- Hold baby upright **20-30 minutes after each feeding**
- Offer **smaller, frequent** feeds



Kaplan Question


... newborn's **umbilical cord**... teaching is effective?

- "I will **clean the cord and skin** around it with **water**."
- "I will **allow the cord to fall off on its own**."

HESI Question


... **newborn's cord care** at home?

- Allow the **cord to air-dry** as much as possible




Umbilical Cord Care

- **Goal**: prevent infection & hemorrhage
- **Interventions**:
  - 24-48 hrs: Cord clamp can be removed when cord is DRY
  - Clean cord stump with WATER and AIR DRY **(NOT Alcohol)**
  - Assess for **SIGNS OF INFECTION**
    -Redness
    -Swelling
    -Drainage
- **Parent Teaching**:
  - Fold **diaper down & away** from the stump
  - **NO bathing** in a tub (**submerged**) until cord stump falls off
  - Let cord **fall off on its own**
  - **DO NOT** PULL CORD (infection + hemorrhage risk)
  - NO alcohol to clean the cord only water




Circumcised & Uncircumcised

Newborn circumcision is an elective procedure that removes the foreskin from the male infant's penis using the clamp method or the plastic ring. It can be performed before discharge on the postpartum unit or on an outpatient basis with a pediatrician.



Nursing Care

1. Hand washing before care
2. **Petroleum Jelly** application at diaper changes
3. Normal healing: **yellow exudate** after the first day **NCLEX TIP**
4. Signs to report:
   - **Bleeding** exceeding the **size of a quarter**
   - Dry diaper or **No voiding 6 - 8 hours** after circumcision
5. Cleaning:
   - Warm water without soap
   - **AVOID** alcohol-based wipes or soap water





Kaplan Question

Which **action** should the **nurse take immediately after** the newborn is **circumcised**?

- Applies **petroleum gauze** and observes carefully for **bleeding**

ATI Question

... neonate who just underwent **circumcision**. If **bleeding** should occur, what is the **initial priority**?

- Use a **sterile gauze** pad to **apply light pressure** to the area

Saunders Question

... newborn after **circumcision** ... the circumcised area is **red with a small amount of blood drainage**. Which **nursing action** is most appropriate?

- Document the findings

Notes