



DEFENSE

AT&T



DEFENSE



DEFENSE

## INDEX

<b>ATA 9</b>	06 - 09
<b>APT 556</b>	10 - 13
<b>BA 40</b>	14 - 17
<b>ALR</b>	18 - 21
<b>ASR</b>	22 - 25
<b>ATA SHOTGUN</b>	26 - 27
<b>ATA 1955</b>	28 - 31
<b>TACTICAL</b>	32 - 35
<b>ETRO</b>	36 - 38



ATA  
DEFENSE

As ATA, we are the leader of firearms production and export in Turkey for more than 60 years. We are proud of exporting many firearms that we have pioneered in the sector to more than 70 countries in different parts of the world and raising a Turkish brand to this success in the international market.

Since our foundation in 1955, we have always been a guide in the firearms sector. We produced the first side-by-side (1957), the first over & under (1973), the first semi-automatic shotguns (1992), the first bolt-action hunting rifle (2015), the first multi caliber sniper rifle (2019) in Turkey and led up the industry.

In addition, since 2008 we have produced the famous American rifle brand Weatherby A-08, Orion and Element. The Element model won the NRA Golden Buleyve Awards in 2016.

After obtaining the production permit, our company started to operate in the field of defense industry and produced the main parts of national rifle M-76 model and immediately pressed the button for the production of sniper rifle and assault rifle.

In the same period, our grand daughter project speeded up and in 2018 we won the tender of the Defense Industry Presidency. ATA, which produces semi-automatic rifles to the Turkish Land Forces and semi-automatic rifle to the Turkish Naval Forces, is also delivered to the armed forces of countries such as Georgia, Bahrain, Kazakhstan and Egypt.

ATA now shows up in several defense industry exhibitions both in Turkey and abroad. In the near future, we aim to produce for the armed forces of many countries in the world and has begun to take steps for this goal rapidly.

# ATA9

*Pistol*



<b>CALIBER</b>	9X19mm
<b>TYPE</b>	Semi-Auto Pistol
<b>LENGTH</b>	197,5mm
<b>HEIGHT</b>	143mm
<b>WIDTH</b>	30mm (Grip)
<b>WEIGHT</b>	805gr (With Empty Magazine)
<b>MAGAZINE</b>	15
<b>SLIDE</b>	AISI/SAE 4340 Steel
<b>RECEIVER</b>	Polymer
<b>LOCK</b>	Rotating Barrel Locked System
<b>SAFETY</b>	Manuel Safety, Hammer Block Safety Firing Pin Block Safety
<b>BARREL</b>	Rotating Barrel, Button Rifled, 6 Groove-Land, 1:9,8 Twist Rate Barrel Length: 102mm (4")
<b>TRIGGER</b>	Double Action/Single Action Trigger System, Single Action Trigger Weight: 1500gr-3500gr, Double Action Trigger Weight: 4000gr-6000gr
<b>SIGHT</b>	3-dot Sight, Sight Radius 144mm
<b>GRIP</b>	Modular grip with 3 backstrap size(S-M-L)



DEFENSE



DEFENSE



## DEFENSE Pistol



**ATA9 BLACK**



**ATA9 BLACK**

**ATA9 FDE**



**ATA9 FDE / BLACK**



Modular grip with 3 backstraps size (S-M-L)



# APT 556

Assault Rifle



DEFENSE



# APT 556

	APT556 (14.5")	APT556 (10.5")
<b>CALIBER</b>	5.56X45mm NATO	5.56X45mm NATO
<b>TYPE</b>	Gas Operated	Gas Operated
<b>BARREL LENGTH</b>	370mm (14.5")	270mm (10.5")
<b>BARREL</b>	6 Grooved-Land	6 Grooved-Land
<b>OVERALL LENGTH</b>	795mm-895mm (31.3" - 35.3")	695mm-795mm (27.4" - 31.3")
<b>WIDTH</b>	65.6mm (2.58")	65.6mm (2.58")
<b>HEIGHT</b>	185mm (7.28")	185mm (7.28")
<b>WEIGHT</b>	3480gr (7.7 lbs)	3350gr (7.4 lbs)
<b>MAGAZINE CAPACITY</b>	30 Rounds (AR15 Compatible)	30 Rounds (AR15 Compatible)
<b>SHOOTING TYPE</b>	Semi-Auto/Full-Auto	Semi-Auto/Full-Auto
<b>TRIGGER PULL WEIGHT</b>	2.5kg - 4kg (5.5lbs - 8.8lbs)	2.5kg - 4kg (5.5lbs - 8.8lbs)
<b>EFFECTIVE RANGE</b>	550m (600 yards)	550m (600 yards)



DEFENSE



## DEFENSE Assault Rifle



# APT 556



APT 556 FD



## BA 40 GRENADE LAUNCHER MOUNTED ON APT 556 RIFLE

# BA40

Grenade Launcher



DEFENSE



## BA 40 GRENADE LAUNCHER

CALIBER	40x46mm LV	37/38mm
TYPE	Single Shot, Mounting on Rifle or Standalone Using Option	Single Shot, Mounting on Rifle or Standalone Using Option
LENGTH	325mm (Without Stock)/530mm (With Stock)	325mm (Without Stock)/530mm (With Stock)
HEIGHT	96mm (Without Stock)/168mm (With Stock)	96mm (Without Stock)/168mm (With Stock)
WIDTH	65mm (Without Stock, With Stock)	65mm (Without Stock, With Stock)
WEIGHT	1460gr (Without Stock)/2540gr (With Stock)	1460gr (Without Stock)/2540gr (With Stock)
BARREL	6-groove, 1:47" Twist	Smoothbore
LOADING	Right and Left	Right and Left
BARREL LENGTH	240mm - 220mm	240mm
TRIGGER	Double Action	Double Action
SAFETY	Manual Safety Button, Manual Barrel Lock	Manual Safety Button, Manual Barrel Lock
GRIP	Ergonomic AR15 Grip	Ergonomic AR15 Grip
COLOR OPTIONS	Black & Flat Dark Earth	Black & Flat Dark Earth

## BA 37/38 ANTI RIOT GUN

CALIBER	40x46mm LV	37/38mm
TYPE	Single Shot, Mounting on Rifle or Standalone Using Option	Single Shot, Mounting on Rifle or Standalone Using Option
LENGTH	325mm (Without Stock)/530mm (With Stock)	325mm (Without Stock)/530mm (With Stock)
HEIGHT	96mm (Without Stock)/168mm (With Stock)	96mm (Without Stock)/168mm (With Stock)
WIDTH	65mm (Without Stock, With Stock)	65mm (Without Stock, With Stock)
WEIGHT	1460gr (Without Stock)/2540gr (With Stock)	1460gr (Without Stock)/2540gr (With Stock)
BARREL	6-groove, 1:47" Twist	Smoothbore
LOADING	Right and Left	Right and Left
BARREL LENGTH	240mm - 220mm	240mm
TRIGGER	Double Action	Double Action
SAFETY	Manual Safety Button, Manual Barrel Lock	Manual Safety Button, Manual Barrel Lock
GRIP	Ergonomic AR15 Grip	Ergonomic AR15 Grip
COLOR OPTIONS	Black & Flat Dark Earth	Black & Flat Dark Earth





## DEFENSE Grenade Launcher




BA 40 MOUNTED ON APT 556 RIFLE



40mm



37/38mm



AMBIDEXTROUS LOADING



**ALR**


*Sniper Rifle*



DEFENSE

COLOR OPTIONS

<b>CALIBER (TWIST RATE)</b>	308 Win. (1:11") (7,62x51 NATO) .243 Win. (1:10") 6.5 Creedmoor (1:8")
<b>OPERATION</b>	Bolt Action
<b>CHASSIS</b>	Hard Anodized Aluminum
<b>BARREL</b>	47cm (18.5"), 51cm (20"), 56cm (22"), 61cm (24") Options Available - Button Rifled.
<b>OVERALL LENGTH</b>	118 cm (46.5") with 61cm (24") and muzzle brake
<b>RECEIVER</b>	Monoblock Steel with Integrated Locking Lug
<b>TRIGGER</b>	Two Stage, Adjustable Weight 1.75 lbs to 3.5 lbs (0.8kg - 1.6kg)
<b>SAFETY</b>	Three Position Safety
<b>MAGAZINE</b>	5 Round Detachable, Double Row, Steel
<b>GRIP</b>	Synthetic AR15 compatible grip
<b>SLING POINTS</b>	Slots for Quick Detach Sling Swivels
<b>ACCESSORY INTERFACE</b>	M-LOK Slots, Picatinny Rail for Monopod Attachment
<b>ACCESSORIES AVAILABLE</b>	Muzzle Brake M14x1 , 5/8-24 UNEF , 1/2-20 UNF, M15x1, M14x1 LH and M14x1.5, Thread Protector 0, 20, 30, 40 MOA Picatinny Rails, Additional Buttpad Spacer, NV Hood Rail, [Bag Rider (only available in ALR FS)]
<b>ACCURACY</b>	5-Shot SUB-MOA guaranteed at 100 meters with "Premium factory ammunition".



**ALR** **ALR FS**

<b>WEIGHT</b>	4.8 kg (10.55 lbs) with Empty Magazine, no Muzzle Brake	4.6 kg (10.2 lbs) with Empty Magazine, no Muzzle Brake
<b>STOCK</b>	Hard Anodized Aluminum Folding Stock; Adjustable Length of Pull (Nut Adjustment), Adjustable Buttpad Elevation, Adjustable Cheek Piece (Spring Loaded), Folding Stock (Ambifolding) Foldable both sides right or left.	Hard Anodized Aluminum Fixed Stock; Adjustable Length of Pull (Push Button), Adjustable Buttpad Elevation, Adjustable Cheek Piece (Spring Loaded), Folding Stock (Ambifolding) Foldable both sides right or left.



DEFENSE



## DEFENSE Sniper Rifle



FULLY  
ADJUSTABLE STOCK

AR15 COMPATIBLE GRIP & ADJUSTABLE TRIGGER

5-ROUND  
STEEL MAGAZINE

CHASSIS WITH MAGPUL®  
M-LOK® SLOTS

PICATINNY RAIL  
FOR ACCESSORIES

MUZZLE  
BRAKE

**ASR**  
*One Shot at Glory*


**NEVER SURRENDER!**



**DEFENSE**



**COLOR OPTIONS**



CALIBER	STOCK	BARREL	TWIST	RIFLING	LENGTH	WEIGHT
.308 Win (7,62x51mm NATO)	Folding	609mm 24"	1:11"	4-groove	933mm (36,7") / 1181mm (46,5")	6250g (13.78 lbs)
.300 Win Mag.		686mm 27"	1:10"	6-groove	1009mm (39,7") / 1257mm (49,5")	6450g (14.22 lbs)
.338 Lapua Mag. (8,59x70mm)		686mm 27"	1:10"	6-groove	1009mm (39,7") / 1257mm (49,5")	6450g (14.22 lbs)
6.5 Creedmoor		609mm 24"	1:8"	6-groove	933mm (36,7") / 1181mm (46,5")	6250g (13.78 lbs)

<b>MAGAZINE CAPACITY</b>	10 rounds	
<b>STOCK LENGTH ADJUSTMENT</b>	60mm (2.4")	
<b>CHEEK PIECE HEIGHT ADJUSTMENT</b>	13mm (0.5")	
<b>RECOIL PAD HEIGHT ADJUSTMENT</b>	±24mm (±0.9")	
<b>TRIGGER WEIGHT</b>	600-1500g (1.3-3.3 lbs.)	
<b>SAFETY SYSTEM</b>	3-position safety: F-fire, S-safe (trigger locked), L-lock (bolt locked for transport)	
<b>OPTICAL INTERFACE</b>	MIL-STD-1913 Picatinny Rail with 20MOA or 30MOA forward inclination	
<b>ACCESSORY INTERFACE</b>	<b>HANDGUARD</b> The octagonal handguard is equipped with M-lok interface, full length MIL-STD-1913 Picatinny rail	<b>SLING FIXATION</b> QD sling swivels located on the foreend, buttstock and receiver

**ATA** DEFENSE



## DEFENSE Multi Caliber Sniper Rifle



### QUICK CHANGE

Barrel or caliber change can be performed by the operator in field conditions less than a minute, by a torx wrench stored inside the forend grip.



### 3 LOCKING LUGS BOLT DESIGN

Three locking lugs design 60° bolt lift, quick detachable bolt heads.



### TRIGGER MECHANISM

Two stage design with adjustable weight of pull for every stage and trigger position.



### INTEGRATED MONOPOD

Integrated monopod features two types of adjustments; precise or quick.



# ATA SHOTGUN

*Law Enforcement*



DEFENSE



<b>OPERATING SYSTEM</b>	Pump Action
<b>GAUGE</b>	12GA
<b>CHAMBER</b>	76 mm (3")
<b>BARREL LENGTH</b>	47 cm (18.5")
<b>CHOKE</b>	Extended Cylinder
<b>MAGAZINE CAPACITY</b>	5
<b>STOCK</b>	Synthetic - Folding
<b>WEIGHT</b>	2.7 kg - 6 lbs



<b>OPERATING SYSTEM</b>	Gas Operated - Semi or Full Auto
<b>GAUGE</b>	12GA
<b>CHAMBER</b>	76 mm (3")
<b>BARREL LENGTH</b>	47 cm (18.5")
<b>CHOKE</b>	Extended Cylinder
<b>MAGAZINE CAPACITY</b>	5
<b>STOCK</b>	Synthetic - Folding - Adjustable
<b>WEIGHT</b>	3.1 kg / 6.8 lbs



12GA G

# ATA1955

*Magazine Fed Shotgun*



DEFENSE



ATA1955 BLACK



ATA1955 FDE (Flat Dark Earth)



ATA1955 TUNGSTEN



ATA1955 OD GREEN



20 GAUGE

GAUGE	12GA
CHAMBER	76 mm (3")
BARREL LENGTH	47 cm (18.5")
CHOKE	Extended Cylinder
MAGAZINE CAPACITY	5 And 10 Rounds
STOCK	Telescopic & Adjustable
WEIGHT	3.5 kg (7.8 lbs)





## DEFENSE Magazine Fed Shotgun



# TACTICAL

*Series*



DEFENSE





## DEFENSE Tactical Series



## BLACK



2 GAUGE



## CY TACTIC



CY TACTICAL OD GREEN

Model	Operating System	Gauge	Chamber	Barrel Length	Choke	Magazine Capacity	Stock	Weight
CY TACTICAL BLACK	GAS-SEMI-AUTO	12	3" 76 MM	47 CM - (18 1/2")	EXTENDED (CYLINDER)	7	TACTICAL	3.1 kg (6.83 lbs)
CY TACTICAL BRONZE	GAS-SEMI-AUTO	12	3" 76 MM	47 CM - (18 1/2")	EXTENDED (CYLINDER)	7	TACTICAL	3.1 kg (6.83 lbs)
CY TACTICAL TUNGSTEN	GAS-SEMI-AUTO	12	3" 76 MM	47 CM - (18 1/2")	EXTENDED (CYLINDER)	7	TACTICAL	3.1 kg (6.83 lbs)
CY TACTICAL OD GREEN	GAS-SEMI-AUTO	12	3" 76 MM	47 CM - (18 1/2")	EXTENDED (CYLINDER)	7	TACTICAL	3.1 kg (6.83 lbs)
NEO TACTICAL	INERTIA-SEMI-AUTO	12	3" 76 MM	47 CM - (18 1/2")	EXTENDED (CYLINDER)	4	TACTICAL	3.0 kg (6.6 lbs)



# ETRO

*Pump Action Shotgun*



DEFENSE





## DEFENSE Pump Action Shotgun



ET 12



12 GAUGE



ET 11

MODEL	GAUGE	BARREL LENGTH	CHOKE	MAGAZINE CAPACITY	STOCK	WEIGHT
ET 12	12	FROM 37cm (14 1/2") to 51CM (20")	EXTENDED (CYLINDER)	5	TELESCOPIC	2.8 kg
ET 11	12	FROM 37cm (14 1/2") to 51CM (20")	EXTENDED (CYLINDER)	5	ADJUSTABLE	2.8 kg
ET 10	12	FROM 37cm (14 1/2") to 51CM (20")	EXTENDED (CYLINDER)	5	TACTICAL	3.0 kg
ET 08	12	FROM 37cm (14 1/2") to 51CM (20")	EXTENDED (CYLINDER)	5	PISTOL GRIP	2.5 kg
ET 07	12	FROM 37cm (14 1/2") to 51CM (20")	EXTENDED (CYLINDER)	5	FOLDING	2.8 kg
ET 09	12	FROM 37cm (14 1/2") to 51CM (20")	EXTENDED (CYLINDER)	5	SYNTHETIC	2.8 kg



ET 10




ET 08



ET 07



ET 09



DEFENSE



### ATA Silah San. A.S.

Alemdag Mah. Elmalı Sk. No:5/A Çekmeköy 34794 İstanbul - Turkey

T: +90 216 466 45 68 F: +90 216 466 45 71