







MICRO USB CN TYPE-B




I/O Power SW JP



Note) "XX" stands for NM


3 x				2 x				1 x			
HISTORY X COUNT				SUFFIX /REPL.				RELEASE NO. DATE			
LEGAL OWNER				REVISION				SIGN.			
RESPONSIBLE DEPARTMENT				SIZE A3				UNIT mm			
PLANNED BY				CHECKED BY				APPROVED BY			
DRAWN BY				PRJ.METHOD				TENTATIVE PART NO.			
GENERAL TOLERANCE				MATERIAL (COLOR)				FINISH (COLOR)			
DATE OF ISSUE				DOCUMENT TYPE				TOLERANCING			
CIRCUIT DIAGRAM				ISO 8015				2019.12.23			
ORIGINAL MODEL				DESCRIPTION (E)				DESCRIPTION (J)			
SPRESENSE				LTE Board (CXD5602PWBLM1)				PART NO.			
SHEET/PAGES				1 / 7							



ALL resistors are in ohms, unless otherwise noted.

ALL capacitors are in uF(p.pF) unless otherwise noted.

ORIGINAL MODEL	SPRESENSE	
DESCRIPTION	LTE Board (CXD5602PWBLM1)	
PART NO.	2019.12.23	SHEET 3 / 7

A 3

