SCRIPT-CONTROLLED ACL

Restrict Record Access Based on Field Value

A Project Report Submitted in Partial Fulfillment of the Requirement for the Award of the Degree in

BACHELOR OF COMPUTER APPLICATIONS

Submitted By

Arokkiarani P (Leader) – 24081330500112102

Bala Deepika V - 24081330500112104

Isai Priya B - 24081330500112107



EINSTEIN COLLEGE OF ARTS AND SCIENCE

TIRUNELVELI-12

(Affiliated to MANONMANIAM SUNDARANAR UNIVERSITY, Tirunelveli)

DECLARATION

We hereby declare that the project titled "Script-Controlled ACL – Restrict Record Access Based on Field Value" is an original academic project carried out by the above team as part of the Bachelor of Computer Applications programme. The project demonstrates the configuration and use of a Script-Controlled Access Control List (ACL) in ServiceNow to control access to records according to a field-based condition. The implementation, screenshots, testing evidence, and demonstration presented in this document are based on the work shown in the submitted project video. We further declare that this documentation represents our understanding of the implementation demonstrated by the team and has been prepared for academic submission.

Team Members

- **Arokkiarani P (Leader) – 24081330500112102**
- **Bala Deepika V – 24081330500112104**
- **Isai Priya B – 24081330500112107**

ABSTRACT

The project “Script-Controlled ACL – Restrict Record Access Based on Field Value” focuses on record-level security in ServiceNow. Access Control Lists (ACLs) determine whether a user can perform a particular operation on a record. In this project, a scripted security condition is configured so that record access can be restricted according to a field value. The project demonstrates the creation of an Access Control record, selection of an operation, configuration of the access-control condition, and validation of the resulting security behaviour. The team also demonstrates the effect of the configured ACL by attempting to access protected information and observing the security response. The main objective is to understand how ServiceNow security can be customized beyond simple role-based access by applying a field-dependent scripted condition. The final demonstration provides evidence of the ACL configuration and the resulting restricted-access behaviour. Keywords: ServiceNow, ACL, Access Control List, Script, Record Security, Field Value, Authorization