DUPLICATOR AND ITS MECHANISM

HISTORY OF DUPLICATOR

- The duplicating Machine was first invented by James Watt in 1780.
- Duplicator is otherwise called ‘Multi Copier’
- stencil duplicating means taking a large number of copies.

STENCIL PAPER

- The special paper on which we cut matter to be multi Copies is called the 'Stencil Paper'.
- There are two kinds of "Stencil Paper"

(1) Wax
(2) Waxless

- WAX: It is used for writing purposes and Drawing Sketches.
- WAXLESS: It is used for typing purposes only.
- The two popular duplicators are (1) Gestetner (2) R.R.R

ADVANTAGES

1. Hundreds of copies dan be prepared.
2. Much time and energy is saved.
3. All the copies appear like original.




HOW TO CUT STENCIL


- Before cutting stencil the types should be cleaned Thoroughly using petrol.
- Before cutting stencil bring the colour indicator to the WHITEDOT.
- Adjust the stencil as per the scale marked in the stencil.
- Type with a firm and steady touch slightly heavier.
- Enclosed characters should not be struck too hard.
- When cutting is complete, remove the Stencil Paper using paper releaser.

There are three ways of making correction in the Stencil Paper

(1) Using Correcting fluid
(2) Using Gum Strip
(3) Grafting.



1. Paper Tray
2. Paper Side Guide
3. Adjustable Knob
4. Operating Lever
5. Printing Screw (Up&Down)
6. Handle
7. Paper Receiving Tray



1. Printing Screw (Up & Down)
2. Operating Lever
3. Handle
4. Silk Carrier
5. Impression Roller
6. Receiving Tray

Soft cylinder

IMPORTANT PARTS OF DUPLICATOR:

1. FEEDING TRAY
2. RECEIVING TRAY
3. OPERATING LEVER
   OFF/ON LEAVER
4. HANDLE
5. SILK CLOTH (Silk coated)
6. IMPRESSION ROLLER
7. BACKING SHEET LEVER.
8. CYLINDRICAL DRUM
9. MARGIN ADJUSTING KNOBS
10. SIDE MARGIN PLATE
11. PRINTING SCREW
12. WAVE ROLLER.

FEEDING TRAY : Feed Tray is also called as Paper Table. It is used to keep impression papers to fed into the duplicator one by one.

RECEIVING TRAY: It is at the back of the duplicator. To receive the Roneoed copies at the Receiving tray.

HANDLE: Handle is used for rotating the cylinders. It is always rotated in the clockwise direction. (Right side)

cyclostyle ⟶ oldest form of duplicator

OPERATING LEVER OFF / ON LEVER : Operating lever is otherwise called Impression lever or Off / On lever or Pressure lever. The Operating lever should be kept in the 'ON position when copies are taken. But the operating lever should be kept in the 'OFF' Position when the duplicator is not in use
(Copies cannot be taken).

- operating lever
- ON /OFF lever
- Impression lever
- pressure lever

SILK CLOTH OR SILK CARRIER: On which the typed stencil sheet is fixed and through which ink is supplied to the stencil sheet. It is fixed on the cylinder Drum.

FEED ROLLER: It is used to feed the paper one by one to receive impression on the paper.

IMPRESSION ROLLER: A Rubber Roller just placed under the cylinder Drum to feed the impression paper for taking copies.

MARGIN ADJUSTING KNOBS: To adjust the Marginal Side Plates for getting Left and Right margins on the Impression paper.

CYLINDRICAL DRUM: To fix the /silk /cloth sheet and to hold the typed stencil sheet over them.

PRINTING SCREW: The printing screw helps to ;adjust top and bottom margin.



SIDE MARGIN PLATE: To adjust the side Margin (left and right) of the Impression Paper to be fed.

STYLUS PEN : Stylus Pen is used for writing or putting the signature on the stencil paper and also used to rule statements in the Stencil Papers.

STYLUS PAD (SIGNATURE PLATS): Stylus pad is kept between the Stencil sheet and backing sheet while using the Stylus Pen

CORRECTING FLUID: Correction fluid is useful to make corrections in the typed Stencil papers. Correcting fluid is used to erase a mistake while cutting Stencil.



GRAFTING METHOD: Grafting means substituting a new paragraph for the existing one. Grafting means removing the unwanted the typed matter and affixing thereon a piece of stencil after correctly typed.

IMPRESSION PAPER: Impression paper means absorbs the ink and dry quickly. It is used for duplicating purposes only.

PRECAUTIONS BEFORE CUTTING STENCIL:

1. Ribbon position indicator should be kept in the Stencil Point (White spot)
2. Types should be cleaned with petrol.
3. Types as ‘o’ ‘e’ ‘a’ should be removed dust with hat pin.

WHILE CUTTING A STENCIL:

1. Use a firm and steady touch (Hard touch)
2. Do not type outside the mark of the stencil.
3. Light touch must be given to ‘o’,’e’ ‘a

light touch ✗


Gestetner

1)The stencil sheet is placed in the

- Cotton carrier
- Silk carrier
- Linen carrier
- None of the above

2)About……copies obtained from a good stencil

- 1000
- 500
- 750
- 600

3)The name of pen used to sign in the stencil paper is

- Ink pen
- Ball pen
- Gel pen
- Stylus pen

4) ……stencil is used for writing purpose

- Wax
- Carbon
- Black
- Silk

5) If any part of the matter is not needed in stencil, ……..
can be used.

a • Gum paper ✓
b • Stylus pen
c • Impression roller
d • Duplicating paper

PYQ

1) ……..is used as a salutation for sending a letter to the Governor.

(A) His/Her Highness
(B) Respected Sir
(C) Honourable
(D) His/Her Excellency

chief minister
Chief Justice of India
President

2) ……..is used to operate Space Bar.

(A) Right Thumb
(B) Left Little Finger
(C) Right Little finger
(D) Left Thumb

Touch method
Blind method
9 finger method

3) Which is the odd one


(A) Pica → 10
(C) Elite → 12
(B) Roman → 9
(D) Hard Rubber ✓

4) What is the term used in the Inside Address of Business Letter when the Company name exist with an Individual?

(A) Dears
(B) Respected
(C)Messers
(D) Sirs

5) The Guide row of keyboard is arranged from the top as the:

(A) First row
(C) Second row
(B) Third row
(D) Fourth row



6) How many shift keys are available on the Key Board?

(A) 2
(B) 1
(C) 4
(D) 3



7) In a Typewriter (a) and (;) are called:

(A) Home Keys
(C) Special Keys
(B) Guide Keys
(D) Dead Keys

8) Which of the following keys are used in a Typewriter for extending a line of typing.


(A) Shift Key
(B) Guide Key
(C) Margin Release Key
(D) Character Key

9) Which is the expanded form of EMD in Tender Form?

(A) Earnest Money Deposit
(B) Eligible Marginal Deposit
(C) Extra Money Deposit
(D) Entire Monthly Deposit

10) The correction sign "stet" in manuscript is treated as:

(A) Underline
(B) New Paragraph
(C) Statement
(D) The scored portion should be typed



11) w.e.f stands for:

(A) Without Entry Fees
(B) With Easy Fraction
(C)With Effect From
(D) With Economic Factor

12) ……. is considered as the "heart" of the Typewriter.

(A) Shift Key
(B) Dog Block
(C) Cylinder
(D) Carriage

mainspring

cancelled

13) The paper guide is found on the side of the paper table.

(A) Left
(B) Right
(C) Bottom
(D) None of these

14) Cylinder Ratchet Wheel in a Typewriter is used for:

(A) Carriage Movement
(B) Typing Symbols
(C) Line Spacing
(D) Rotating Platen

Left

15) Bell in the Typewriter gives warning to caution that The:

(A) Ribbon is coming to the end
(B) Right side margin is approaching
(C) Bottom Margin is approaching
(D) None of these

5 Space

16) Which of the following parts of a Typewriter for Typing Uppercase Characters continuously?

(A) Tabulator Key
(B) Shift Key
(C) Shift Lock Key
(D) Line Space Key

17) The expanded form of "On I.G.S":

(A) On Investigation Grading System
(B) On International Goods Service
(C) On Integrated Grading System
(D) On India Government Service

18) Which of the following is the correct option in connection with Shift Key?

(A) Moving one space forward
(B) Typing Capital Letters
(C) Typing numbers
(D) Deleting a Character

19) The Carriage will stop suddenly, if:

(A) The Ribbon is cut off
(B) The Carriage rack is worn out
(C) The draw cord is cut off
(D) None of these

20) ……is the semi-circular iron plate situated below the Type guide in a Typewriter.

(A) Segment
(B) Type Heads
(C) Cylinder
(D) Universal Bar

21) The Upper portion of the Typewriter which moves while typing is called:

(A) Cylinder
(B) Bell
(C) Carriage
(D) Pinion Wheel

22) Which of the following is the expanded form of K.G.T.E?

(A) Kerala Government Technical Education
(B) Kerala Government Teachers Economy
(C) Kerala Government Technical Examinations
(D) None of these

23) The movement of the carriage of a Typewriter is controlled by:

(A) Space Bar
(B) Cylinder
(C) Draw cord
(D) Loose Dog and Rigid Dog → Step by Step movement



24) Shift keys are pressed by:

(A) Little Finger
(B) Thumbs
(C) Middle Finger
(D) Ring finger

25) The Correction sign "NP", "FP" etc. in manuscripts are treated as:

(A) New Page
(B) Fresh Point
(C) Next Paragraph
(D) Never Printing

cylinder.

26) The shape of PLATEN in a Typewriter is:

(A) Polygon
(B) Square
(C) Rectangle
(D) Round



27) Pinion wheel is connected to:

(A) Escapement Wheel
(B) Ribbon Spool
(C) Thump wheel
(D) Bell

28) The paper guide in a Typewriter is useful for getting Uniform:

(A) Right Margin
(B) Top Margin
(C) Left Margin
(D) Bottom Margin

29) In a Pica Typeface letter were typed in one inch.

(A) Five
(B) Ten
(C) Seven
(D) Six

30) Which one of the following Salutation is used in Official Letters?

(A) Dear Mr.
(B) My Dear
(C) Dear Shri.
(D) Sir