

Тренировочный контекст — бэкенд

[Задачи](#) [Посылки](#) [Сообщения](#)

D. Лей, лей, не жалей

[✓ Полное решение](#) [</> OK](#) Python 3.12.3

^ Исходный код



```
1 from bisect import bisect_left, bisect_right
2 from collections import defaultdict
3
4
5 def build_prefixsums(f, N: int):
6     start2cost = defaultdict(int)
7     end2time = defaultdict(int)
8     start2cost[0] = 0
9     end2time[0] = 0
10
11     for i in range(N):
12         line = f.readline()
13         start, end, cost = [int(x) for x in line.split()]
14
15         start2cost[start] += cost
16         end2time[end] += end - start
17
18     s2c_keys = sorted(start2cost.keys())
19     e2t_keys = sorted(end2time.keys())
20
21     for i in range(1, len(s2c_keys)):
22         start2cost[s2c_keys[i]] += start2cost[s2c_keys[i - 1]]
23     for i in range(1, len(e2t_keys)):
24         end2time[e2t_keys[i]] += end2time[e2t_keys[i - 1]]
25
26     return start2cost, s2c_keys, end2time, e2t_keys
27
28
29 def binary_search_closest(value: int, sorted_array: list[int], left_bound: bool) -> int:
30     if left_bound:
31         return bisect_left(sorted_array, value)
32     else:
33         return bisect_right(sorted_array, value) - 1
34
35
36 def main():
37     with open("input.txt") as f:
38         N = int(f.readline())
39         start2cost, s2c_keys, end2time, e2t_keys = build_prefixsums(f, N)
40
41         # Пропускаем число запросов
42         f.readline()
43
44         for line in f:
45             start, end, type_ = [int(x) for x in line.split()]
46
47             if type_ == 1:
48                 left_index = binary_search_closest(start, s2c_keys, True)
49                 right_index = binary_search_closest(end, s2c_keys, False)
50                 print(start2cost[s2c_keys[right_index]] - start2cost[s2c_keys[left_index - 1]], end=" ")
51             else:
```

```

52         left_index = binary_search_closest(start, e2t_keys, True)
53         right_index = binary_search_closest(end, e2t_keys, False)
54         print(end2time[e2t_keys[right_index]] - end2time[e2t_keys[left_index - 1]], end=" ")
55
56
57 if __name__ == "__main__":
58     main()
59

```

Отличия от предыдущей посылки

№	Вердикт	Ресурсы	Баллы	
1	ok	50ms / 4.64Mb	—	▼
2	ok	49ms / 4.64Mb	—	▼
3	ok	49ms / 4.64Mb	—	▼
4	ok	49ms / 4.64Mb	—	
5	ok	51ms / 4.64Mb	—	
6	ok	49ms / 4.64Mb	—	
7	ok	49ms / 4.64Mb	—	
8	ok	50ms / 4.64Mb	—	
9	ok	50ms / 4.64Mb	—	
10	ok	49ms / 4.64Mb	—	
11	ok	49ms / 4.64Mb	—	
12	ok	49ms / 4.64Mb	—	
13	ok	49ms / 4.64Mb	—	
14	ok	49ms / 4.64Mb	—	
15	ok	1.686s / 69.91Mb	—	
16	ok	0.937s / 36.96Mb	—	
17	ok	0.754s / 4.64Mb	—	
18	ok	0.705s / 4.64Mb	—	
19	ok	0.98s / 36.96Mb	—	
20	ok	0.837s / 4.64Mb	—	
21	ok	0.837s / 4.64Mb	—	
22	ok	1.566s / 69.91Mb	—	
23	ok	1.677s / 69.91Mb	—	
24	ok	1.596s / 69.91Mb	—	
25	ok	1.651s / 69.91Mb	—	
26	ok	1.711s / 69.91Mb	—	
27	ok	1.649s / 69.91Mb	—	
28	ok	1.69s / 69.91Mb	—	

№	Вердикт	Ресурсы	Баллы
29	ok	1.7s / 69.91Mb	—
30	ok	1.848s / 69.91Mb	—