

Code for a globe UI component to be added:

"use client"

```
import { useEffect, useRef, useCallback, useState } from "react"
import createGlobe from "cobe"
import { MapPin } from "lucide-react"
```

```
interface LeadMarker {
  id: string
  location: [number, number]
  ownerName: string
  businessName: string
  city: string
  industry: string
  avatar: string
  status: "No Website" | "Outdated Website" | "Needs Redesign"
}
```

```
interface GlobeLeadsProps {
  markers?: LeadMarker[]
  className?: string
  speed?: number
}
```

```
const defaultMarkers: LeadMarker[] = [
  {
    id: "lead-1",
    location: [40.7128, -74.006],
    ownerName: "Sarah Martinez",
    businessName: "Bright Smile Dental",
    city: "New York",
    industry: "Dental Clinic",
    avatar:
      "https://images.unsplash.com/photo-1494790108377-be9c29b29330?w=150&h=150&fit=cro
p",
    status: "No Website",
  },
  {
    id: "lead-2",
    location: [51.5074, -0.1278],
    ownerName: "James Wilson",
    businessName: "Premier Roofing Co",
    city: "London",
    industry: "Roofing Company",
  },
]
```

```
    avatar:
"https://images.unsplash.com/photo-1500648767791-00dcc994a43e?w=150&h=150&fit=cro
p",
    status: "Outdated Website",
  },
  {
    id: "lead-3",
    location: [34.0522, -118.2437],
    ownerName: "Emily Chen",
    businessName: "Luxe Beauty Salon",
    city: "Los Angeles",
    industry: "Beauty Salon",
    avatar:
"https://images.unsplash.com/photo-1438761681033-6461ffad8d80?w=150&h=150&fit=crop
",
    status: "Needs Redesign",
  },
  {
    id: "lead-4",
    location: [48.8566, 2.3522],
    ownerName: "Pierre Dubois",
    businessName: "Café Parisien",
    city: "Paris",
    industry: "Restaurant",
    avatar:
"https://images.unsplash.com/photo-1507003211169-0a1dd7228f2d?w=150&h=150&fit=crop
",
    status: "No Website",
  },
  {
    id: "lead-5",
    location: [35.6762, 139.6503],
    ownerName: "Yuki Tanaka",
    businessName: "Tokyo Tech Repair",
    city: "Tokyo",
    industry: "Tech Services",
    avatar:
"https://images.unsplash.com/photo-1534528741775-53994a69daeb?w=150&h=150&fit=cro
p",
    status: "Outdated Website",
  },
  {
    id: "lead-6",
    location: [-33.8688, 151.2093],
    ownerName: "Jake Thompson",
    businessName: "Surf & Fitness Studio",
    city: "Sydney",
    industry: "Fitness Center",
```

```
    avatar:
"https://images.unsplash.com/photo-1506794778202-cad84cf45f1d?w=150&h=150&fit=crop"
,
    status: "Needs Redesign",
},
{
    id: "lead-7",
    location: [52.52, 13.405],
    ownerName: "Anna Schmidt",
    businessName: "Berlin Pet Clinic",
    city: "Berlin",
    industry: "Veterinary",
    avatar:
"https://images.unsplash.com/photo-1489424731084-a5d8b219a5bb?w=150&h=150&fit=cro
p",
    status: "No Website",
},
{
    id: "lead-8",
    location: [41.9028, 12.4964],
    ownerName: "Marco Rossi",
    businessName: "Bella Pizzeria",
    city: "Rome",
    industry: "Restaurant",
    avatar:
"https://images.unsplash.com/photo-1472099645785-5658abf4ff4e?w=150&h=150&fit=crop"
,
    status: "Outdated Website",
},
{
    id: "lead-9",
    location: [43.6532, -79.3832],
    ownerName: "Maya Patel",
    businessName: "Urban Wellness Spa",
    city: "Toronto",
    industry: "Spa & Wellness",
    avatar:
"https://images.unsplash.com/photo-1517841905240-472988babdf9?w=150&h=150&fit=cro
p",
    status: "Needs Redesign",
},
{
    id: "lead-10",
    location: [19.4326, -99.1332],
    ownerName: "Carlos Hernandez",
    businessName: "Hernandez Law Firm",
    city: "Mexico City",
    industry: "Legal Services",
```

```

    avatar:
      "https://images.unsplash.com/photo-1519085360753-af0119f7cbe7?w=150&h=150&fit=crop"
    ,
    status: "No Website",
  },
]

```

```

export function GlobeLeads({ markers = defaultMarkers, className = "", speed = 0.003 }:
GlobeLeadsProps) {

```

```

  const canvasRef = useRef<HTMLCanvasElement>(null)
  const pointerInteracting = useRef<{ x: number; y: number } | null>(null)
  const dragOffset = useRef({ phi: 0, theta: 0 })
  const phiOffsetRef = useRef(0)
  const thetaOffsetRef = useRef(0)
  const isPausedRef = useRef(false)
  const [highlightedId, setHighlightedId] = useState<string | null>(null)

```

```

  const handlePointerDown = useCallback((e: React.PointerEvent) => {
    pointerInteracting.current = { x: e.clientX, y: e.clientY }
    if (canvasRef.current) canvasRef.current.style.cursor = "grabbing"
    isPausedRef.current = true
  }, [])

```

```

  const handlePointerUp = useCallback(() => {
    if (pointerInteracting.current !== null) {
      phiOffsetRef.current += dragOffset.current.phi
      thetaOffsetRef.current += dragOffset.current.theta
      dragOffset.current = { phi: 0, theta: 0 }
    }
    pointerInteracting.current = null
    if (canvasRef.current) canvasRef.current.style.cursor = "grab"
    isPausedRef.current = false
  }, [])

```

```

  useEffect(() => {
    const handlePointerMove = (e: PointerEvent) => {
      if (pointerInteracting.current !== null) {
        dragOffset.current = {
          phi: (e.clientX - pointerInteracting.current.x) / 300,
          theta: (e.clientY - pointerInteracting.current.y) / 1000,
        }
      }
    }
  })
  window.addEventListener("pointermove", handlePointerMove, { passive: true })
  window.addEventListener("pointerup", handlePointerUp, { passive: true })
  return () => {
    window.removeEventListener("pointermove", handlePointerMove)
    window.removeEventListener("pointerup", handlePointerUp)
  }
}

```

```
    }  
  }, [handlePointerUp])
```

```
useEffect(() => {  
  const interval = setInterval(() => {  
    const randomIndex = Math.floor(Math.random() * markers.length)  
    setHighlightedId(markers[randomIndex].id)  
    setTimeout(() => setHighlightedId(null), 2000)  
  }, 4000)  
  return () => clearInterval(interval)  
}, [markers])
```

```
useEffect(() => {  
  if (!canvasRef.current) return  
  const canvas = canvasRef.current  
  let globe: ReturnType<typeof createGlobe> | null = null  
  let animationId: number  
  let phi = 0
```

```
  function init() {  
    const width = canvas.offsetWidth  
    if (width === 0 || globe) return
```

```
    globe = createGlobe(canvas, {  
      devicePixelRatio: Math.min(window.devicePixelRatio || 1, 2),  
      width,  
      height: width,  
      phi: 0,  
      theta: 0.2,  
      dark: 0,  
      diffuse: 1.2,  
      mapSamples: 16000,  
      mapBrightness: 8,  
      baseColor: [0.95, 0.97, 1],  
      markerColor: [0.3, 0.5, 0.9],  
      glowColor: [0.9, 0.92, 0.95],  
      markerElevation: 0.15,  
      markers: markers.map((m) => ({ location: m.location, size: 0.03, id: m.id })),  
      arcs: [],  
      opacity: 0.8,  
    })
```

```
  function animate() {  
    if (!isPausedRef.current) phi += speed  
    globe!.update({  
      phi: phi + phiOffsetRef.current + dragOffset.current.phi,  
      theta: 0.2 + thetaOffsetRef.current + dragOffset.current.theta,  
    })
```

```

    animationId = requestAnimationFrame(animate)
  }
  animate()
  setTimeout(() => canvas && (canvas.style.opacity = "1"))
}

if (canvas.offsetWidth > 0) {
  init()
} else {
  const ro = new ResizeObserver((entries) => {
    if (entries[0]?.contentRect.width > 0) {
      ro.disconnect()
      init()
    }
  })
  ro.observe(canvas)
}

return () => {
  if (animationId) cancelAnimationFrame(animationId)
  if (globe) globe.destroy()
}
}, [markers, speed])

const getStatusColor = (status: string) => {
  switch (status) {
    case "No Website":
      return "bg-red-500"
    case "Outdated Website":
      return "bg-orange-500"
    case "Needs Redesign":
      return "bg-blue-500"
    default:
      return "bg-gray-500"
  }
}

return (
  <div className={`relative aspect-square select-none ${className}`}>
    <style>{`
      @keyframes lead-float {
        0%, 100% { transform: translateY(0) scale(1); }
        50% { transform: translateY(-3px) scale(1); }
      }
      @keyframes lead-highlight {
        0%, 100% { transform: translateY(0) scale(1); }
        50% { transform: translateY(-5px) scale(1.08); }
      }
    `}</style>

```

```

@keyframes status-pulse {
  0%, 100% { opacity: 1; transform: scale(1); }
  50% { opacity: 0.7; transform: scale(1.1); }
}
@supports (anchor-name: --anchor) {
  [style*="positionAnchor"] {
    position-anchor: attr(style positionAnchor);
  }
}
`}</style>
<canvas
  ref={canvasRef}
  onPointerDown={handlePointerDown}
  style={{
    width: "100%",
    height: "100%",
    cursor: "grab",
    opacity: 0,
    transition: "opacity 1.5s ease",
    borderRadius: "50%",
    touchAction: "none",
  }}
/>
{markers.map((marker) => {
  const isHighlighted = highlightedId === marker.id
  return (
    <div
      key={marker.id}
      style={{
        position: "absolute",
        // @ts-expect-error CSS Anchor Positioning
        positionAnchor: `--cobe-${marker.id}`,
        bottom: "anchor(top)",
        left: "anchor(center)",
        translate: "-50% 0",
        pointerEvents: "none" as const,
        opacity: `var(--cobe-visible-${marker.id}, 0)`,
        transition: "opacity 0.4s ease, transform 0.3s ease",
        animation: isHighlighted ? "lead-highlight 2s ease-in-out" : "lead-float 4s ease-in-out
infinite",
        zIndex: isHighlighted ? 20 : 10,
      }}
    >
    <div
      className="relative rounded-xl overflow-hidden"
      style={{
        background: "rgba(255, 255, 255, 0.95)",
        backdropFilter: "blur(12px)",

```

```

        boxShadow: isHighlighted
          ? "0 12px 40px rgba(0, 0, 0, 0.25), 0 0 0 2px rgba(59, 130, 246, 0.5)"
          : "0 4px 20px rgba(0, 0, 0, 0.12)",
        padding: "10px",
        minWidth: "180px",
        border: "1px solid rgba(255, 255, 255, 0.8)",
        transition: "box-shadow 0.3s ease",
      }}
    >
    <div className="flex items-start gap-2.5">
      <img
        src={marker.avatar}
        alt={marker.ownerName}
        className="w-10 h-10 rounded-full object-cover ring-2 ring-white shadow-sm"
      />
      <div className="flex-1 min-w-0">
        <div className="font-semibold text-xs text-gray-900
truncate">{marker.ownerName}</div>
        <div className="text-[10px] text-gray-600 truncate
font-medium">{marker.businessName}</div>
        <div className="flex items-center gap-1 mt-1">
          <MapPin className="w-2.5 h-2.5 text-gray-500" strokeWidth={2.5} />
          <span className="text-[9px] text-gray-500">{marker.city}</span>
        </div>
      </div>
    </div>
    <div className="mt-2 pt-2 border-t border-gray-100 flex items-center
justify-between gap-2">
      <span className="text-[9px] text-gray-500 font-medium
truncate">{marker.industry}</span>
      <span
        className={` ${getStatusColor(marker.status)} text-white text-[8px] px-1.5 py-0.5
rounded-full font-semibold whitespace-nowrap`}
        style={{
          animation: isHighlighted ? "status-pulse 1.5s ease-in-out infinite" : "none",
        }}
      >
        {marker.status}
      </span>
    </div>
  </div>
)
}}
</div>
)
}

```



```

export default function HuntXGlobeShowcase() {
  return (
    <div className="flex items-center justify-center w-full min-h-screen bg-gradient-to-br
from-slate-50 via-blue-50 to-indigo-50 p-4 md:p-8">
      <div className="w-full max-w-4xl">
        <div className="text-center mb-8">
          <h1 className="text-4xl md:text-5xl font-bold bg-gradient-to-r from-blue-600
to-indigo-600 bg-clip-text text-transparent mb-3">
            Live Lead Discovery
          </h1>
          <p className="text-gray-600 text-sm md:text-base">
            Watch as HuntX discovers potential clients worldwide in real-time
          </p>
        </div>
        <GlobeLeads />
        <div className="mt-8 flex flex-wrap justify-center gap-4 text-xs">
          <div className="flex items-center gap-2">
            <div className="w-3 h-3 rounded-full bg-red-500"></div>
            <span className="text-gray-600">No Website</span>
          </div>
          <div className="flex items-center gap-2">
            <div className="w-3 h-3 rounded-full bg-orange-500"></div>
            <span className="text-gray-600">Outdated Website</span>
          </div>
          <div className="flex items-center gap-2">
            <div className="w-3 h-3 rounded-full bg-blue-500"></div>
            <span className="text-gray-600">Needs Redesign</span>
          </div>
        </div>
      </div>
    </div>
  )
}

```