# MASTER ACCESSIBILITY TEST PLAN

STRUCTURED COMPLIANCE FRAMEWORK PORTFOLIO

Target Application System under Audit: **https://www.spartoo.eu/**

**Lead QA Engineer / SDET Specialist:** Arpit Choubey
**Compliance Baseline:** WCAG 2.1 / 2.2 Level AA Standard Suite
**Document Type:** Standalone Operational Blueprint

## 1. Scope and Objectives

**Target Compliance:** This plan explicitly declares the platform validation requirement against the **WCAG 2.2 Level AA** standard framework to protect the storefront against exclusion pathways.

**In-Scope Elements:** Prioritize critical user transaction paths including customer registration forms, multi-tiered search fields, checkout flows, and primary visual landing pages.

**Out-of-Scope Elements:** Explicitly excludes third-party legacy payment gateway portals or purely decorative layout elements from programmatic rejection parameters.

## 2. Target Audience & Disability Profiles

- **Visual Profile:** Users relying on screen readers, high-contrast text layers, or text-magnification tools.
- **Hearing Profile:** Users requiring synchronized text captions or accessible transcripts for multimedia content elements.
- **Motor Profile:** Keyboard-only system operators traversing interfaces via Tab indexing, switch controls, or mouth-sticks.
- **Cognitive Profile:** Users benefiting from simplified language rules, predictable layouts, and minimal ambient animations.

## 3. Testing Environment & Assistive Matrix

Accessibility relies heavily on the specific combinations of desktop browsers and assistive software tools. The revised matrix parameters for this validation lifecycle are documented below:

| PLATFORM | WEB BROWSER | ASSISTIVE TECHNOLOGY & NATIVELY INTEGRATED TOOLS |
|---|---|---|
| **Windows** | Google Chrome | NVDA A11y Tool / AXe Deva A11y Tool / Wave Accessibility Tool |
| **Windows** | Mozilla Firefox | NVDA A11y Tool / AXe Deva A11y Tool / Wave Accessibility Tool |

## 4. Testing Methodology

The plan balances automated speed with nuanced manual validation managed by the SDET team:

- **Automated Scanning:** Utilized early inside development branches to flag "low-hanging fruit" such as contrast boundaries errors and missing image attributes.
- **Manual Inspection:** Mandatory check vectors tracking complex DOM interactions like logical reading order, semantic tab indexing, and keyboard layout trapping.
- **User Testing:** Involves real users operating assistive hardware to assess contextual experiential usability.

## 5. Essential Test Scenarios & Verification Rules

- **Keyboard Navigation:** Verify all interactive fields gain visible focus rings and can be triggered via Tab, Enter, and Spacebar inputs.
- **Alternative Text:** Ensure informative imagery contains descriptive alt text, while decorative imagery uses empty `alt=""` attributes.
- **Color Contrast:** Enforce minimum contrast ratios of 4.5:1 for standard fonts and 3:1 for large headings.
- **Forms & Labels:** Confirm text fields have explicit programmatic associations with labels so assistive technologies can read them accurately.
- **Zoom Adaptability:** Validate that the UI scales up to 200% zoom smoothly without causing text fragmentation or component overlap.

## 6. Tooling Strategy

Approved ecosystem parameters orchestrated by **Arpit Choubey (SDET)**:

- **Automated & Browser-Integrated Diagnostic Suites:** Wave Accessibility Tool, AXe Deva A11y Tool.
- **Screen Reader Validation Tool:** NVDA A11y Tool (Windows Dedicated Baseline).
- **CI/CD Gatekeeping:** Headless validation using automated assertions to block non-compliant code adjustments during regression test sprints.

## 7. Entry and Exit Criteria

### 7.1 Entry Criteria

1. Code or application designs are locked for the current testing sprint.
2. Testing environment, target browser-screen reader configurations, and specific page URLs are fully ready.
3. Design system contrast levels have been pre-approved.

### 7.2 Exit Criteria

1. 100% of automated scans pass without critical compliance violations.
2. All major and critical accessibility barriers (e.g., keyboard traps or missing form labels) are remediated and verified.
3. The Voluntary Product Accessibility Template (VPAT) or an Accessibility Statement is compiled and signed off.