

PROJECT ON ONLINE STUDENT TEST

REPORT OF MAJOR PROJECT SUBMITTED FOR
PARTIAL FULFILLMENT OF THE REQUIREMENT FOR THE DEGREE OF
MASTER IN COMPUTER APPLICATION

SOURAV PAUL

REGISTRATION NO-**151170510044 OF 2015-2016**

UNIVERSITY ROLL NO-**11701015043**

ARNAB DEY

REGISTRATION NO-**151170510008 OF 2015-2016**

UNIVERSITY ROLL NO-**11701015008**

UNDER THE SUPERVISION OF

Asst. Prof. Satabdwি Sarkar

Department of computer Application

RCCIIT



AT

RCC INSTITUTE OF INFORMATION TECHNOLOGY

Affiliated to Maulana Abul Azad University of Technology
CANAL SOUTH ROAD, BELEIAGHAT, KOLKATA-700015

May, 2018

Abstract:

ONLINE STUDENT TEST is a project developed to provide an easy way to develop student's skills. This project helps users by analysing the areas where students are weak and allows tests accordingly.

Introduction

On-line Exam System is very much important for any Educational Organizations to prepare their students for any exams by saving the time. It will take check the paper and generate mark sheets as well. It will also help the Organization to test the students and develop their skills. But the disadvantages for this system are, it takes a lot of times when you prepare the exam at the first time for usage.

The effective use of "On-line Exam System", any Educational Institute or training centres can use it to develop their strategy for arranging the exams, and for getting better results in less time.

Modules:

Owner

Owner gets login by filling the registration form. Owner will get a unique username and password to enter into the site. Owner can give exam tests. Owner can get their scores instantly and by email also. Owner can buy subscription and can give exams further more.

Admin

Admin gets login by valid username and password. Admin can add classes and questions along with answers and levels also. Admin can remove classes and questions also. Admin can view all the classes and questions details or levels. Admin verifies the registration details and provide questions to the students.

Advantages


- Users can learn about subjects and topics as well.
- It saves user time in search of exam papers from different sites.
- The system provides a graphical view of the entire exam systems.
- It excludes the need of human efforts for managing question sets.
- The system generates online questions for requested class and topics and produces exact mark sheet.
- Cost-effective.

Disadvantages

- It requires an internet connection.
- It requires large database.

Product Perspective

This website is designed for the web-based browsers. There should be an internet connection for appearing these tests. This interface is very easy and can be maintained by anyone. This familiar GUI will make the user feel more comfortable navigating and viewing the data on our system. Once our application is loaded into browser it allows user to give online test and make themselves improved.



FEASIBILITY STUDY

After analysing the scope of the project, the feasibility study is very essential to be held. It is basically keeping the following points in mind.

Developing for meeting: This website has met its scope. As there is no data involved in the system, processing of files.

The processing of this website is very simple as it has been designed in java script and it has been well divided into several functions according to the need.

ECONOMIC FEASIBILITY

Economic analysis is most frequently used for evaluation of the effectiveness of the system. More commonly known as cost/benefit analysis the procedure is to determine the benefit and saving that are expected from a system and compare them with costs, decisions is made to design and implement the system

BEHAVIOURAL FEASIBILITY

People are inherently resistant to change and computer has been known to facilitate changes. An estimate should be made of how strong the user is likely to move towards the development of computerized system. These are various levels of users in order to ensure proper authentication and authorization and security of sensitive data of the organization.

Technically feasible: This website is very much technically feasible. This website is very much concerned with specifying equipment and the website will successfully satisfy almost all the user's requirements. The technical need for this system may vary considerably but might include:

- a. The facility to produce report instantly after finishing exam.
- b. Response time under certain conditions.
- c. Ability to process a file at a particular speed.

Therefore, the basic input/output of all files is identified. So, the project can easily be build up and it will also be technically feasible.

State of Art: The project is very much within the state of art since the project is a WINDOWS based; it uses very modern and common technique.

Online Student Test

Beside it is very much modern and user friendly. It also works as middleware i.e. only in between the user and the file. So, it is completely a state of art project.

Resources: As motioned earlier that the resources are easily available and the cost of training is almost negligible. Sometimes situations may arise when it may not be so much easy. For a person completely unaware of using a computer system could result in a training cost or for a very small organization the purchase of a computer, instalment of the system and other charges may lead to a difficult matter.

Touching User's mind: The basic features of this software are simplicity, easily understandable, easily applicable. If this type of software is a new experience for the user is certainly going to be like it.

Project Category: Web-Based Application

Available Technologies:

Languages: HTML, PHP, JavaScript

RDBMS: Online MySQL

Web Server: wamp server

Development Platform: Adobe Dreamweaver, subline

Tools Used:

Editor Used: Adobe Dreamweaver for PHP, wamp server for MySQL

Operating System: Windows 10

Hardware Used:


Processor: Intel core i5

RAM: 4GB


Hard Disk: 1TB




ERD (Entity Relationship Diagram)




DFD (Data Flow Diagram)



Level 0




Level 1




Level 2

Sequence Diagram



Use Case Diagram




Screenshots



INDEX PAGE:




REGISTRATION PAGE:



Online Student Test

LOGIN PAGE:





DASHBOARD PAGE:

A screenshot of a web browser window titled "Online Student Test". The URL in the address bar is "localhost/Online_test_final/dashboard.php". The page has a dark sidebar on the left with options like "Dashboard", "Test Bank", "My Achievement", "Information", "Value Added Test", "My Profile", "My Account", and "Logout". The main area shows "Class 1" and a "Select Subject to Give Quiz" section with four buttons: "Math", "English", "Science", and "General Knowledge". The top right corner shows a user profile for "Monikumari" and a notification bell icon with a '5'.

Online Student Test

TEST BANK PAGE:



Online Student Test

The screenshot shows a web browser window titled "Online Student Test" with the URL "localhost/Online_test_final/quiz.php". The left sidebar contains a navigation menu with "Dashboard", "Test Bank" (selected), "My Achievement" (highlighted in blue), "Information", and "Value Added Test". The main content area features a blackboard with a wooden frame. On the blackboard, the text "Question 1/10:" is at the top, followed by the math problem "8+4=?". Below the problem is a list of four options: "13", "12", "14", and "11", each preceded by a radio button. At the bottom right of the blackboard is a "Next Question" button. The background of the main area is a school-themed illustration with various stationery items like a calculator, ruler, and flowers.

MY ACHIVEMENT PAGE:

The screenshot shows a web browser window titled "Online Student Test" with the URL "localhost/Online_test_final/achievement.php". The left sidebar contains a navigation menu with "Dashboard", "Test Bank", "My Achievement" (selected and highlighted in blue), "Information", "Value Added Test", "My Profile", "My Account", and "Logout". The main content area is titled "Charts" and displays a "Bar Chart". The chart has "Subject Marks" on the legend and "MathAddition1", "EnglishArticles1", "MathAddition1", "MathAddition1", and "EnglishArticles1" on the x-axis. The y-axis ranges from 0 to 10. The chart shows the following approximate values: MathAddition1 (~7.2), EnglishArticles1 (~10.0), MathAddition1 (~6.0), MathAddition1 (~4.8), and EnglishArticles1 (~3.5).

Online Student Test

INFORMATION PAGE:

The screenshot shows the 'Information' section of the application. On the left, a sidebar menu includes 'Dashboard', 'Subject', 'My Achievement', 'Information' (selected), 'School', 'College', 'University', 'Professional Institute', 'Teacher', 'Councillors', and 'Value Added Test'. A dropdown for 'West Bengal' lists 'St. Xavier's Collegiate School, Kolkata' and 'La Martiniere For Girls School, Kolkata'. The main content area displays the homepage of St. Xavier's Collegiate School, featuring its logo, a banner for 'Announcements', and sections for 'NOTICE', 'Admission to all classes for the current academic year', and 'Meet the Toppers ICSE / ISC March 2017'.

MY PROFILE PAGE:

The screenshot shows the 'My Profile' section of the application. The sidebar menu includes 'Dashboard', 'Test Bank', 'My Achievement', 'Information' (selected), 'Value Added Test', and 'My Profile' (selected). It also has links for 'My Account' and 'Logout'. The main content area shows a profile picture of Monikumari and basic statistics: 45 Projects, 15 Awards, and 2174 Points. Below this is a 'Basic Info' table:

Child's Name	Monikumari
School	Malda high school(H.S)
Date Of Birth	
City	Malda
Pincode	700013
Parent's Name	Kolmol
Phone No	9854231456
Email Id	moumitamajumdar20@gmail.com

To the right, a section titled 'Samuel's Awards' lists four categories with icons: 'Most Bright Idea', 'Most On-Time', 'Problem Solver', and 'Most Loved'. A 'See all awards' button is present. At the bottom, a timeline shows recent activity: 'Commented on post Prototyping' (2 minutes ago) and 'Uploaded new file Proposal.docx to project New Year Campaign' (7 hours ago).

Online Student Test

MY ACCOUNT PAGE:

The screenshot shows the 'My Account' page of the 'Online Student Test' application. On the left, a dark sidebar menu includes 'Dashboard', 'Test Bank', 'My Achivement', 'Information', 'Value Added Test', 'My Profile', and 'My Account' (which is currently selected). Below these are 'Logout' and other links. The main content area has a title 'My Account'. It displays a message 'You are currently Subscribing :-' followed by '1) Package for - 1 Valid till - ""'. Below this is a section titled 'You can buy following Plans :-' containing a table with four rows:

	Standard	Subject	Period	Plans
<input type="radio"/>	Class 1		180 Days	Rs. 100
<input type="radio"/>	Class 2		360 Days	Rs. 200
<input type="radio"/>	Class 3		360 Days	Rs. 300
<input type="radio"/>	Class 4		540 Days	Rs. 400

A blue 'Submit' button is located at the bottom of the form.


Online Test Database:

The screenshot shows the 'Structure' tab of the 'online_test' database in phpMyAdmin. The left sidebar lists various databases and the current selection is 'online_test'. The main panel displays the structure of 17 tables:

Table	Action	Rows	Type	Collation	Size	Overhead
colleges	Browse Structure Search Insert Empty Drop	10	MyISAM	latin1_swedish_ci	2.8 Kib	-
mst_result	Browse Structure Search Insert Empty Drop	64	MyISAM	latin1_swedish_ci	2.3 Kib	-
organization	Browse Structure Search Insert Empty Drop	~6	InnoDB	latin1_swedish_ci	16 Kib	-
plans	Browse Structure Search Insert Empty Drop	~4	InnoDB	latin1_swedish_ci	16 Kib	-
question	Browse Structure Search Insert Empty Drop	60	MyISAM	latin1_swedish_ci	8.2 Kib	268B
registration	Browse Structure Search Insert Empty Drop	12	MyISAM	latin1_swedish_ci	3.1 Kib	20B
registration_details	Browse Structure Search Insert Empty Drop	~2	InnoDB	latin1_swedish_ci	16 Kib	-
result_details	Browse Structure Search Insert Empty Drop	430	MyISAM	latin1_swedish_ci	27.2 Kib	-
schools	Browse Structure Search Insert Empty Drop	8	MyISAM	latin1_swedish_ci	2.7 Kib	-
session_master	Browse Structure Search Insert Empty Drop	311	MyISAM	latin1_swedish_ci	16.7 Kib	-
states	Browse Structure Search Insert Empty Drop	9	MyISAM	latin1_swedish_ci	2.2 Kib	-
subject	Browse Structure Search Insert Empty Drop	17	MyISAM	latin1_swedish_ci	2.3 Kib	-
test_detail	Browse Structure Search Insert Empty Drop	1,207	MyISAM	latin1_swedish_ci	116.4 Kib	-
test_master	Browse Structure Search Insert Empty Drop	311	MyISAM	latin1_swedish_ci	15.7 Kib	-
topic	Browse Structure Search Insert Empty Drop	13	MyISAM	latin1_swedish_ci	2.4 Kib	-
universities	Browse Structure Search Insert Empty Drop	8	MyISAM	latin1_swedish_ci	2.7 Kib	-
useransw	Browse Structure Search Insert Empty Drop	135	MyISAM	latin1_swedish_ci	11.4 Kib	1.7Kib
17 tables	Sum	2,607	InnoDB	latin1_swedish_ci	263.9 Kib	2 Kib

SAMPLE CODE

Index.php



The screenshot shows the Adobe Dreamweaver interface with the file 'index.php' open. The code editor displays the following PHP and HTML code:

```
<?php
session_start();
?>

<!doctype html>
<html lang="en" class="no-js">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link href='https://fonts.googleapis.com/css?family=PT+Sans:400,700' rel='stylesheet' type='text/css'>
    <link rel="stylesheet" href="css/reset.css" >!-- CSS reset -->
    <link rel="stylesheet" href="css/style.css" >!-- Resource style -->
    <link rel="stylesheet" href="css/demo.css" >!-- Demo style -->


    <link href="assets1/css/bootstrap.css" rel="stylesheet">
    <link href="assets1/css/font-awesome.css" rel="stylesheet">
    <link href="assets1/css/bootstrap-theme.css" rel="stylesheet">
    <link rel="stylesheet" href="assets1/css/animations.css">

    <!-- simple style -->
    <link href="assets1/css/style.css" rel="stylesheet">
<title>Online Student Test</title>
<script src="https://ajax.googleapis.com/ajax/libs/jquery/2.2.0/jquery.min.js"></script>
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.6/css/bootstrap.min.css" />
<script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.6/js/bootstrap.min.js"></script>

<style>
</style>
```


Online Student Test

Online Student Test



```
<div id="add_data_login" class="modal fade">
    <div class="modal-dialog">
        <div class="modal-content" style="text-align:left">
            <div class="modal-header" style="background-color: #48a9a6; color: #FFF;">
                <button type="button" class="close" data-dismiss="modal">&times;
            <h3 class="modal-title" ><b>Login Form</b></h3>
            </div>
            <div class="modal-body">
                <form name="form2" method="post" action="">
                    <label>Username</label>
                    <input type="text" name="loginid" id="loginid2" class="form-control" />
                    <br />
                    <label>Password</label>
                    <input type="password" name="pass" id="pass" class="form-control" />
                    <br />
                    <div class="reg_alert" > <?php
                        if(isset($found))
                        {
                            echo "Invalid Username or Password";
                        }
                        ?></div>
                    <input type="submit" name="submit" id="submit" value="Login" class="btn btn-success" style="background-color: #48a9a6; border: #48a9a6 solid 1px;" />
                </form>
            </div>
        </div>
    </div>
</div>
```

dashboard.php



```
<?php
session_start();
include_once("dbconnect.php");


$username = $_SESSION[login];
$stdname = $_SESSION[stdname];

$sql ="SELECT * FROM registration_details where user_id='$username' ORDER BY `subscription_class` ASC";
$result = mysql_query($sql);

if($row = mysql_fetch_array($result)) {
    $class = $row["subscription_class"];
    // $stdname=$row["student_name"];
    // $_SESSION['stdname']=$stdname;
    //echo $class;
}


?>
<!doctype html>
<html lang="en">
<head>
    <title>Online Student Test</title>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge,chrome=1">
</head>
```

Online Student Test




```
<!-- VENDOR CSS -->
<link rel="stylesheet" href="assets/vendor/bootstrap/css/bootstrap.min.css">
<link rel="stylesheet" href="assets/vendor/fontawesome/css/fontawesome.min.css">
<link rel="stylesheet" href="assets/vendor/lneairicons/style.css">
<link rel="stylesheet" href="assets/vendor/chartist/css/chartist-custom.css">
<!-- MAIN CSS -->
<link rel="stylesheet" href="assets/css/main.css">
<!-- FOR DEMO PURPOSES ONLY. You should remove this in your project -->
<link rel="stylesheet" href="assets/css/demo.css">
<!-- GOOGLE FONTS -->
<link href="https://fonts.googleapis.com/css?family=Source+Pro:300,400,600,700" rel="stylesheet">
<!-- ICONS -->
<link rel="apple-touch-icon" sizes="76x76" href="assets/img/apple-icon1.jpeg">
<link rel="icon" type="image/png" sizes="96x96" href="assets/img/favicon1.jpeg">

</head>
<body>
    <!-- WAPPER -->
    <div id="wrapper">
        <!-- NAVBAR -->
        <nav class="navbar navbar-default navbar-fixed-top">
            <div class="brand">
                <a href="dashboard.php"></a>
            </div>
            <div class="container-fluid">
                <div class="navbar-btn">
```



```
</div> /* / ?>
<div id="navbar-menu">
    <ul class="nav navbar-nav navbar-right">
        <li class="dropdown">
            <a href="#" class="dropdown-toggle icon-menu" data-toggle="dropdown">
                <i class="lnr lnr-alarm"></i>
                <span class="badge bg-danger">5</span>
            </a>
            <ul class="dropdown-menu notifications">
                <li><a href="#" class="notification-item"><span class="dot bg-warning"></span>System space is almost full</a></li>
                <li><a href="#" class="notification-item"><span class="dot bg-danger"></span>You have 9 unfinished tasks</a></li>
                <li><a href="#" class="notification-item"><span class="dot bg-success"></span>Monthly report is available</a></li>
                <li><a href="#" class="notification-item"><span class="dot bg-warning"></span>Weekly meeting in 1 hour</a></li>
                <li><a href="#" class="notification-item"><span class="dot bg-success"></span>Your request has been approved</a>
            </ul>
            <li><a href="#" class="more">See all notifications</a></li>
        </ul>
    </li>
    <li class="dropdown">
        <a href="#" class="dropdown-toggle" data-toggle="dropdown"><i class="lnr lnr-question-circle"></i> <span>Help</span>
        <ul class="dropdown-menu">
            <li><a href="#">Basic Use</a></li>
            <li><a href="#">Working With Data</a></li>
            <li><a href="#">Security</a></li>
            <li><a href="#">Troubleshooting</a></li>
        </ul>
    </li>
</ul>
</div> body
```


Online Student Test



The screenshot shows the Adobe Dreamweaver interface with the file 'dashboard.php' open. The code editor displays PHP and HTML code for a sidebar navigation. The sidebar includes a dropdown menu for the user's profile, links to 'Dashboard', 'Elements', and 'Test Bank', and a collapse button for sub-pages. The code uses Bootstrap classes like 'dropdown-toggle', 'dropdown-menu', and 'collapse'.

```
<?php  
?  
    <li class="dropdown">  
        <a href="#" class="dropdown-toggle" data-toggle="dropdown"> <span>?</span> <i class="icon-submenu lnr lnr-chevron-down"></i></a>  
        <ul class="dropdown-menu">  
            <li><a href="my_profile.php"><i class="lnr lnr-user"></i> <span>My Profile</span></a></li>  
            <li><a href="#"><i class="lnr lnr-envelope"></i> <span>Message</span></a></li>  
            <li><a href="#"><i class="lnr lnr-cog"></i> <span>Settings</span></a></li>  
            <li><a href="signout.php"><i class="lnr lnr-exit"></i> <span>Logout</span></a></li>  
        </ul>  
    </li>  
</ul>  
</div>  
</div>  
</nav>  
<!-- END NAVBAR -->  
<!-- LEFT SIDEBAR -->  
<div id="sidebar-nav" class="sidebar">  
    <div class="sidebar-scroll">  
        <nav>  
            <ul class="navy">  
                <li><a href="dashboard.php" class="active"><i class="lnr lnr-home"></i> <span>Dashboard</span></a></li>  
                <li><a href="elements.php" class=""><i class="lnr lnr-code"></i> <span>Elements</span></a></li> -->  
                <li>  
                    <a href="#subPages" data-toggle="collapse" class="collapsed"><i class="lnr lnr-file-empty"></i> <span>Test Bank</span> <i class="icon-submenu lnr lnr-chevron-left"></i></a>  
                    <div id="subPages" class="collapse "><br>  
                        <br>  
                        <br>  
                </li>  
            </ul>  
        </nav>  
    </div>  
</div>
```

showtest.php



The screenshot shows the Adobe Dreamweaver interface with the file 'showtest.php' open. The code editor displays PHP and HTML code for a page header. It includes session start, session variables (\$class, \$stdname, \$login), and various CSS and font imports. The code uses Bootstrap and Font Awesome classes.

```
<?php  
session_start();  
$class=$_SESSION['class'];  
$stdname=$_SESSION['stdname'];  
$login=$_SESSION['login'];  
?  
<!doctype html>  
<html lang="en">  
<head>  
    <title>Online Student Test</title>  
    <meta charset="utf-8">  
    <meta http-equiv="X-UA-Compatible" content="IE=edge,chrome=1">  
    <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-scalable=0">  
    <!-- VENDOR CSS -->  
    <link rel="stylesheet" href="assets/vendor/bootstrap/css/bootstrap.min.css">  
    <link rel="stylesheet" href="assets/vendor/font-awesome/css/font-awesome.min.css">  
    <link rel="stylesheet" href="assets/vendor/linearicons/style.css">  
    <link rel="stylesheet" href="assets/vendor/chartist/css/chartist-custom.css">  
    <!-- MAIN CSS -->  
    <link rel="stylesheet" href="assets/css/main.css">  
    <!-- FOR DEMO PURPOSES ONLY. You should remove this in your project -->  
    <link rel="stylesheet" href="assets/css/demo.css">  
    <!-- GOOGLE FONTS -->  
    <link href="https://fonts.googleapis.com/css?family=Source+Sans+Pro:300,400,600,700" rel="stylesheet">  
    <!-- ICONS -->  
    <link rel="apple-touch-icon" sizes="76x76" href="assets/img/apple-icon1.jpeg">  
    <link rel="icon" type="image/png" sizes="96x96" href="assets/img/favicon1.jpeg">  
</head>  
</>
```


Online Student Test

```
97     <div class="sidebar-scroll">
98         <nav>
99             <ul class="nav">
100                 <li><a href="dashboard.php" class=""><i class="lnr lnr-home"></i> <span>Dashboard</span></a></li>
101
102                 <li>
103                     <a href="#subPages" data-toggle="collapse" class="active"><i class="lnr lnr-file-empty"></i> <span>Test Bank</span></a>
104                     <i class="icon-submenu lnr lnr-chevron-left"></i></a>
105                     <div id="subPages" class="collapse in">
106                         <ul class="nav">
107
108                         <?php
109
110                         include_once("dbconnect.php");
111
112                         extract($_POST);
113
114                         $rs=mysql_query("select * from subject WHERE class=$class");
115                         $_SESSION['class']=$class;
116                         //echo "<table align=center>";
117                         while($row=mysql_fetch_row($rs))
118                         {
119
120                             echo "<ul><a href=showtest.php?subid=$row[0]>$row[1]</a></ul>";
121
122                             $ruslt=mysql_query("select * from topic where subject_id=".$row[0]."");
123                             while($rows=mysql_fetch_row($ruslt))
124                             {
125                                 echo "<li><a href=#>$rows[1]</a></li>";
126                             }
127                         }
128
129                         echo "<br><br><h2 class=head1> No Quiz for this Subject </h2>";
130                         exit;
131
132                         //echo "<h2 class=head1> Select Quiz Name To Give Quiz </h2>";
133                         //echo "<table align=center>";
134
135                         while($row=mysql_fetch_row($rs))
136                         {
137                             ?
138                             <form action="exam_start.php" method="get">
139                             <div class="col-md-3">
140                                 <input type="hidden" name="testid" value="<?php echo $row['0'] ?>">
141                                 <input type="hidden" name="subid" value="<?php echo "$subid"; ?>">
142                                 <?php $_SESSION['subject']=$subid; ?>
143
144                                 <button type="submit" class="btn btn-primary btn-lg" name="sumit" style="border-radius:8px; width:200%; max-width: 250px;"><?php echo $row[1]; ?></button>
145                                 <!--<button name="subid" class="btn btn-primary btn-lg" style="border-radius:8px; width:100%; max-width: 250px;" type="submit" value="<?php
146 //echo $row['0'] ?>"><?php //echo $row[1];
147 //echo "<br>" ?></button> --> <br><br>
148                         ...
149                         </div>
150                         </form>
151                         </div>
152                         </ul>
153                     </div>
154                 </li>
155             </ul>
156         </nav>
157     </div>
```

```
182
183
184
185 //include("header.php");
186 include_once("dbconnect.php");
187 extract($_GET);
188 $rs1=mysql_query("select * from subject where subject_id=$subid");
189 $row1=mysql_fetch_array($rs1);
190 echo "<h2><font class=head1> $row1[1]</font></h2><br>";
191 $rs=mysql_query("select * from topic where subject_id=$subid");
192 if(mysql_num_rows($rs)<1)
193 {
194     echo "<br><br><h2 class=head1> No Quiz for this Subject </h2>";
195     exit;
196 }
197 //echo "<h2 class=head1> Select Quiz Name To Give Quiz </h2>";
198 //echo "<table align=center>";
199
200 while($row=mysql_fetch_row($rs))
201 {
202     ?
203     <form action="exam_start.php" method="get">
204     <div class="col-md-3">
205         <input type="hidden" name="testid" value="<?php echo $row['0'] ?>">
206         <input type="hidden" name="subid" value="<?php echo "$subid"; ?>">
207         <?php $_SESSION['subject']=$subid; ?>
208
209         <button type="submit" class="btn btn-primary btn-lg" name="sumit" style="border-radius:8px; width:200%; max-width: 250px;"><?php echo $row[1]; ?></button>
210         <!--<button name="subid" class="btn btn-primary btn-lg" style="border-radius:8px; width:100%; max-width: 250px;" type="submit" value="<?php
211 //echo $row['0'] ?>"><?php //echo $row[1];
212 //echo "<br>" ?></button> --> <br><br>
213     ...
214     </div>
215     </form>
216     </div>
217     </ul>
218 
```

exam_start.php


Online Student Test



```
<?php
session_start();
$class=$_SESSION['class'];
$stdname=$_SESSION['stdname'];
?>

<!doctype html>
<html lang="en">

<head>
<title>Online Student Test</title>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge,chrome=1">
<meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-scalable=0">
<!-- VENDOR CSS -->
<link rel="stylesheet" href="assets/vendor/bootstrap/css/bootstrap.min.css">
<link rel="stylesheet" href="assets/vendor/font-awesome/css/font-awesome.min.css">
<link rel="stylesheet" href="assets/vendor/linearicons/style.css">
<link rel="stylesheet" href="assets/vendor/chartist/css/chartist-custom.css">
<!-- MAIN CSS -->
<link rel="stylesheet" href="assets/css/main.css">
<!-- FOR DEMO PURPOSES ONLY. You should remove this in your project -->
<link rel="stylesheet" href="assets/css/demo.css">
<!-- GOOGLE FONTS -->
<link href="https://fonts.googleapis.com/css?family=Source+Sans+Pro:300,400,600,700" rel="stylesheet">
<!-- ICONS -->
<link rel="apple-touch-icon" sizes="76x76" href="assets/img/apple-icon1.jpeg">
<link rel="icon" type="image/png" sizes="96x96" href="assets/img/favicon1.jpeg">
</head>
<body>
<!--
head
```



```
</nav>
</div>
<!-- END LEFT SIDEBAR -->
<!-- MAIN -->
<div class="main" style="background-image:url(images/edu1.jpg);min-height: 800px; height:100%; background-position:center; background-repeat:no-repeat; background-size:cover;">
<!-- MAIN CONTENT -->
<center>
<?php

//include("header.php");
include_once("dbconnect.php");
extract($_GET);
?>

<form action="quiz.php" method="">
<input type="hidden" name="testid" value="<?php echo "$testid" ?>">
<input type="hidden" name="subid" value="<?php echo "$subid"; ?>"

<br>
<button type="submit" class="btn btn-primary btn-lg" name="sumit" style="border-radius:8px; width:100%; max-width: 250px; margin-left:auto; margin-right:auto; display:block; margin-top:2%; margin-bottom:0%;"> Start Test ... </button>
<?php $time_now=mktime(date('h')+5,date('i')+30,date('s'));
$_SESSION['start_time']=date('Y/m/d H:i:s', $time_now); ?>
<br><br>
</form>
</div>
</body>
</html>
```

Online Student Test

quiz.php




```
<?php
session_start();
$class=$_SESSION['class'];
$stdname=$_SESSION['stdname'];

//echo $_SESSION['class'];
error_reporting(1);
include_once("database.php");
extract($_POST);
extract($_GET);
extract($_SESSION);
/*$rs=mysql_query("select * from mst_question where test_id=$tid",$cn) or die(mysql_error());
if($SESSION[qn]==mysql_num_rows($rs))
{
unset($_SESSION[qn]);
exit;
}*/


if(isset($subid) && isset($testid))
{
$_SESSION[sid]=$subid;
$_SESSION[tid]=$testid;
header("location:quiz.php");
}

if(!isset($_SESSION[sid]) || !isset($_SESSION[tid]))
{
header("location: dashboard.php");
}
?>
```

Online Student Test




```
<ul class="nav navbar-nav navbar-right">
    <li class="dropdown">
        <a href="#" class="dropdown-toggle icon-menu" data-toggle="dropdown">
            <i class="lnr lnr-alarm"></i>
            <span class="badge bg-danger">5</span>
        </a>
        <ul class="dropdown-menu notifications">
            <li><a href="#" class="notification-item"><span class="dot bg-warning"></span>System space is almost full</a></li>
            <li><a href="#" class="notification-item"><span class="dot bg-danger"></span>You have 9 unfinished tasks</a></li>
            <li><a href="#" class="notification-item"><span class="dot bg-success"></span>Monthly report is available</a></li>
            <li><a href="#" class="notification-item"><span class="dot bg-warning"></span>Weekly meeting in 1 hour</a></li>
            <li><a href="#" class="notification-item"><span class="dot bg-success"></span>Your request has been approved</a>
                <li><a href="#" class="more">See all notifications</a></li>
            </ul>
        </li>
    <li class="dropdown">
        <a href="#" class="dropdown-toggle" data-toggle="dropdown"><i class="lnr lnr-question-circle"></i> <span>Help</span>
        <ul class="icon-submenu lnr lnr-chevron-down"></ul>
        <ul class="dropdown-menu">
            <li><a href="#">Basic Use</a></li>
            <li><a href="#">Working With Data</a></li>
            <li><a href="#">Security</a></li>
            <li><a href="#">Troubleshooting</a></li>
        </ul>
    </li>
    <li class="dropdown">
        <a href="#" class="dropdown-toggle" data-toggle="dropdown"> <span>Logout</span>
        <ul class="dropdown-menu">
            <li><a href="#">Profile</a></li>
            <li><a href="#">Edit Profile</a></li>
            <li><a href="#">Logout</a></li>
        </ul>
    </li>
</ul>
```



```
<?php
    extract($_POST);
    $rs=mysql_query("select * from subject WHERE class=$class");
    $_SESSION['class']=$class;
    //echo "<table align=center>";
    while($row=mysql_fetch_row($rs))
    {
        echo "<ul class=aaa><a href=showtest.php?subid=$row[0]><font style=color:#3b98c8>$row[1]</font></a></ul>";
        $ruslt=mysql_query("select * from topic where subject_id=".$row[0].".");
        while($rows=mysql_fetch_row($ruslt))
        {
            echo "<li><a href=#>$rows[1]</a></li>";
        }
    }
    ?>
</ul>
</div>
</li>
<li><a href="achievement.php" class=""><i class="lnr lnr-chart-bars"></i> <span>My Achievement</span></a></li>
<li>
    <a href="#subinfo" data-toggle="collapse" class="collap"><i class="lnr lnr-file-empty"></i> <span>Information</span>
    <ul class="nav">
        <li class="dropdown">
            <a href="#"> <span>Subinfo</span>
            <ul class="dropdown-menu">
                <li><a href="#">About Us</a></li>
                <li><a href="#">Contact Us</a></li>
                <li><a href="#">Feedback</a></li>
            </ul>
        </li>
    </ul>

```


Online Student Test



Dynamically-related files cannot be discovered because there is no site definition for this document. [Setup](#)

```
240 mysql_query("delete from useranswer where sess_id='".$session_id()."' or die(mysql_error());  
241 $_SESSION[trueans]=0;  
242 $_SESSION[varlevel]=$s;  
243 }  
244 else  
245 {  
246 $varlevel=$s;  
247 $rs=mysql_query("select * from question where topic_id=$tid and question_level='".$_SESSION[varlevel]."'", $cn) or die(mysql_error());  
248 if($submit=='Next Question' && !isset($ans))  
249 {  
250  
251  
252  
253  
254 mysql_data_seek($rs,$_SESSION[qn]);  
255 $row=mysql_fetch_row($rs);  
256 mysql_query("insert into useranswer(sess_id,topic_id,que_des,ans1,ans2,ans3,ans4,true_ans,your_ans) values ('".$session_id()."','".$_SESSION[qn]."', '$tid','$row[1]','$row[2]','$row[3]','$row[4]','$row[5]','$row[6]','$ans')") or die(mysql_error());  
257 if($ans==$row[6])  
258 {  
259 $_SESSION[trueans]=$_SESSION[trueans]+1;  
260 }  
261  
262 if($ans==$row[6])  
263 {  
264 $sum=1;  
265 }else{  
266 $sum=0;  
267 }  
268 if($ans==$row[6])  
269 <br>
```

achievement.php



```
<?php  
session_start();  
$class=$_SESSION['class'];  
$stdname=$_SESSION['stdname'];  
$login=$_SESSION['login'];  
?  
<!doctype html>  
<html lang="en">  
<head>  
    <title>Online Student Test</title>  
    <meta charset="utf-8">  
    <meta http-equiv="X-UA-Compatible" content="IE=edge,chrome=1">  
    <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-scalable=0">  
    <!-- VENDOR CSS -->  
    <link rel="stylesheet" href="assets/vendor/bootstrap/css/bootstrap.min.css">  
    <link rel="stylesheet" href="assets/vendor/fontawesome/css/font-awesome.min.css">  
    <link rel="stylesheet" href="assets/vendor/linearicons/style.css">  
    <link rel="stylesheet" href="assets/vendor/chartist/css/chartist-custom.css">  
    <!-- MAIN CSS -->  
    <link rel="stylesheet" href="assets/css/main.css">  
    <!-- FOR DEMO PURPOSES ONLY. You should remove this in your project -->  
    <link rel="stylesheet" href="assets/css/demo.css">  
    <!-- GOOGLE FONTS -->  
    <link href="https://fonts.googleapis.com/css?family=Source+Sans+Pro:300,400,600,700" rel="stylesheet">  
    <!-- ICONS -->  
    <link rel="apple-touch-icon" sizes="76x76" href="assets/img/apple-icon1.jpeg">  
    <link rel="icon" type="image/png" sizes="96x96" href="assets/img/favicon1.jpeg">  
  
    <style type="text/css">
```

Online Student Test

Dw File Edit View Insert Modify Format Commands Site Window Help Extract C:\wamp\www\Online_test_final\achievement.php file:///C:/wamp/www/Online_test_final/achiver

```
<div class="container-fluid">
    <div class="navbar-btn">
        <button type="button" class="btn-toggle-fullwidth"><i class="lnr lnr-arrow-left-circle"></i></button>
    </div>

    <div id="navbar-menu">
        <ul class="nav navbar-nav navbar-right">
            <li class="dropdown">
                <a href="#" class="dropdown-toggle icon-menu" data-toggle="dropdown">
                    <i class="lnr lnr-alarm"></i>
                    <span class="badge bg-danger">5</span>
                </a>
                <ul class="dropdown-menu notifications">
                    <li><a href="#" class="notification-item"><span class="dot bg-warning"></span>System space is almost full</a></li>
                    <li><a href="#" class="notification-item"><span class="dot bg-danger"></span>You have 9 unfinished tasks</a></li>
                    <li><a href="#" class="notification-item"><span class="dot bg-success"></span>Monthly report is available</a></li>
                    <li><a href="#" class="notification-item"><span class="dot bg-warning"></span>Weekly meeting in 1 hour</a></li>
                    <li><a href="#" class="notification-item"><span class="dot bg-success"></span>Your request has been approved</a>
                        <li><a href="#" class="more">See all notifications</a></li>
                    </ul>
                </li>
                <li class="dropdown">
                    <a href="#" class="dropdown-toggle" data-toggle="dropdown"><i class="lnr lnr-question-circle"></i> <span>Help</span>
                    <ul class="dropdown-menu">
                        <li><a href="#">Basic Use</a></li>
                    </ul>
                </li>
            </ul>
        </div>
    </div>
</div>
```

Dw File Edit View Insert Modify Format Commands Site Window Help Extract C:\wamp\www\Online_test_final\achievement.php file:///C:/wamp/www/Online_test_final/achiver

```
<script src="assets/vendor/bootstrap/js/bootstrap.min.js"></script>
<script src="assets/vendor/jquery-slimscroll/jquery.slimscroll.min.js"></script>
<script src="assets/vendor/chartist/js/chartist.min.js"></script>
<script src="assets/scripts/klorofil-common.js"></script>
<script>
$(function() {
    var options;

    var data = {
        labels: ['Jan', 'Feb', 'Mar', 'Apr', 'May', 'Jun', 'Jul', 'Aug', 'Sep', 'Oct', 'Nov', 'Dec'],
        series: [
            [200, 380, 350, 320, 410, 450, 570, 400, 555, 620, 750, 900],
        ]
    };

    // line chart
    options = {
        height: "300px",
        showPoint: true,
        axisX: {
            showGrid: false
        },
        lineSmooth: false,
    };

    new Chartist.Line('#demo-line-chart', data, options);

    // bar chart
    options = {
        height: "300px",
        axisX: {
```

Online Student Test

Dynamically-related files cannot be discovered because there is no site definition for this document. Setup

```
326     });
327     });
328 
329     new Chartist.Line('#multiple-chart', data, options);
330 
331 });
332 </script>
333 
334 <script>
335 $(document).ready(function(){
336     //var emp_id=<?php $login ?>
337     //var dataString='emp_id=' + emp_id;
338     $.ajax({
339         url: "data.php",
340         method: "GET",
341 
342         success: function(data) {
343             console.log(data);
344             var player = [];
345             var score = [];
346             var sourav=[];
347             for(var i in data) {
348                 player.push(""+ data[i].Subject_name + "" + data[i].topic_name + "" + data[i].class_name);
349 
350                 score.push(data[i].correct_answer);
351                 sourav.push(data[i].class_name);
352             }
353             //player.push(""+ data[1].topic_name);
354 
355             var chartdata = {
356                 labels: player,
357             }
358             chartdata.labels.reverse();
359             chartdata.series = [
360                 {
361                     name: "Score",
```

school.php

```
Dw File Edit View Insert Modify Format Commands Site Window Help Extract ! school.php x C:\wamp\www\Online_test_final\school.php Source Code < bootstrap.min.css font-awesome.min.css style.css chartist-custom.css main.css demo.css dbconnect.php jquery.min.js bootstrap.min.js jquery.slimscroll.min.js jquery.easypiechart.min.js chartist.min.js klorofit >>> Code Split Live < < file:///C:/wamp/www/Online_test_fina/school >>> CSS 1 Dynamically-related files cannot be discovered because there is no site definition for this document. Setup ?> 1 <?php 2 session_start(); 3 $class=$_SESSION['class']; 4 $stdname=$_SESSION['stdname']; 5 ?> 6 7 <!doctype html> 8 <html lang="en"> 9 10 <head> 11   <title>Online Student Test</title> 12   <meta charset="utf-8"> 13   <meta http-equiv="X-UA-Compatible" content="IE=edge,chrome=1"> 14   <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-scalable=0"> 15   <!-- VENDOR CSS --> 16   <link rel="stylesheet" href="assets/vendor/bootstrap/css/bootstrap.min.css"> 17   <link rel="stylesheet" href="assets/vendor/font-awesome/css/font-awesome.min.css"> 18   <link rel="stylesheet" href="assets/vendor/linearicons/style.css"> 19   <link rel="stylesheet" href="assets/vendor/chartist/css/chartist-custom.css"> 20   <!-- MAIN CSS --> 21   <link rel="stylesheet" href="assets/css/main.css"> 22   <!-- FOR DEMO PURPOSES ONLY. You should remove this in your project --> 23   <link rel="stylesheet" href="assets/css/demo.css"> 24   <!-- GOOGLE FONTS --> 25   <link href="https://fonts.googleapis.com/css?family=Source+Sans+Pro:300,400,600,700" rel="stylesheet"> 26   <!-- ICONS --> 27   <link rel="apple-touch-icon" sizes="76x76" href="assets/img/apple-icon1.jpeg"> 28   <link rel="icon" type="image/png" sizes="96x96" href="assets/img/favicon1.jpeg"> 29 </head> 30 31 <body> 32 </body>
```

Online Student Test

```
Dynamically-related files cannot be discovered because there is no site definition for this document. Setup
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
```

```
Dw File Edit View Insert Modify Format Commands Site Window Help
Extract ! >>> C:\wamp\www\Online_test_final\school.php
Source Code < bootstrap.min.css font-awesome.min.css style.css chartist-custom.css main.css demo.css dbconnect.php jquery.min.js bootstrap.min.js jquery.slimscroll.min.js jquery.easypiechart.min.js chartist.min.js klorofly >>>
Code Split Live < >>
Dynamically-related files cannot be discovered because there is no site definition for this document. school.php
95 <div id="sidebar-nav" class="sidebar">
96   <div class="sidenav-bar-scroll">
97     <nav>
98       <ul class="nav">
99         <li><a href="dashboard.php" class=""><i class="lnr lnr-home"></i> <span>Dashboard</span></a></li>
100
101       <li>
102         <a href="#subPages" data-toggle="collapse" class=""><i class="lnr lnr-file-empty"></i> <span>Subject</span> <i class="icon-submenu lnr lnr-chevron-left"></i></a>
103         <div id="subPages" class="collapse ">
104           <ul class="nav">
105
106           <?php
107
108             include_once("dbconnect.php");
109
110             extract($_POST);
111
112             $rs=mysql_query("select * from subject WHERE class=$class");
113             $_SESSION['class']=$class;
114             //echo "<table align=center>";
115             while($row=mysql_fetch_row($rs))
116             {
117
118               echo "<ul><a href=showtest.php?subid=$row[0]>$row[1]</a></ul>";
119
120               $rusl=mysql_query("select * from topic where subject_id=".$row[0]."");
121               {
122                 while($rows=mysql_fetch_row($rusl))
123                 {
124                   echo "<li><a href=#>$rows[1]</a></li>";
125                 }
126               }
127             }
128           }
129         </ul>
130       </div>
131     </nav>
132   </div>
133 </div>
```

Online Student Test

```
<li><a href="my_profile.php" class=""><i class="lnr lnr-user"></i> <span>My Profile</span></a></li>
<li><a href="my_account.php" class=""><i class="lnr lnr-text-format"></i> <span>My Account</span></a></li>
<li><a href="signout.php" class=""><i class="lnr lnr-exit"></i> <span>Logout</span></a></li>
```

```
</ul>
</nav>
</div>
<!-- END LEFT SIDEBAR -->
<!-- MAIN -->
<div class="main">
    <!-- MAIN CONTENT -->
    <div class="main-content">
        <div class="container-fluid">
            <!-- OVERVIEW 1 -->

            <iframe src="/examples/html/demo-page.html" name="myFrame" width="700px" height="500px" align="right"></iframe>

            <select name="SolicitorFirms" id="SolicitorFirms" class="SolicitorFirms">
                <option value = '0' selected="selected">--Select State--</option>
                <?php
                    include_once("dbconnect.php");
                    $sql = mysql_query("SELECT * FROM states ORDER BY state_name", $con);
                    while($row = mysql_fetch_array($sql))
                    {
                        $state_id = $row['state_id'];
                        $state_name = $row['state_name'];

                        echo "<option value = '" . $state_id . "'>" . $state_name . "</option>";
                    }
                ?>
            </select>
        </div>
    </div>
</div>
```

myprofile.php

```
?>
session_start();
$class=$_SESSION['class'];
$stdname=$_SESSION['stdname'];
$email_id=$_SESSION['login'];
?>

<!doctype html>
<html lang="en">

<head>
    <title>Online Student Test</title>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge,chrome=1">
    <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-scalable=0">
    <!-- VENDOR CSS -->
    <link rel="stylesheet" href="assets/vendor/bootstrap/css/bootstrap.min.css">
    <link rel="stylesheet" href="assets/vendor/fontawesome/css/fontawesome.min.css">
    <link rel="stylesheet" href="assets/vendor/linearicons/style.css">
    <!-- MAIN CSS -->
    <link rel="stylesheet" href="assets/css/main.css">
    <!-- FOR DEMO PURPOSES ONLY. You should remove this in your project -->
    <link rel="stylesheet" href="assets/css/demo.css">
    <!-- GOOGLE FONTS -->
    <link href="https://fonts.googleapis.com/css?family=Source+Sans+Pro:300,400,600,700" rel="stylesheet">
    <!-- ICONS -->
    <link rel="apple-touch-icon" sizes="76x76" href="assets/img/apple-icon1.jpeg">
    <link rel="icon" type="image/png" sizes="96x96" href="assets/img/favicon1.jpeg">
</head>
```

Online Student Test

Dw File Edit View Insert Modify Format Commands Site Window Help | Extract | [Extract](#) | [File](#) | [Edit](#) | [View](#) | [Insert](#) | [Modify](#) | [Format](#) | [Commands](#) | [Site](#) | [Window](#) | [Help](#)

Source Code bootstrap.min.css font-awesome.min.css style.css main.css demo.css dbconnect.php jquery.min.js bootstrap.min.js jquery.slimscroll.min.js klorofil-common.js C:\wamp\www\Online_test_final\my_profile.php file:///C:/wamp/www/Online_test_final/my_prc

Dynamically-related files cannot be discovered because there is no site definition for this document. [Define](#)

```
<!-- WRAPPER -->
<div id="wrapper">
    <!-- NAVBAR -->
    <nav class="navbar navbar-default navbar-fixed-top">
        <div class="brand">
            <a href="dashboard.php"></a>
        </div>
        <div class="container-fluid">
            <div class="navbar-btn">
                <button type="button" class="btn-toggle-fullwidth"><i class="lnr lnr-arrow-left-circle"></i></button>
            </div>

            <div id="navbar-menu">
                <ul class="nav navbar-nav navbar-right">
                    <li class="dropdown">
                        <a href="#" class="dropdown-toggle icon-menu" data-toggle="dropdown">
                            <i class="lnr lnr-alarm"></i>
                            <span class="badge bg-danger">5</span>
                        </a>
                        <ul class="dropdown-menu notifications">
                            <li><a href="#" class="notification-item"><span class="dot bg-warning"></span>System space is almost full</a></li>
                            <li><a href="#" class="notification-item"><span class="dot bg-danger"></span>You have 9 unfinished tasks</a></li>
                            <li><a href="#" class="notification-item"><span class="dot bg-success"></span>Monthly report is available</a></li>
                            <li><a href="#" class="notification-item"><span class="dot bg-warning"></span>Weekly meeting in 1 hour</a></li>
                            <li><a href="#" class="notification-item"><span class="dot bg-success"></span>Your request has been approved</a></li>
                            <li><a href="#" class="more">See all notifications</a></li>
                        </ul>
                    </li>
                    <li class="dropdown">
                        <a href="#" class="dropdown-toggle" data-toggle="dropdown"><i class="lnr lnr-question-circle"></i> <span>Help</span> <i class="icon-submenu lnr lnr-chevron-down"></i></a>
                    </li>
                </ul>
            </div>
        </div>
    </nav>
```

Dw File Edit View Insert Modify Format Commands Site Window Help | Extract | [Extract](#) | [File](#) | [Edit](#) | [View](#) | [Insert](#) | [Modify](#) | [Format](#) | [Commands](#) | [Site](#) | [Window](#) | [Help](#)


Source Code bootstrap.min.css font-awesome.min.css style.css main.css demo.css dbconnect.php jquery.min.js bootstrap.min.js jquery.slimscroll.min.js klorofil-common.js C:\wamp\www\Online_test_final\my_profile.php file:///C:/wamp/www/Online_test_final/my_prc

Dynamically-related files cannot be discovered because there is no site definition for this document. [Define](#)

```
<li><a href="my_profile.php" class="active"><i class="lnr lnr-user"></i> <span>My Profile</span></a></li>
<li><a href="my_account.php" class=""><i class="lnr lnr-text-format"></i> <span>My Account</span></a></li>
<li><a href="signout.php" class=""><i class="lnr lnr-exit"></i> <span>Logout</span></a></li>
</ul>
</div>
</div>
<!-- END LEFT SIDEBAR -->
<!-- MAIN -->
<div class="main">
    <!-- MAIN CONTENT -->
    <div class="main-content">
        <div class="container-fluid">
            <div class="panel panel-profile">
                <div class="clearfix">
                    <!-- LEFT COLUMN -->
                    <div class="profile-left">
                        <!-- PROFILE HEADER -->
                        <div class="profile-header">
                            <div class="overlay"></div>
                            <div class="profile-main">
                                
                                <h3 class="name"><?php echo $stdname; ?></h3>
                                <span class="online-status status-available">Available</span>
                            </div>
                            <div class="profile-stat">
                                <div class="row">
                                    <div class="col-md-4 stat-item">
                                        45 <span>Projects</span>
                                    </div>
                                    <div class="col-md-4 stat-item">
                                        ...
                                    </div>
                                </div>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>
```


Online Student Test

myaccount.php



```
<?php
session_start();
$class=$_SESSION['class'];
$stdname=$_SESSION['stdname'];
$email_id=$_SESSION['login'];
?>

<!doctype html>
<html lang="en">
<head>
    <title>Online Student Test</title>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge,chrome=1">
    <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-scalable=0">
    <!-- VENDOR CSS -->
    <link rel="stylesheet" href="assets/vendor/bootstrap/css/bootstrap.min.css">
    <link rel="stylesheet" href="assets/vendor/font-awesome/css/font-awesome.min.css">
    <link rel="stylesheet" href="assets/vendor/lineareicons/style.css">
    <!-- MAIN CSS -->
    <link rel="stylesheet" href="assets/css/main.css">
    <!-- FOR DEMO PURPOSES ONLY. You should remove this in your project -->
    <link rel="stylesheet" href="assets/css/demo.css">
    <!-- GOOGLE FONTS -->
    <link href="https://fonts.googleapis.com/css?family=Source+Sans+Pro:300,400,600,700" rel="stylesheet">
    <!-- ICONS -->
    <link rel="apple-touch-icon" sizes="76x76" href="assets/img/apple-icon1.jpeg">
    <link rel="icon" type="image/png" sizes="96x96" href="assets/img/favicon1.jpeg">
<script src="https://ajax.googleapis.com/ajax/libs/jquery/2.2.0/jquery.min.js"></script>
```



```
<div id="wrapper">
    <!-- NAVBAR -->
    <nav class="navbar navbar-default navbar-fixed-top">
        <div class="brand">
            <a href="dashboard.php"></a>
        </div>
        <div class="container-fluid">
            <div class="navbar-btn">
                <button type="button" class="btn-toggle-fullwidth"><i class="lnr lnr-arrow-left-circle"></i></button>
            </div>
            <div id="navbar-menu">
                <ul class="nav navbar-nav navbar-right">
                    <li class="dropdown">
                        <a href="#" class="dropdown-toggle icon-menu" data-toggle="dropdown">
                            <i class="lnr lnr-alarm"></i>
                            <span class="badge bg-danger">5</span>
                        </a>
                        <ul class="dropdown-menu notifications">
                            <li><a href="#" class="notification-item"><span class="dot bg-warning"></span>System space is almost full</a></li>
                            <li><a href="#" class="notification-item"><span class="dot bg-danger"></span>You have 9 unfinished tasks</a></li>
                            <li><a href="#" class="notification-item"><span class="dot bg-success"></span>Monthly report is available</a></li>
                            <li><a href="#" class="notification-item"><span class="dot bg-warning"></span>Weekly meeting in 1 hour</a></li>
                            <li><a href="#" class="notification-item"><span class="dot bg-success"></span>Your request has been approved</a></li>
                            <li><a href="#" class="more">See all notifications</a></li>
                        </ul>
                    </li>
                    <li class="dropdown">
                        <a href="#" class="dropdown-toggle" data-toggle="dropdown"><i class="lnr lnr-question-circle"></i> <span>Help</span> <i class="icon-submenu lnr lnr-chevron-down"></i></a>
                        <ul class="dropdown-menu">
                            <li><a href="#">Help</a></li>
                            <li><a href="#">Feedback</a></li>
                            <li><a href="#">Logout</a></li>
                        </ul>
                    </li>
                </ul>
            </div>
        </div>
    </nav>
```

Features of Online Student Test:

- Easy to register and give test for online exams.
- It is completely secure.
- It can be completely controlled by admin.
- This system is easily compatible with most of the Android Phones and browsers also.
- It is very interactive and saves time.
- Reduces paper works.
- Students will be able to see all the test results and improve their skills.

Future scope of the work:

- The development process of this system can be easily followed by adding new features to this application as the customer can command the application to take answer and submit it.
- We will add a payment gateway in this project.

Conclusion:

This project will develop the knowledge and skill of students. It also saves paper work and saves the time. Students and parent as well will notify with email also about the marks. If the student is scoring good with his or her exam he or she will be upgraded to the next level otherwise he or she will be downgraded. Students or parent can check the best school or colleges or universities around all over India. Every student scored record will be stored and they can see it in a Bar-Graph.

Online Student Test