

EDS Lab Assignment 2

Practical 3

Name:-Arpit Pramod Patil

PRN-202501040075

Division:-CS1

Batch:-C14

3.1.1. Numpy Array Operations

Write a Python program to create a NumPy array based on user input and display the following:

- The created NumPy array.
- The number of dimensions of the array using `ndim`
- The shape of the array using `shape`
- The total number of elements in the array using `size`

Assume all input elements are valid integers.

Input Format:

- The first line contains two space-separated integers, `r` and `c`, representing the number of rows and the number of columns.
- The next `r` lines contain `c` space-separated integers representing the elements of the array, entered row by row.

Output Format:

- The created NumPy array (printed as a 2D array).
- An integer representing the number of dimensions of the array.
- A tuple representing the shape of the array.
- An integer representing the total number of elements in the array.

Note: Use `reshape()` function to reshape the input array with the specified number of rows and columns.

Code:

```
import numpy as np

r, c = map(int, input().split())

elements = []

for _ in range(r):
    elements.extend(list(map(int, input().split())))

arr = np.array(elements).reshape(r, c)

print(arr)

print(arr.ndim)

print(arr.shape)

print(arr.size)
```

Output:

Average time
0.010 s
9.92 ms

Maximum time
0.028 s
28.00 ms

✓ 2 out of 2 shown test case(s) passed

✓ 10 out of 10 hidden test case(s) passed

✓ Test case 1 28 ms Debug

Expected output

Actual output

3 4

3 4

1 2 3 4

1 2 3 4

5 6 7 8

5 6 7 8

9 10 11 12

9 10 11 12

[[· 1 · · 2 · · 3 · · 4]]

[[· 1 · · 2 · · 3 · · 4]]

· [· 5 · · 6 · · 7 · · 8]

· [· 5 · · 6 · · 7 · · 8]

· [· 9 · 10 · 11 · 12]]

· [· 9 · 10 · 11 · 12]]

2

2

(3, -4)

(3, -4)

12

12

✓ Test case 2 6 ms Debug

Expected output

Actual output

0 0

0 0

[]

[]

2

2

(0, -0)

(0, -0)

0

0

3.2.1. Numpy: Matrix Operations

The given code takes two 3X3 matrices, matrix a and matrix b as input from the user and converts them into NumPy arrays.

Task:

You are required to compute and display the results of the following matrix operations:

1. **Addition ()**
2. **Subtraction ()**
3. **Element-wise Multiplication ()**
4. **Matrix Multiplication ()**
5. **Transpose of Matrix A**

Input Format:

- The user will input 3 rows for , each containing 3 integers separated by spaces.
- Similarly, the user will input 3 rows for , each containing 3 integers separated by spaces.

Output Format:

The program should display the results of the operations in the following order:

1. The result of Addition.
2. The result of Subtraction.
3. The result of Element-wise Multiplication.
4. The result of Matrix Multiplication.
5. The Transpose of Matrix A

Code:

```
import numpy as np

# Input matrices
print("Enter Matrix A:")

matrix_a = np.array([list(map(int, input().split())) for i in range(3)])

print("Enter Matrix B:")

matrix_b = np.array([list(map(int, input().split())) for i in range(3)])

# Addition
addition_result = matrix_a + matrix_b

print("Addition (A + B):")

print(addition_result)
```

```
# Subtraction
subtraction_result = matrix_a - matrix_b
print("Subtraction (A - B):")
print(subtraction_result)

# Multiplication (element-wise)
elementwise_multiplication_result = matrix_a * matrix_b
print("Element-wise Multiplication (A * B):")
print(elementwise_multiplication_result)

# Matrix multiplication (dot product)
matrix_multiplication_result=np.dot(matrix_a,matrix_b)
print("A dot B:")
print(matrix_multiplication_result)

# Transpose
transpose_a=matrix_a.T
print("Transpose of A:")
print(transpose_a)
```

Output:

Average time
0.014 s
14.25 ms

Maximum time
0.020 s
20.00 ms

2 out of 2 shown test case(s) passed
2 out of 2 hidden test case(s) passed

Test case 1 20 ms Debug	
Expected output	Actual output
Enter Matrix A:	Enter Matrix A:
1 2 3	1 2 3
4 5 6	4 5 6
7 8 9	7 8 9
Enter Matrix B:	Enter Matrix B:
1 1 1	1 1 1
1 1 1	1 1 1
1 1 1	1 1 1
Addition (A + B):	Addition (A + B):
[[2 3 4]]	[[2 3 4]]
[- 5 -6 -7]	[- 5 -6 -7]
[- 8 -9 -10]	[- 8 -9 -10]
Subtraction (A - B):	Subtraction (A - B):
[[0 1 2]]	[[0 1 2]]
[- 3 4 5]	[- 3 4 5]
[- 6 7 8]	[- 6 7 8]
Element-wise Multiplication (A * B):	Element-wise Multiplication (A * B):
[[1 2 3]]	[[1 2 3]]
[- 4 5 6]	[- 4 5 6]
[- 7 8 9]	[- 7 8 9]
A dot B:	A dot B:
[[-6 -6 -6]]	[[-6 -6 -6]]
[- 15 -15 -15]	[- 15 -15 -15]
[- 24 -24 -24]	[- 24 -24 -24]
Transpose of A:	Transpose of A:
[[1 4 7]]	[[1 4 7]]
[- 2 5 8]	[- 2 5 8]
[- 3 6 9]	[- 3 6 9]

Test case 2 14 ms Debug	
Expected output	Actual output
Enter Matrix A:	Enter Matrix A:
2 4 8	2 4 8
9 6 5	9 6 5
7 8 9	7 8 9
Enter Matrix B:	Enter Matrix B:
10 12 13	10 12 13
14 15 16	14 15 16
17 18 19	17 18 19
Addition (A + B):	Addition (A + B):
[[12 16 21]]	[[12 16 21]]
[- 23 -21 -21]	[- 23 -21 -21]
[- 24 -26 -28]	[- 24 -26 -28]
Subtraction (A - B):	Subtraction (A - B):
[[-8 -8 -5]]	[[-8 -8 -5]]
[- -5 -9 -11]	[- -5 -9 -11]
[- -10 -10 -10]	[- -10 -10 -10]
Element-wise Multiplication (A * B):	Element-wise Multiplication (A * B):
[[-20 -48 -104]]	[[-20 -48 -104]]
[- 126 -90 -80]	[- 126 -90 -80]
[- 119 -144 -171]	[- 119 -144 -171]
A dot B:	A dot B:
[[212 228 242]]	[[212 228 242]]
[- 259 -288 -308]	[- 259 -288 -308]
[- 335 -366 -390]	[- 335 -366 -390]
Transpose of A:	Transpose of A:
[[2 9 7]]	[[2 9 7]]
[- 4 6 8]	[- 4 6 8]
[- 8 5 9]	[- 8 5 9]

3.2.2. Numpy: Horizontal and Vertical Stacking of Arrays

You are given two arrays arr1 and arr2. You need to perform horizontal and vertical stacking operations on them using NumPy.

- **Horizontal Stacking:** Stack the two matrices horizontally (side by side).
- **Vertical Stacking:** Stack the two matrices vertically (one below the other).

Input Format:

- The program should first prompt the user to input two 3x3 arrays.
- Each array consists of 3 rows, and each row contains 3 space-separated integers.
- The user will input the two arrays row by row.

Output Format:

- The program should display the result of the Horizontal Stack (side-by-side stacking) of the two arrays.
- The program should then display the result of the Vertical Stack (one below the other) of the two arrays.

Code:

```
import numpy as np
```

```

# Input matrices

print("Enter Array1:")

arr1 = np.array([list(map(int, input().split())) for i in range(3)])

print("Enter Array2:")

arr2 = np.array([list(map(int, input().split())) for i in range(3)])

# Perform horizontal stacking (hstack)

a=np.hstack((arr1,arr2))

print("Horizontal Stack:")

print(a)

# Perform vertical stacking (vstack)

b = np.vstack((arr1,arr2))

print("Vertical Stack:")

print(b)

Output:

```

Test case 1

19 ms

Debug

Average time

0.015 s

15.50 ms

Maximum time

0.019 s

19.00 ms

2 out of 2 shown test case(s) passed

2 out of 2 hidden test case(s) passed

Expected output	Actual output
Enter Array1:	Enter Array1:
1 2 3	1 2 3
4 5 6	4 5 6
7 8 9	7 8 9
Enter Array2:	Enter Array2:
4 5 6	4 5 6
7 8 9	7 8 9
10 11 12	10 11 12
Horizontal Stack:	Horizontal Stack:
[[1 2 3 4 5 6]]	[[1 2 3 4 5 6]]
[4 5 6 7 8 9]	[4 5 6 7 8 9]
[7 8 9 10 11 12]	[7 8 9 10 11 12]
Vertical Stack:	Vertical Stack:
[[1 2 3]]	[[1 2 3]]
[4 5 6]	[4 5 6]
[7 8 9]	[7 8 9]
[4 5 6]	[4 5 6]
[7 8 9]	[7 8 9]
[10 11 12]	[10 11 12]

Test case 2

15 ms

Debug

Expected output	Actual output
Enter Array1:	Enter Array1:
-1 -2 -3	-1 -2 -3
-4 -5 -6	-4 -5 -6
-7 -8 -9	-7 -8 -9
Enter Array2:	Enter Array2:
10 11 12	10 11 12
13 14 15	13 14 15
16 17 18	16 17 18
Horizontal Stack:	Horizontal Stack:
[[-1 -2 -3 10 11 12]]	[[-1 -2 -3 10 11 12]]
[-4 -5 -6 13 14 15]	[-4 -5 -6 13 14 15]
[-7 -8 -9 16 17 18]	[-7 -8 -9 16 17 18]
Vertical Stack:	Vertical Stack:
[[-1 -2 -3]]	[[-1 -2 -3]]
[-4 -5 -6]	[-4 -5 -6]
[-7 -8 -9]	[-7 -8 -9]
[10 11 12]	[10 11 12]

3.2.3. Numpy: Custom Sequence Generation

Write a Python program that takes the following inputs from the user:

- Start value: The starting point of the sequence.
- Stop value: The sequence should end before this value.
- Step value: The increment between each number in the sequence.

The program should then generate a sequence using numpy based on these inputs and print the generated sequence.

Input Format:

- The user will input three integer values: start, stop, and step, each on a new line.

Output Format:

- The program should print the generated sequence based on the input values.

Code:

```
import numpy as np

# Take user input for the start, stop, and step of the sequence

start = int(input())

stop = int(input())

step = int(input())

# Generate the sequence using np.arange()

a = np.arange(start, stop, step)

print(a)
```

Output:

Average time
0.009 s
8.75 ms

Maximum time
0.013 s
13.00 ms

2 out of 2 shown test case(s) passed
2 out of 2 hidden test case(s) passed

Test case 1 13 ms Debug

Expected output	Actual output
3	3
10	10
2	2
[3 5 7 9]	[3 5 7 9]

Test case 2 7 ms Debug

Expected output	Actual output
10	10
20	20
30	30
[10]	[10]

3.2.4. Numpy: Arithmetic and Statistical Operations, Mathematical Operations, Bitwise Operators

You are given two arrays A and B. Your task is to complete the function array_operations, which will convert these lists into NumPy arrays and perform the following operations:

1. Arithmetic Operations:

- Compute the element-wise sum, difference, and product of the two arrays.

2. Statistical Operations:

- Calculate the mean, median, and standard deviation of array A.

3. Bitwise Operations:

- Perform bitwise AND, bitwise OR, and bitwise XOR on the arrays (ex: $A_i \text{ OR } B_i$).

Input Format:

- The first line contains space-separated integers representing the elements of array A.
- The second line contains space-separated integers representing the elements of array B.

Output Format:

- For each operation (arithmetic, statistical, and bitwise), print the results in the specified format as shown in sample test cases.

Code:

```
import numpy as np
```

```
def array_operations(A, B):
```

```
    # Convert A and B to NumPy arrays
```

```
    A = np.array(A)
```

```
    B = np.array(B)
```

```
    # Arithmetic Operations
```

```
    sum_result = A+B
```

```
    diff_result = A-B
```

```
    prod_result = A*B
```

```
    # Statistical Operations
```

```
    mean_A = np.mean(A)
```

```
    median_A = np.median(A)
```

```
    std_dev_A = np.std(A)
```

```
    # Bitwise Operations
```

```
    and_result = A & B
```

```
or_result = A | B
xor_result = A ^ B
```

Output results with one space between each element

```
print("Element-wise Sum:", ' '.join(map(str, sum_result)))
print("Element-wise Difference:", ' '.join(map(str, diff_result)))
print("Element-wise Product:", ' '.join(map(str, prod_result)))

print(f"Mean of A: {mean_A}")
print(f"Median of A: {median_A}")
print(f"Standard Deviation of A: {std_dev_A}")

print("Bitwise AND:", ' '.join(map(str, and_result)))
print("Bitwise OR:", ' '.join(map(str, or_result)))
print("Bitwise XOR:", ' '.join(map(str, xor_result)))
```

A = list(map(int, input().split())) # Elements of array A

B = list(map(int, input().split())) # Elements of array B

array_operations(A, B)

Output:

Average time 0.008 s 8.00 ms Maximum time 0.013 s 13.00 ms 1 out of 1 shown test case(s) passed 2 out of 2 hidden test case(s) passed	
Test case 1 13 ms Debug Expected output 1 2 3 4 5 6 7 8 Element-wise Sum: 6 8 10 12 Element-wise Difference: -4 -4 -4 -4 Element-wise Product: 5 12 21 32 Mean of A: 2.5 Median of A: 2.5 Standard Deviation of A: 1.118033988749895 Bitwise AND: 1 2 3 0 Bitwise OR: 5 6 7 12 Bitwise XOR: 4 4 4 12	
Actual output 1 2 3 4 5 6 7 8 Element-wise Sum: 6 8 10 12 Element-wise Difference: -4 -4 -4 -4 Element-wise Product: 5 12 21 32 Mean of A: 2.5 Median of A: 2.5 Standard Deviation of A: 1.118033988749895 Bitwise AND: 1 2 3 0 Bitwise OR: 5 6 7 12 Bitwise XOR: 4 4 4 12	

3.2.5. Numpy: Copying and Viewing Arrays

The given code takes a list of integers as input and converts it into a NumPy array. Your task is to complete the code by:

- Creating a view of the original_array and assigning it to view_array.

- Creating a copy of the original_array and assigning it to copy_array.

After completing these steps, observe how modifying the view affects the original_array, while modifying the copy does not.

Input Format:

- A single line of space-separated integers.

Output Format:

- After modifying the view:

Original array after modifying view: <original_array>

View array: <view_array>

- After modifying the copy:

Original array after modifying copy: <original_array>

Copy array: <copy_array>

Code:

```
import numpy as np

inputlist = list(map(int,input().split(" ")))

# Original array

original_array = np.array(inputlist)

# Create a view

view_array = original_array.view()

# Create a copy

copy_array = original_array.copy()

# Modify the view

view_array[0] = 99

print("Original array after modifying view:", original_array)

print("View array:", view_array)

# Modify the copy

copy_array[1] = 88

print("Original array after modifying copy:", original_array)

print("Copy array:", copy_array)
```

Output:

Average time
0.005 s
4.75 ms

Maximum time
0.008 s
8.00 ms

2 out of 2 shown test case(s) passed
2 out of 2 hidden test case(s) passed

Test case 1 8 ms Debug

Expected output
10 20 30 40 50 60 70 80

Actual output
10 20 30 40 50 60 70 80

Original array after modifying view: [99 20 30 40 50 60 70 80]

Original array after modifying copy: [99 20 30 40 50 60 70 80]

View array: [99 20 30 40 50 60 70 80]

Copy array: [10 88 30 40 50 60 70 80]

Test case 2 4 ms Debug

Expected output
99 2 3 4 5

Actual output
99 2 3 4 5

Original array after modifying view: [99 2 3 4 5]

Original array after modifying copy: [99 2 3 4 5]

View array: [99 2 3 4 5]

Copy array: [99 88 3 4 5]

3.2.6. Numpy: Searching, Sorting, Counting, Broadcasting

The given code in the editor takes a single array, `array1`, as space-separated integers as input from the user.

Additionally, it takes the following inputs:

- `search_value`: The value to search for in the array.
- `count_value`: The value to count its occurrences in the array.
- `broadcast_value`: The value to add for broadcasting across the array.

You need to complete the code to perform the following operations:

- 1. Searching:** Find the indices where `search_value` appears in `array1` and print these indices.
- 2. Counting:** Count how many times `count_value` appears in `array1` and print the count.
- 3. Broadcasting:** Add `broadcast_value` to each element of `array1` using broadcasting, and print the resulting array.
- 4. Sorting:** Sort `array1` in ascending order and print the sorted array.

Input Format:

1. A single line containing space-separated integers representing `array1`.
2. An integer `search_value` represents the value to search for in the array.
3. An integer `count_value` represents the value to count in the array.
4. An integer `broadcast_value` represents the value to add to each element of the array.

Output Format:

1. The indices where search_value occurs in arrayl.
2. The count of occurrences of count_value in arrayl.
3. The array after adding the broadcast_value to each element.
4. The sorted array.

Code:

```
import numpy as np

# Input array from the user
arrayl = np.array(list(map(int, input().split()))))

# Searching
search_value = int(input("Value to search: "))
count_value = int(input("Value to count: "))
broadcast_value = int(input("Value to add: "))

# Find indices where value matches in arrayl
print(np.where(arrayl == search_value)[0])

# Count occurrences in arrayl
print(np.count_nonzero(arrayl==count_value))

# Broadcasting addition
print(arrayl + broadcast_value)

# Sort the first array
print(np.sort(arrayl))
```

Output:

Average time
0.011 s
11.50 ms

Maximum time
0.017 s
17.00 ms

✓ 2 out of 2 shown test case(s) passed

✓ 2 out of 2 hidden test case(s) passed

✓ Test case 1 17 ms Debug

Expected output

1 1 1 2 2 2

Value to search: 1

Value to count: 2

Value to add: 2

[0 1 2]

3

[3 3 3 4 4 4]

[1 1 1 2 2 2]

Actual output

1 1 1 2 2 2

Value to search: 1

Value to count: 2

Value to add: 2

[0 1 2]

3

[3 3 3 4 4 4]

[1 1 1 2 2 2]

✓ Test case 2 11 ms Debug

Expected output

1 2 3 4 5

Value to search: 6

Value to count: 6

Value to add: 6

[]

0

[7 8 9 10 11]

[1 2 3 4 5]

Actual output

1 2 3 4 5

Value to search: 6

Value to count: 6

Value to add: 6

[]

0

[7 8 9 10 11]

[1 2 3 4 5]

3.2.7. Student Data Analysis and Operations

Write a Python program that takes the file name of a CSV file containing student details, including roll numbers and their marks in three subjects as input, reads the data, and performs the following operations:

- **Print all student details:** Display the complete details of all students, including roll numbers and marks for all subjects.
- **Find total students:** Determine the total number of students in the dataset.
- **Print all student roll numbers:** Extract and print the roll numbers of all students.
- **Print Subject 1 marks:** Extract and print the marks of all students in Subject 1.
- **Find minimum marks in Subject 2:** Identify the lowest marks in Subject 2.
- **Find maximum marks in Subject 3:** Identify the highest marks in Subject 3.
- **Print all subject marks:** Display the marks of all students for each subject.
- **Find total marks of students:** Compute the total marks for each student across all subjects.
- **Find the average marks of each student:** Compute the average marks for each student.
- **Find average marks of each subject:** Compute the average marks for all students in each subject.
- **Find average marks of Subject 1 and Subject 2:** Compute the average marks for Subject 1 and Subject 2.
- **Find average marks of Subject 1 and Subject 3:** Compute the average marks for Subject 1 and Subject 3.

- **Find the roll number of the student with maximum marks in Subject 3:** Identify the student with the highest marks in Subject 3 and print their roll number.
- **Find the roll number of the student with minimum marks in Subject 2:** Identify the student with the lowest marks in Subject 2 and print their roll number.
- **Find the roll number of students who scored 24 marks in Subject 2:** Identify students who obtained exactly 24 marks in Subject 2 and print their roll numbers.
- **Find the count of students who got less than 40 marks in Subject 1:** Count the number of students who scored less than 40 marks in Subject 1.
- **Find the count of students who got more than 90 marks in Subject 2:** Count the number of students who scored more than 90 marks in Subject 2.
- **Find the count of students who scored ≥ 90 in each subject:** Count the number of students who scored 90 or more marks in each subject.
- **Find the count of subjects in which each student scored ≥ 90 :** Determine how many subjects each student scored 90 or more marks in.
- **Print Subject 1 marks in ascending order:** Sort and print the marks of students in Subject 1 in ascending order.
- **Print students who scored between 50 and 90 in Subject 1:** Display students who scored marks between 50 and 90 in Subject 1.
- **Find index positions of students who scored 79 in Subject 1:** Identify the index positions of students who scored exactly 79 marks in Subject 1.

Note: Fill in the missing code to perform the above-mentioned operations.

Code:

```
import numpy as np

a = np.loadtxt("Sample.csv", delimiter=',', skiprows=1)

# 1. Print all student details
print("All student Details:\n", a )

# 2. print total students
print("Total Students:",len(a) )

# 3. Print all student Roll numbers
print("All Student Roll Nos", a[:,0] )

# 4. Print subject 1 marks
print("Subject 1 Marks", a[:,1])

# 5. print minimum marks of Subject 2
print("Min marks in Subject 2", np.min(a[:, 2]) )

# 6. print maximum marks of Subject 3
```

```

print("Max marks in Subject 3", np.max(a[:,3]) )

# 7. Print All subject marks
print("All subject marks:", a[:,1:] )

# 8. print Total marks of students
print("Total Marks", np.sum(a[:,1:], axis = 1) )

# 9. print average marks of each student
print(np.round(np.mean(a[:,1:], axis = 1),1))

# 10. print average marks of each subject
print("Average Marks of each subject", np.mean(a[:, 1:], axis = 0) )

# 11. print average marks of S1 and S2
print("Average Marks of S1 and S2", np.mean(a[:, 1:3],axis=0) )

# 12. print average marks of S1 and S3
print("Average Marks of S1 and S3", np.mean(a[:, [1, 3]], axis = 0) )

# 13. print Roll number who got maximum marks in Subject 3
max_sub3_index = np.argmax(a[:, 3])
print("Roll no who got maximum marks in Subject 3", a[max_sub3_index , 0] )

# 14. print Roll number who got minimum marks in Subject 2
min_sub2_index = np.argmin(a[:, 2])
print("Roll no who got minimum marks in Subject 2", a[min_sub2_index, 0] )

# 15. print Roll number who got 24 marks in Subject 2
print(f"Roll no who got 24 marks in Subject 2 [{a[a[:,2] == 24][:,0]}]" )

# 16. print count of students who got marks in Subject 1 < 40
count_sub1_lt_40 = np.sum(a[:,1]<40)
print("Count of students who got marks in Subject 1 < 40", count_sub1_lt_40 )

# 17. print count of students who got marks in Subject 2 > 90
count_sub2_gt_90 = np.sum(a[:,2]>90)
print("Count of students who got marks in Subject 2 > 90:", count_sub2_gt_90 )

# 18. print count of students in each subject who got marks >= 90
count_each_subject_90plus = np.sum(a[:,1:]>=90 , axis = 0)
print("Count of students in each subject who got marks >= 90:", count_each_subject_90plus )

# 19. print count of subjects in which each student got marks >= 90
print("Roll no:", a[:,0].astype(float) )

```



```
print("Count of subjects in which student got marks >= 90:", np.sum(a[:,1:] >= 90 , axis = 1))

# 20. Print SI marks in ascending order
print(np.sort(a[:,1]))

# 21. Print SI marks >= 50 and <= 90
sl_filteredv = a[(a[:,1]>=50) & (a[:,1]<=90)]
print(sl_filteredv)

print(a)

# 22. Print the index position of marks 79
indices_79 = np.where(a[:,1]==79)[0]
print((indices_79,))
```

Output:

Average time
0.017 s
17.00 ms

0.017 s
17.00 ms

1 out of 1 shown test case(s) passed

Test case 1 17 ms Debug	
Expected output	Actual output
All student Details: ⌵	All student Details: ⌵
·[[301,·67,·77,·88.] ⌵	·[[301,·67,·77,·88.] ⌵
·[302,·78,·88,·77.] ⌵	·[302,·78,·88,·77.] ⌵
·[303,·45,·56,·89.] ⌵	·[303,·45,·56,·89.] ⌵
·[304,·88,·98,·45.] ⌵	·[304,·88,·98,·45.] ⌵
·[305,·78,·88,·99.] ⌵	·[305,·78,·88,·99.] ⌵
·[306,·68,·78,·36.] ⌵	·[306,·68,·78,·36.] ⌵
·[307,·79,·12,·45.] ⌵	·[307,·79,·12,·45.] ⌵
·[308,·46,·45,·77.] ⌵	·[308,·46,·45,·77.] ⌵
·[309,·89,·32,·88.] ⌵	·[309,·89,·32,·88.] ⌵
·[310,·79,·24,·33.] ⌵	·[310,·79,·24,·33.] ⌵
Total Students: 10 ⌵	Total Students: 10 ⌵
All Student Roll Nos [301, 302, 303, 304, 305, 306, 307, 308, 309, 310.] ⌵	All Student Roll Nos [301, 302, 303, 304, 305, 306, 307, 308, 309, 310.] ⌵
Subject 1 Marks [67, 78, 45, 88, 78, 68, 79, 46, 89, 79.] ⌵	Subject 1 Marks [67, 78, 45, 88, 78, 68, 79, 46, 89, 79.] ⌵
Min marks in Subject 2 12.0 ⌵	Min marks in Subject 2 12.0 ⌵
Max marks in Subject 3 99.0 ⌵	Max marks in Subject 3 99.0 ⌵
All subject marks: ·[[67, 77, 88.] ⌵	All subject marks: ·[[67, 77, 88.] ⌵
·[78, 88, 77.] ⌵	·[78, 88, 77.] ⌵
·[89, 32, 88.] ⌵	·[89, 32, 88.] ⌵
·[79, 24, 33.] ⌵	·[79, 24, 33.] ⌵
Total Marks [232, 243, 190, 231, 265, 182, 136, 168, 209, 136.] ⌵	Total Marks [232, 243, 190, 231, 265, 182, 136, 168, 209, 136.] ⌵
[77, 3, 81, ·63, 3, 77, ·88, 3, 60, 7, 45, 3, 56, ·69, 7, 45, 3] ⌵	[77, 3, 81, ·63, 3, 77, ·88, 3, 60, 7, 45, 3, 56, ·69, 7, 45, 3] ⌵
Average Marks of each subject [71.7 59.8 67.7] ⌵	Average Marks of each subject [71.7 59.8 67.7] ⌵
Average Marks of S1 and S2 [71.7 59.8] ⌵	Average Marks of S1 and S2 [71.7 59.8] ⌵
Average Marks of S1 and S3 [71.7 67.7] ⌵	Average Marks of S1 and S3 [71.7 67.7] ⌵
Roll no who got maximum marks in Subject 3 305.0 ⌵	Roll no who got maximum marks in Subject 3 305.0 ⌵
Roll no who got minimum marks in Subject 2 307.0 ⌵	Roll no who got minimum marks in Subject 2 307.0 ⌵
Roll no who got 24 marks in Subject 2 ·[[310.]] ⌵	Roll no who got 24 marks in Subject 2 ·[[310.]] ⌵
Count of students who got marks in Subject 1 < 40 0 ⌵	Count of students who got marks in Subject 1 < 40 0 ⌵
Count of students who got marks in Subject 2 > 90: 1 ⌵	Count of students who got marks in Subject 2 > 90: 1 ⌵
Count of students in each subject who got marks >= 90: [0 1 1] ⌵	Count of students in each subject who got marks >= 90: [0 1 1] ⌵
Roll no: [301, 302, 303, 304, 305, 306, 307, 308, 309, 310.] ⌵	Roll no: [301, 302, 303, 304, 305, 306, 307, 308, 309, 310.] ⌵
Count of subjects in which student got marks >= 90: [0 0 0 1 1 0 0 0 0 0] ⌵	Count of subjects in which student got marks >= 90: [0 0 0 1 1 0 0 0 0 0] ⌵
[45, 46, 67, 68, 78, 78, 79, 79, 88, 89.] ⌵	[45, 46, 67, 68, 78, 78, 79, 79, 88, 89.] ⌵
·[[301,·67,·77,·88.] ⌵	·[[301,·67,·77,·88.] ⌵
·[302,·78,·88,·77.] ⌵	·[302,·78,·88,·77.] ⌵
·[304,·88,·98,·45.] ⌵	·[304,·88,·98,·45.] ⌵
·[305,·78,·88,·99.] ⌵	·[305,·78,·88,·99.] ⌵
·[306,·68,·78,·36.] ⌵	·[306,·68,·78,·36.] ⌵
·[307,·79,·12,·45.] ⌵	·[307,·79,·12,·45.] ⌵
·[309,·89,·32,·88.] ⌵	·[309,·89,·32,·88.] ⌵
·[310,·79,·24,·33.] ⌵	·[310,·79,·24,·33.] ⌵
·[[301,·67,·77,·88.] ⌵	·[[301,·67,·77,·88.] ⌵
·[302,·78,·88,·77.] ⌵	·[302,·78,·88,·77.] ⌵
·[303,·45,·56,·89.] ⌵	·[303,·45,·56,·89.] ⌵
·[304,·88,·98,·45.] ⌵	·[304,·88,·98,·45.] ⌵
·[305,·78,·88,·99.] ⌵	·[305,·78,·88,·99.] ⌵
·[306,·68,·78,·36.] ⌵	·[306,·68,·78,·36.] ⌵
·[307,·79,·12,·45.] ⌵	·[307,·79,·12,·45.] ⌵
·[308,·46,·45,·77.] ⌵	·[308,·46,·45,·77.] ⌵

