Lab Program -3
- John - J
LOO WHILE STATE
import java util. Scanner;
class book &
String author
String many
int num accord
train-pages; and more more
Call ple price;
Scanner sc = new Scanner (System.in);
Colly to Col
void get Details () {
Sustant : 11. ("C 1. 11. "")
Systemout. printly ("Enter the name author:");
author = sc.next();
System.out.println ("Enter the title of book:")
name = sc.next();
System. out print In ("Enter the number of pages:")
num-pages = sc.next Int ()
num-pages = sc.next Int (); System.out.print ln ("Cost of book:");
price = sc. next Double ();
SAT X3 NI WE DANSAUG. TAU. ONTERVE
1000 20
public String to String()?
return ("Anthor: "tauthor+"In Book title:
tranet "In Pages: "trum-pages+ "In Price: "tprice);
"InPrice "+ price);
- M(1-1) 3": 2400; 40
the square on a second
book () Experience
author = "Anne Frank";
name = "The Diary of a Young Girl".
Name Silvi

```
num-pages = 168;
price = 199.00;
```

System.out. println ("Author: "tauthor);
System.out. println ("Book title: "tname);
System.out. println ("Number of pages:"

tnum-pages);
System.out. println ("Price: "tprice);

class bookhin ?

public static void main (String ss[]) {
Scanner sc=new Scanner (System, in);

book S1 = new book ();

S1. display ();

System. out. println ("In Enter the number of books: ");

n= sc. nextInt().


book b[] = new book[n].

for (int i=0; i<n; i++) {

System out print In ("In Enter details
of book: "+(i+1));

b[i] = new book(). b[i].getDetails:

blil, get Details;



System. out. printly ("In All the book we
have).
for (int 1=0; i(n, i++) {
for (int i=0; i <n; "+(i+1));="" i++)="" system.out.println("inbook:="" system.out.println(b[i]);<="" th="" {=""></n;>
System. out. println (b[i]):