Low-Level Design (LLD)
Heart Disease Diagnostic Analysis

Contents

1. Introduction

What is Low Level Design Document?

The goal of the Low-level design document (LLDD) is to give the internallogic design of the actual program code for the Heart Disease DiagnosticAnalysis dashboard. LLD describes the class diagrams with the methodsand relations between classes and programs specs. It describes the modules so that the programmer can directly code the program from the document.

What is Scope?

Low-level design (LLD) is a component-level design process that follows a step-by-step refinement process. The process can be used for designing data structures, required software architecture, source code, and ultimately,performance algorithms. Overall, the data organization may be defined during requirement analysis and then refined during data design work.

Project Introduction

Heart disease is a term covering any disorder of the heart. Heart diseases have become a major concern to deal with as studies show that the number of deaths due to heart diseases has increased significantly over the past fewdecades in India it has become the leading cause of death in India.

Thus, preventing heart diseases has become more than necessary. Gooddata-driven systems for predicting heart diseases can improve the entire research and prevention process, making sure that more people can live healthy lives.

2. Problem Statement.

Health is real wealth in the pandemic time we all realized the brute effects ofcovid-19on all irrespective of any status. You are required to analyze this health and medical data for better future preparation. A dataset is formed bytaking into consideration some of the information of 303 individuals.

3. Dataset Overview

Input Dataset Information

The dataset used for analysis is the heart disease dataset provided by the UCI Repository. It contains 76 attributes out of which only 14 are used. We will be using the Cleveland dataset.

Dataset source: https://archive.ics.uci.edu/ml/datasets/Heart+DiseaseDataset

Variables Description is as follows:

age: The person's age in years

sex: The person's sex (1 = male, 0 = female)

cp: The chest pain experienced (Value 1: typical angina, Value 2: atypicalangina, Value 3: non-anginal pain, Value 4: asymptomatic)

trestbps: The person's resting blood pressure (mm Hg on admission to thehospital)

chol: The person's cholesterol measurement in mg/dl

fbs: The person's fasting blood sugar (> 120 mg/dl, 1 = true; 0 = false)

restecg: Resting electrocardiographic measurement (0 = normal, 1 having ST-Twave abnormality, 2 = showing probable or definite left ventricular hypertrophy by Estes' criteria)

thalach: The person's maximum heart rate achieved

exang: Exercise induced angina (1 = yes; 0 = no)

oldpeak: ST depression induced by exercise relative to rest

slope: the slope of the peak exercise ST segment (Value 1: upsloping,Value 2: flat,Value 3: downsloping)

ca: The number of major vessels (0-3)

thal: A blood disorder called thalassemia (3 = normal; 6 = fixeddefect; 7 =reversable defect)

num: heart disease (0 = no, 1 = yes)

Data Preprocessing

We will be using Python Numpy and Pandas to perform Preprocessing on thedataset. Observations after Exploratory Data Analysis:

1. The data in the dataset showed that there are some columns in the dataset which are categorical variables but when loaded into Tableau behave as numerical variables. Even though they contain numeric data the values in themare repeating and only limited to a few numbers which means they have been encoded to represent some specific class/category under the variable. The columns include – sex, cp, FBS, restecg, exang, slope, ca, thal and num.
As a part of preprocessing, the data type of these columns will be changedFrom integer to categorical.

2. no column contains missing data as indicated by the count parameter. But still, we need to check for incorrect data.

3. There are a few columns wherein there are unusual values/outliers. After observation based on the summary statistics of these columns, it is somewhatclear that these are outliers. Maybe it is an outlier. The columns are – cp and thal.

4. The old peak column has many values as zeros and the data is also skewed. As a part of the transformation, we will impute the zeros with either mean/median of the column values because the old peak values cannot be zero for a human being and also remove skewness by using Logarithmic transformation.

5. Remaining numerical columns seem normally distributed.

Data Modification in Tableau Desktop

The exported .csv dataset file – preprocessed_heart_disease_dataset.csv will beimported into Tableau Public Desktop.
Since the dataset contains many categorical columns which store the categories
in the form of integers, we will convert these numbers into meaningful phrases which will be understandable to the viewer and also easy to understand the termsused in the visualizations. Since the dataset contains many categorical columns which store the categories inthe form of integers, we will convert these numbers into meaningful phrases which will be understandable to the viewer and also easy tounderstand the terms used in the visualizations.

4. Architecture

Tableau Server Architecture

Tableau has a highly scalable, n tier client architecture that serves the mobile
Architecture that serves the mobile clients web clients and desktop-installed Software

Tableau Server architecture supports fast and flexible deployments. The
below diagram shows Tableau Server's architecture.

The Tableau Server has many components working together as it manages a bunch of
important processes. It has components taking care of the user and data security a
repository which stores all the visualizations published to the Server, a cache for
performance improvement, a manager/automation manage data loads and schedule
updates, a presentation layer which is responsible for all the visualization/presentation
related activities. The Tableau Server primarilyserves the dynamic user base of the web
and mobile customers interacting withthe data on Tableau platforms

5. Architecture Description

1. **Raw Data Collection**
   The Dataset was taken from iNeuron's Provided Project Description
   Document.
   https://drive.google.com/drive/folders/165Pjmfb9W9PGy0rZjHEA22LW0Lt3Y-Q8

2. **Data Pre-Processing**

   Before building any model, it is crucial to perform data pre-processing to feedthe
   correct data to the model to learn and predict. Model performance depends on the
   quality of data fed to the model to train.
   This Process includes-
   a) Handling Null/Missing Values
   b) Handling Skewed Data
   c) Outliers Detection and Removal

3. **Data Cleaning**
   Data cleaning is the process of fixing or removing incorrect, corrupted,
   incorrectly formatted, duplicate, or incomplete data within a dataset.
   a) Remove duplicate or irrelevant observations
   b) Filter unwanted outliers
   c) Renaming required attribute

4. **Exploratory Data Analysis (EDA)**
   Exploratory Data Analysis refers to the critical process of performing initial
   investigations on data to discover patterns, spot anomalies, test hypothesesand
   check assumptions with the help of summary statistics and graphical
   representations.

5. **Reporting**
   Reporting is a most important and underrated skill of a data analytics field.
   Because being a Data Analyst you should be good in the easy and self-
   explanatory report because your model will be used by many stakeholderswho
   are not from a technical background.
   a) High-Level Design Document (HLD)
   b) Low Level Design Document (LLD)
   c) Architecture
   d) Wireframe
   e) Detailed Project Report

6. **Modelling**
   Data Modelling is the process of analyzing the data objects and their relationship
   to the other objects. It is used to analyze the data requirements that are required
   for the business processes. The data models are created forthe data to be stored
   in a database. The Data Model's main focus is on what data is needed and how
   we have to organize data rather than what operations we have to perform.

7. Deployment

We created a Tableau Dashboard