DashFood: Project Foreign-Review

3 Testers
Medet, Nurdaulet, Iskander

Materials forPartBEndterm

B1. Testing Three Criteria

Stage 1 Criterion	Test	Result
Viewing the menu	Open the menu, products, and prices	Passed in automated scenario
Adding products to the cart	Add two products, remove one, set quantity to 2, reload	Passed; quantity persisted
Placing an order	Place an order, staff login, Preparing → Ready, customer checks status	Passed; order saved in PostgreSQL

Evidence: evidence/browser-tests.json; screenshots A1-1 ... A1-6. Important: this table demonstrates functional scenarios, not testing with three people. The automated scenario's execution speed is not a human task-completion time.


B2. Issues Identified

ID	Observation	Status
F01	Hidden navigation items on mobile	Reproduced; fix planned
F02	Leading or trailing spaces in a search query return no results	Reproduced; fix planned
F03	The editing form appears outside the viewport	Reproduced; fix planned

B1 with at least three external users remains incomplete. For B2, these observations are presented as an internal UX review. The following pages provide reproduction steps, screenshots, Nielsen heuristics, and improvement plans.

F01. Mobile Navigation

Conditions: Chrome, viewport375 × 812.The navigation baris339 px wide, but its content is 414 px wide. Insights is beyond the right edge of the screen. Horizontal scrolling is required, with no visible cue.




F01-mobile-navigation.png - initial state without scrolling the navigation.

Impact: some features are harder to discover. This is an interface observation; it does not claim that a particular person failed to find a navigation item.

Heuristic: Recognition rather than recall; visibility of system status. Plan: provide an explicit mobile menu or a visible scrolling cue. Retest: find every item at 320/375 px width and check keyboard navigation.

F02. Search with Extra Spaces

Steps:openMenu; searchforCheeseburger - oneproductisfound.Enterthesamequery with spaces at the beginning and end, " Cheeseburger " - zero products are found.




F02-search-spaces.png - no results despite the product existing.


Heuristic: Error prevention; flexibility and efficiency of use. Plan: apply trim() to the search input before comparing product names. Retest: both query variants should find the same product; an empty string should show the regular menu.

F03. Editing Form Outside the Viewport

Steps: openManagemenu, scrollto the lastproduct, and clickEdit. Theformis created at the topof thelist, but the viewport remains at the bottom. Focus stays on Edit. Form bounds after clicking: top = -1231 px, bottom = -785 px, meaning the form is entirely above the viewport.



After Edit: the form is not visible.



After scrolling up: the form is present.

Heuristic: Visibility of system status. Plan: scroll to the form on opening and move focus to Name. Retest: editing the last product on mobile and desktop immediately displays the form; Cancel returns the user to their original position.

B3. Performance

Actualautomated measurements fromNovember 1, 2026. Chrome DevTools Protocol, cache disabled, Fast 4G: download 1,012,500 bytes/s; upload 168,750 bytes/s; latency 165 ms; viewport 375 × 812, DPR 1. Three independent loads of each screen.

Screen	Ready 1, s	Ready 2, s	Ready 3, s	Average, s	Avg. Load, s
Menu	1.608	1.309	1.316	1.411	0.972
Cart	1.171	1.190	1.263	1.208	0.877

Readiness is when menu cards or cart quantity controls are detected by the scenario, relative to the start of navigation. Both averages are below 2 seconds. This is a local instrumented R12 assessment, not a person’s order-completion time.

Evidence: evidence/performance.json; B3-menu-1/2/3.png and B3-cart-1/2/3.png. The screenshots show the application screen, not an open Network panel. To match the exact B3 assignment format, add manual Network screenshots showing Fast 4G and Disable cache.