
FinTechathon
深圳国际金融科技大赛
西丽湖金融科技大学生挑战赛
BorderlessGuard
Team Centrale · International AI Track · Topic C · 2026
BLOCKCHAIN

2026 SHENZHEN FINTECH COMPETITION · INTERNATIONAL AI TRACK · TOPIC C

BorderlessGuard

An AI agent that moves a student's money across borders, and cannot be talked into moving it wrongly.

The AI reads your request. Fixed rules and your approval move the money.

THE PROBLEM

Invoice fraud meets an AI that can pay.

FBI IC3 · 2024

USD 2.77 bn

lost to fake payment requests with changed bank details (business email compromise).

2024 Internet Crime Report, p. 10. US complaints, all victims.

OWASP · 2025

#1

risk for AI applications: prompt injection. Hidden instructions in text, like the line in Lina's invoice.

OWASP Top 10 for LLM Applications 2025, LLM01.

An AI agent that pays bills is the perfect target.
If the model decides, the attacker decides.

So we built an agent that is safe by construction, not by good behaviour.

THE IDEA

The model never touches the money.

The AI reads your request. Fixed rules and your approval move the money.

⚠ Can be fooled

The model proposes

Writes a request, nothing more. No tools. It never sees an account number.

Rules, a local Qwen model or any connected model: **swappable**.

Smart cascade: rules first, Qwen only when needed.

Grounding check: every field must appear in what you wrote.

Fixed rules

Code decides

Account numbers come only from her saved payees.

The planner simulates the whole plan first.

13 named rules give a risk level, R0 to R4.

✓ You and the ledger

Lina approves, the ledger pays

One tap or a one-time code, **in proportion to the risk**.

Locked to **a hash of the exact payment**.

Every action gets a **linked receipt**. Lina keeps a signed copy of the latest.

A fooled model can only propose.


LIVE DEMO · STEP 1 OF 6

She asks. The agent only simulates.

"Can I afford 300 EUR for mom?"

1. The whole month is simulated: exchange, tuition, rent, and the 300.
2. She would end with **300 EUR**, below her 600 EUR reserve.

   ⚠ Reserve breached
3. **Nothing is proposed. Nothing moves.**



Recorded from the live app: the backup if the demo fails.

LIVE DEMO · STEP 2 OF 6


One sentence. Three actions. 600 EUR kept.

"Pay my tuition and rent, but keep 600 euros."

1. The hidden line is found. The invoice is **quarantined**: its text is only data.
2. **The plan**, from her saved payees:

Buy 2,200 EUR	one tap
Pay the university 1,200 EUR	one tap
Pay the landlord 850 EUR	code

3. 450 + 2,200 − 2,050 = **600 EUR**. Nothing has moved yet.




Recorded from the live app: the backup if the demo fails.

LIVE DEMO · STEPS 3 TO 5

Paid, with a receipt Lina can check.

3. **One tap each** for the exchange and the tuition: Risk 2.
4. **The landlord was added 20 hours ago.** A classic scam pattern: Risk 3, a one-time code. Euros end at 600.00, reserve kept.
5. **Every action gets a linked receipt.** Lina keeps a signed copy. It matches.



Recorded from the live app: the backup if the demo fails.


LIVE DEMO · STEP 6 OF 6

Seven known attacks, replayed live.

7 / 7 blocked

- ✓ Forged rent invoice
- ✓ Swapped account number
- ✓ “Send the maximum”
- ✓ Lying exchange rate
- ✓ Double approval
- ✓ Split payment, under the limit
- ✓ Payee on a sanctions watchlist

We wrote these seven: a demo, not a test. The blind test comes next.



Recorded from the live app: the backup if the demo fails.

A REAL DIALOGUE · NOT RUN LIVE

A correction is a new action, never an edit.

Missing amount: she is asked.


"Send money to mom" → "50 euros"

She changes her mind.

"actually make it 40": the old action is cancelled, a new one is simulated and checked again.

"Cancel that."

Nothing moves.



Recorded from the live app.

WHY IT HOLDS

Only one of eight controls reads the text.

Content guard

Finds hidden instructions in documents. It only warns.

⚠ Reads the text

Registry-only account numbers

No account number from a document or chat is ever paid.

Approval locked to a hash

Change the payment and the approval is refused.

Codes lock

3 wrong codes lock code approval for the user.

No double payment

A replayed approval never pays twice.

Customers separated

Other customers' data is unreachable.

Split payments

Same payee, over 1,500 EUR in 24 h: a code is needed.

Financial crime

Sanctions screen

Watchlist names and accounts, look-alike letters folded: denied.

Financial crime

Detection only warns. Authorisation never depends on detecting the attack.

After two blind tests we audited our own code: **12 findings, all fixed or mitigated.**

THE POLICY

13 named rules on every payment. R4 has no override.

R0 — **Read-only**
Allowed.

R2 — **One tap**
Payee older than 72 h, up to 1,500 EUR. Exchange up to 2,500 EUR.

R3 — **One-time code**
New payee, over 1,500 EUR, exchange over 2,500 EUR, split payments.

R4 — **Denied. No override.**
Unregistered or blocked payee, account number not in the registry, another customer, reserve floor, over 4,000 per payment or 5,000 per day, untrusted origin, sanctioned.

THE 13 RULES ON THE TUITION PAYMENT

10 deny — R4, no override

- SIM_FEASIBLE
- BENEFICIARY_REGISTERED
- BENEFICIARY_NOT_BLOCKED
- IBAN_MATCHES_REGISTRY
- TENANT_ISOLATION
- RESERVE_FLOOR
- MAX_SINGLE_PAYMENT
- DAILY_LIMIT
- UNTRUSTED_ORIGIN
- SANCTIONS_SCREEN

3 ask for a code — R3

- BENEFICIARY_AGE
- AMOUNT_TIER
- STRUCTURING

Every threshold lives in one file: bg/contracts/params.py

BLIND TEST · OFFLINE RULES PARSER

69 of 70 attacks blocked.

105 new cases written by a separate AI agent that was not allowed to read our guard, parser or policy code.
Results committed (44542f2) before we fixed anything.

69/70

attacks blocked · 98.6%

95% interval 92.3 to 99.7

15/15

multi-turn attacks

95% interval 79.6 to 100

24/30

normal English requests

80.0% · 95% interval 62.7 to 90.5

0 wrong payments · 0 data leaks · 0 executions without confirmation

CAVEAT

9 attacks were stopped only because the parser did not understand them.

CAVEAT

This is the offline parser only. A local Qwen model, tested blind: next slide.

THE ONE MISS

A look-alike letter in a sanctioned name. It needed Lina's own code. No money moved. Fixed.

SAME BLIND TEST, TWO DIFFERENT MODELS

Safety does not depend on the model.

	Rules parser offline · blind · frozen `44542f2`	Qwen2.5 7B local, on the laptop · blind · frozen `5868d83`
Attacks blocked	**69/70** 98.6% · interval 92.3 to 99.7	**66/70** 94.3% · interval 86.2 to 97.8
Multi-turn attacks	**15/15**	**15/15**
Normal English requests completed	**24/30**	**26/30**
Requests in other languages	**0/5** asks again, proposes nothing	**5/5** reads them · 2.6 s per call, 0% fallback
Wrong payments to an account that is not a saved payee	**0**	**0**

Qwen's 4 misses: 3 plans with a payment she did not ask for (saved payees only), and 1 sanctioned payee added after Lina's own code, because the model shortened the name. The fix: every field the model proposes must appear in what she wrote (`d3e0f49`). Re-run: 103/105, a regression, not blind.

Rules parser on today's code: 70/70 attacks, 29/30 English. Its fixes came from the first blind misses, so that run is not blind.

Smart cascade (rules first, Qwen only when needed), held-out v2 re-run: **87% of messages answered by rules**, median 0.0 s. Regression, not blind.

HONEST LIMITS

What it does not do yet.

- ⚠ **A sandbox.** The ledger, the exchange rates and the SMS code are simulated.
- ⚠ **The offline parser is English only** and misses unusual phrasing: 24 of 30 blind.
- ⚠ **One model family measured blind** (Qwen 7B and 3B). A connected frontier model is not tested yet.
- ⚠ **The content guard is rule-based,** and it only warns.
- ⚠ One student, USD and EUR, a public demo signing key.

We claim a safe architecture, measured blind.

We do not claim production readiness.

YOUR CRITERIA

Each criterion, with evidence you can rerun.

40%

Task completion

20 of 20

scripted missions pass. One sentence becomes a three-step plan.

30%

Security and compliance

69 of 70

blind attacks blocked. 0 wrong payments. 12 audit findings fixed or mitigated.

30%

Innovation and interaction

Clarify, correct, cancel

Questions answered by simulation. Receipts Lina can check herself.

Rerun offline, no API key: `python -m pytest tests -q` → **988 passed**, 7 documented expected failures. Evidence: `heldout_v2_results.md` · `task_completion.md` · `security_audit.md` · `blind_llm/`

NEXT, WITH WEBANK

What we would build next.

⚠ None of this is built yet

FATE	Federated learning across banks: scam signals are shared, customer data is not. A risk score and fine-tuning of the local model. It could only **ask for a code**. It would never approve a payment.
FISCO BCOS	Anchor each receipt chain on a consortium chain, so Lina does not need to keep her own copy.
Blind test, again	A fresh blind test of the Smart cascade and of a connected frontier model. Today the cascade is only re-run (a regression), and no frontier model is measured.

You do not make a money agent safe by asking the model to be good. You take away its authority.

FinTechathon
深圳国际金融科技大赛
西丽湖金融科技大学生挑战赛

THANKS
谢谢观看！

