

## A quick introduction to practical data science


Nina Zumel John Mount Win-Vector LLC








We are two consultants from Win-Vector LLC



Unofficial theme of blog: "things it took me a long time to figure out, and now I want to write it down somewhere"




Some (implicit) assumptions of our definition of data science
☐ The goal is deploy predictive models into a production environment
☐ Prediction (e.g. "this sub-population is more expensive to insure").
☐ Not explanation (e.g. "death rates are higher due to high sodium intake") or prescription (e.g. "cut down on salt").
☐ End goal is not making reports, insights or graphs.
☐ There is a client (either explicit or imagined).
☐ You need to do what is best for the client, not what is the most interesting or the best new research.
□ Repeatability come through scriptability/automation.
☐ It doesn't exist if it needs you there to re-run it.

Notice how these may differ from a definition of statistics, so these are more argument the two fields are different. In our opinion data science takes a lot of ideas from agile development. Remember: data gets updated. You are always on your penultimate analysis.

### We already have statistics, why do we need data science?

From "Data Science: An Action Plan for Expanding the Technical Areas of the Field of Statistics", ISI Review, , 69, 21-26. W. S. Cleveland, 2001.

This document describes a plan to enlarge the major areas of technical work of the field of statistics. Because the plan is ambitious and implies substantial change, the altered field will be called "data science."



Data Science	ce is a Process
☐ The process of deploying data-driven models into production	☐ The goal: automate decision-making
☐ Frame the problem	☐ Requires large data sets (but not always "big data")
□ Collect data	☐ Cause is not a primary
☐ Manage data	concern (as it is in scientific data analysis).
☐ Build models	☐ Discovering useful
☐ Deploy models	correlation is sufficient.
	Win-Vector LLC www.win-vector.com

This is our working definition for data science. data science is really the entire process. we want to give attention in the book to aspects of the process that often get ignored by people (on paper) who focus on specific sub-topics Framing the problem: generate metrics for success in the context of the business/application area

The activities encompass tasks businesses have always worried about: loan default anomaly detection revenue management consumer demand projection social network discovery -- to name a few

Now we can do it on a larger scale, and with faster turnarounds

Large data: asymptotic conditions have been met. worry less about statistical efficiency issues (different than algorithmic efficiency)

# You need tools and habits to support process Data stores Source control Metadata store/inventory Documentation Permissioning Repeatable procedures

	Data Science is Social
□ A da	ta scientist must interact competently with:
	Managers
	Business owners
	Project managers
	Analysts
	Database administrators / IT
□ F	Programmers
	Statisticians
	Econometricians
	Machine learning experts
	Win-Vector LLC Www.win-vector.com

You have to be able to communicate with people in all these roles, which means that you have to be competent at some aspects of all of them.


You need to be good (or at least not bad) in all of these roles. At the roles you are "at least not bad" at you need to interact and recruit expert partners in your organization.

Data Science is Multidisciplinary
<ul> <li>□ Theoretical basis: statistics, machine learning, operations research</li> <li>□ Practical basis: computer and software engineering</li> <li>□ Data Science as we currently know it has evolved largely in Computer Science and Information Technology groups</li> </ul>
Win-Vector LLC Www.win-vector.com

Machine learning to implement desired predictive models/ statistics to design data collection strategies and validate models
CSE to efficiently collect and manage high volume data for building models, and run desired computations in a timely manner.
Re pt 3: DS evolved in CS/IT groups because they had the data and the need (e.g. facilitate other groups who needed to answer the business questions)
And remember that machine learning, in its early years, was considered a sub-branch of Artificial Intelligence (a computer science topic), not of statistics.
However, bad software engineering is easier to fix than incorrect statistical inference (so we do pay attention to statistics).


### Huge field, so let's limit down to a quick example of how to:

- ☐ Effectively scope and organize a data science project
- ☐ Be an effective consumer of machine learning results
- ☐ Choose among important model performance criteria
- ☐ Produce effective data visualizations



#### Our example problem

- Project Goal: contact people unlikely to have health insurance and try to help sign them up for affordable care.
- ☐ Client ask: a score that estimates the probability that a person has insurance based on a few census facts (age, income, occupation, and location).
  - Allows the client to set a threshold on who gets called and who doesn't get called after they see model results.




Initial scope exercises
Estimate what fraction of target individuals can even be contacted.
Estimate what fraction of target individuals don't already have insurance.
Estimate what fraction of target individuals without insurance are likely to successfully apply for affordable care without intervention.
Determine if US Census record of insurance is in fact usable (eliminating the need for prediction if so).
Estimate what fraction of target individuals have usable data.
Estimate type-1 and type-2 error costs
Estimate optimal error cost of proposed classifier.
Win-Vector LLC www.win-vector.com


Notice what a machine learning researcher sees as the the scope: data size, and estimating the accuracy of the classifier (using their favorite method) isn't the first question to ask. Extreme answers to any of the earlier questions can invalidate the need for the project or the classifier at all. After project viability many of the scoping questions (type of data, volume of data, cost) are classic software engineering questions – so there are known good methods for front-loading and dealing with such uncertainty. A standard good idea: is can you fake/demonstrate the results using people and 3\*5 cards; and if you did would the result be helpful?

What do we expect in a machine learning result?
☐ What our client wants: a score which is an estimate of the probability of the person having health insurance.
☐ In this case we should research acceptance criteria that deal with scores:  ☐ rank/lift type metrics
☐ deviance type metrics ☐ even AUC (not my favorite)
Win-Vector LLC WWW.win-vector.com


The client ask is a ranking or score. This means we have to return a scoring function and not a mere classifier (unless we have good reasons to convince the client classification is more appropriate for the overall project). Until we switch to a classification goal simple "accuracy" scores are not good enough to evaluate the project.




This what we call a double density plot. The x-axis is the model prediction score. For blue curve is the distribution of scores on example individuals known to have insurance and the blue curve is the distribution of scores on example individual known to not have insurance. Both curves are scaled to have total area of 1.0. An idea plot would have the red-curve as a sharp spike near 0.0 and the blue curve as a sharp spike near 1.0. The idea is to run Bayes law in your head: if the model score can separate classes then the model scores should look different conditioned on class. The result shown here is not idea: something you very much have to get used to in real world data science. The idea is to build best possible results in parallel with business policies and practices that work with the types of results you can produce. In this case first-level intervention should be cheap as the model isn't very selective at safe threshold levels. Each visualization has to answer questions (or there is no point). This visualization summarizes how score can be converted to a classifier.




Any threshold converts a scoring model into a classifier. For example here we show (in the shaded) regions the proportions of data that are classified in error at a score threshold of 0.75.




Various scalings of the confusion matrix yield important statistics such as: true positive rate, false positive rate, true negative rate, false negative rate, sensitivity, specificity, precision, and recall. Pairs of these are to preferred to single classifier quality measures such as accuracy or F1.




In the previous graph at any scoring threshold our model becomes a classifier that selects some fraction of the people with insurance (true positives: the fraction of people with insurance we correctly picked divided by the total number of people with insurance) and (false positives: the fraction of people without insurance that leak into the result over the number of people without insurance). When you realize that the actual score value returned by the classifier is an irrelevant feature you end up inventing the Receiver Operating Characteristic plot where for each FPR you plot what TPR rate it is achievable with (using your score). This graph gives a summary of all classifiers that can be derived for a given scoring system. We can see the subtended area (called AUC) and it is often used as an informal measure of model quality. However your client is likely going to pick a single threshold and use the model as a classifier at only one point on the curve: so are coming from regions where the client is not willing to use the model are irrelevant to model utility.




Notice model2 dominates model1 almost everywhere. We perceive area, so we see AUC.





S is the log-likelihood of an ideal "saturated model" (usually taken to be 0). Perfect models have a deviance of 0

# Deviance example 4 examples with truth-values= T , T , F , F 5 Model predicts p= 0.9, 0.1, 0.9, 0.1 6 Deviance= -2\*(log(0.9) + log(0.1) + log(1-0.9) + log(1-0.1)) 7 = -2\*(-0.152 + -3.322 + -3.322 + -0.152) 7 okay ouch ouch okay




Not a closed set of procedures or answers: you have to research what is useful for your application.

### Further writings on "statistics for engineers":


- ☐ Setting expectations in data science projects
  - □ http://wp.me/pgDAI-vA
- Statistics to English Translation, Part 1: Accuracy
  - □ <u>http://wp.me/pgDAI-gW</u>
- ☐ A clear picture of power and significance in A/B tests
  - □ http://wp.me/pgDAI-GR


- ☐ Statistics to English Translation, Part 2a: 'Significant'
  - □ http://wp.me/pgDAI-j8
- ☐ Worry about correctness and repeatability, not p-values
  - ☐ http://wp.me/pgDAI-Cn
- ☐ Bayesian and Frequentist Approaches: Ask the Right Question
  - □ http://wp.me/pgDAI-CM




## And some "engineering for statisticians"

- ☐ Minimal Version Control Lesson: Use It
  - □ http://wp.me/pqDAI-xF
- ☐ You don't need to understand pointers to program using R
  - □ http://wp.me/pgDAI-FZ
- ☐ R style tip: prefer functions that return data frames
  - □ http://wp.me/pgDAI-HG
- ☐ Trimming the Fat from glm() Models in R
  - □ http://wp.me/pgDAI-Ho







Manning - primarily a technical manual publisher Topic - data science from a practitioner's point of view

We weren't intimidated by the idea of a book going into it, because we felt that the blog gave us a lot of practice in writing to our target audience, and we'd given this topic a lot of thought.

If we can write the blog, how hard could the book be?

# Why do we want to write a Book? This is the book we want to hand to clients (and peers). A description of our working process, and what we've learned from others This is the book I wish I had when teaching myself statistics and machine learning All those things I wish someone had told me Well, and ego

Let's start with why we wanted to write a book in the first place, since our motives color the choices we made.


What do we want this book to be?
□ Practitioner-Oriented: Motivate everything, demonstrate everything □ Share the best tools, habits, and interaction patterns of successful data scientists and data science projects
☐ Explain most relevant parts (for data science) of:
□ Statistics
☐ Machine Learning
☐ Computer Science and Software Engineering
Win-Vector LLC Www.vein-vector.com

Practitioner-oriented: start with the problem, the move to the solution. less abstract, theory as appropriate Best practices -- as we've learned the hard way, and as we've learned from others around us. The FIRST reference book, but not the only one. Read us first; the deeper books will make more sense

Who is the Audience?
☐ Those who want to work as data scientists, or already do.
□ Data science is often a "second calling"
☐ Programmers, statisticians, business analysts, scientists
☐ Give them practical skills in areas where they are weak, don't insult their intelligence in areas where they are expert.
☐ People who want to work concrete examples on real world data.
☐ The book works through about 12 significant examples using a variety of current techniques.
Win-Vector LLC www.win-vector.com

There will be areas where the reader knows more that what we cover (or even what we know), and areas where their knowledge is thin.


The need to have confidence that the book gives competent instruction in all areas -- and they will judge the book based on the topics that they know.8




Implicit assumption in the book: there is a client.

For the book, we present several of the common machine learning algorithms, but we want to focus a bit more attention on issues of inference and significance, so we've tried to frame our discussion from a more classical statistical viewpoint. For every algorithm we try to explain how to evaluate the learned models for their reality, not just their accuracy. We also discourage the use of machine learning as a black box... and emphasize the importance of domain knowledge in the variable selection process.

other examples; masking effects, omitted variable bias, collinearity, dependent/correlated inputs



These are all fine things, and in-demand things; we just don't want to write any of them.



From all of the points we wanted to cover, we eventually settled on this structure for the book. [Pt1, 2...] Part 3 is about effectively disseminating project results and deploying the models into production \* William Cleveland: visualization as instrument for statistical analysis. Different visualizations expose different relationships in data.

[End]A big chunk of the book is about interactions between the data scientist and other interested parties, Chapter 5 in particular runs through some exercises on how to convert customer interviews into appropriate model scoring criteria. We try to emphasize how access to domain knowledge is a necessary component of selecting appropriate variables, interpreting observations and results.

Part 1 talks about the data science process, and about framing the problem, identifying the need, and evaluating the data in light of the need. This includes data visualization (Chapter 3): we follow William Cleveland's philosophy of visualization as an instrument for statistical analysis, and we focus on how different types of visualizations expose specific types of relationships in data.



These slides:

https://github.com/WinVector/Examples/tree/master/DSTalk

For more information please try our blog: http://www.win-vector.com/blog/

and the book

"Practical Data Science with R" <a href="http://practicaldatascience.com">http://practicaldatascience.com</a> .

43% off on Practical Data Science with R with code: pdswr614 at <a href="https://www.manning.com/zumel/">www.manning.com/zumel/</a>

Please contact us with comments, questions, ideas, projects at:

jmount@win-vector.com nzumel@win-vector.com

Follow us on Twitter: @WinVectorLLC

