

```
In [1]: import pandas as pd
import matplotlib.pyplot as plt
import seaborn as sns
import matplotlib.ticker as tic
```

```
In [2]: df=pd.read_csv("rainfall in india 1901-2015.csv")
df
```

Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
0	0	ANDAMAN & NICOBAR ISLANDS	1901	49.2	87.1	29.2	2.3	528.8	517.5	365.1	481.1	332.6	388.5
1	1	ANDAMAN & NICOBAR ISLANDS	1902	0.0	159.8	12.2	0.0	446.1	537.1	228.9	753.7	666.2	197.2
2	2	ANDAMAN & NICOBAR ISLANDS	1903	12.7	144.0	0.0	1.0	235.1	479.9	728.4	326.7	339.0	181.2
3	3	ANDAMAN & NICOBAR ISLANDS	1904	9.4	14.7	0.0	202.4	304.5	495.1	502.0	160.1	820.4	222.2
4	4	ANDAMAN & NICOBAR ISLANDS	1905	1.3	0.0	3.3	26.9	279.5	628.7	368.7	330.5	297.0	260.7
...
4111	4111	LAKSHADWEEP	2011	5.1	2.8	3.1	85.9	107.2	153.6	350.2	254.0	255.2	117.4
4112	4112	LAKSHADWEEP	2012	19.2	0.1	1.6	76.8	21.2	327.0	231.5	381.2	179.8	145.9
4113	4113	LAKSHADWEEP	2013	26.2	34.4	37.5	5.3	88.3	426.2	296.4	154.4	180.0	72.8
4114	4114	LAKSHADWEEP	2014	53.2	16.1	4.4	14.9	57.4	244.1	116.1	466.1	132.2	169.2
4115	4115	LAKSHADWEEP	2015	2.2	0.5	3.7	87.1	133.1	296.6	257.5	146.4	160.4	165.4

4116 rows × 20 columns



In [3]: df.info()

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 4116 entries, 0 to 4115
Data columns (total 20 columns):
#   Column          Non-Null Count  Dtype
---  -
0   index           4116 non-null   int64
1   SUBDIVISION     4116 non-null   object
2   YEAR            4116 non-null   int64
3   JAN             4112 non-null   float64
4   FEB             4113 non-null   float64
5   MAR             4110 non-null   float64
6   APR             4112 non-null   float64
7   MAY             4113 non-null   float64
8   JUN             4111 non-null   float64
9   JUL             4109 non-null   float64
10  AUG             4112 non-null   float64
11  SEP             4110 non-null   float64
12  OCT             4109 non-null   float64
13  NOV             4105 non-null   float64
14  DEC             4106 non-null   float64
15  ANNUAL          4090 non-null   float64
16  Jan-Feb         4110 non-null   float64
17  Mar-May         4107 non-null   float64
18  Jun-Sep         4106 non-null   float64
19  Oct-Dec         4103 non-null   float64
dtypes: float64(17), int64(2), object(1)
memory usage: 643.2+ KB
```

In [4]: df.describe()

Out[4]:

	index	YEAR	JAN	FEB	MAR	APR	MAY	
count	4116.000000	4116.000000	4112.000000	4113.000000	4110.000000	4112.000000	4113.000000	411
mean	2057.500000	1958.218659	18.957320	21.805325	27.359197	43.127432	85.745417	23
std	1188.331183	33.140898	33.585371	35.909488	46.959424	67.831168	123.234904	23
min	0.000000	1901.000000	0.000000	0.000000	0.000000	0.000000	0.000000	
25%	1028.750000	1930.000000	0.600000	0.600000	1.000000	3.000000	8.600000	7
50%	2057.500000	1958.000000	6.000000	6.700000	7.800000	15.700000	36.600000	13
75%	3086.250000	1987.000000	22.200000	26.800000	31.300000	49.950000	97.200000	30
max	4115.000000	2015.000000	583.700000	403.500000	605.600000	595.100000	1168.600000	160

```
In [5]: df["JAN"] = df["JAN"].fillna(df["JAN"].median())
df["FEB"] = df["FEB"].fillna(df["FEB"].median())
df["MAR"] = df["MAR"].fillna(df["MAR"].median())
df["APR"] = df["APR"].fillna(df["APR"].median())
df["MAY"] = df["MAY"].fillna(df["MAY"].median())
df["JUN"] = df["JUN"].fillna(df["JUN"].median())
df["JUL"] = df["JUL"].fillna(df["JUL"].median())
df["AUG"] = df["AUG"].fillna(df["AUG"].median())
df["SEP"] = df["SEP"].fillna(df["SEP"].median())
df["OCT"] = df["OCT"].fillna(df["OCT"].median())
df["NOV"] = df["NOV"].fillna(df["NOV"].median())
df["DEC"] = df["DEC"].fillna(df["DEC"].median())
df["ANNUAL"] = df["ANNUAL"].fillna(df["ANNUAL"].mean())
df["Jan-Feb"] = df["Jan-Feb"].fillna(df["Jan-Feb"].mean())
df["Mar-May"] = df["Mar-May"].fillna(df["Mar-May"].mean())
df["Jun-Sep"] = df["Jun-Sep"].fillna(df["Jun-Sep"].mean())
df["Oct-Dec"] = df["Oct-Dec"].fillna(df["Oct-Dec"].mean())
```

```
In [6]: df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 4116 entries, 0 to 4115
Data columns (total 20 columns):
#   Column          Non-Null Count  Dtype
---  -
0   index           4116 non-null   int64
1   SUBDIVISION     4116 non-null   object
2   YEAR            4116 non-null   int64
3   JAN             4116 non-null   float64
4   FEB             4116 non-null   float64
5   MAR             4116 non-null   float64
6   APR             4116 non-null   float64
7   MAY             4116 non-null   float64
8   JUN             4116 non-null   float64
9   JUL             4116 non-null   float64
10  AUG             4116 non-null   float64
11  SEP             4116 non-null   float64
12  OCT             4116 non-null   float64
13  NOV             4116 non-null   float64
14  DEC             4116 non-null   float64
15  ANNUAL          4116 non-null   float64
16  Jan-Feb         4116 non-null   float64
17  Mar-May         4116 non-null   float64
18  Jun-Sep         4116 non-null   float64
19  Oct-Dec         4116 non-null   float64
dtypes: float64(17), int64(2), object(1)
memory usage: 643.2+ KB
```

```
In [7]: df["SUBDIVISION"].value_counts()
```

```
Out[7]: EAST UTTAR PRADESH      115
        EAST MADHYA PRADESH     115
        EAST RAJASTHAN          115
        UTTARAKHAND             115
        MATATHWADA              115
        NORTH INTERIOR KARNATAKA 115
        RAYALSEEMA              115
        SOUTH INTERIOR KARNATAKA 115
        JAMMU & KASHMIR         115
        ASSAM & MEGHALAYA       115
        SUB HIMALAYAN WEST BENGAL & SIKKIM 115
        VIDARBHA                115
        GUJARAT REGION          115
        JHARKHAND               115
        COASTAL KARNATAKA       115
        KERALA                  115
        WEST MADHYA PRADESH     115
        MADHYA MAHARASHTRA      115
        NAGA MANI MIZO TRIPURA  115
        HIMACHAL PRADESH        115
        HARYANA DELHI & CHANDIGARH 115
        TELANGANA               115
        KONKAN & GOA            115
        ORISSA                  115
        COASTAL ANDHRA PRADESH  115
        PUNJAB                  115
        WEST RAJASTHAN          115
        WEST UTTAR PRADESH     115
        SAURASHTRA & KUTCH      115
        CHHATTISGARH           115
        TAMIL NADU              115
        BIHAR                   115
        GANGETIC WEST BENGAL    115
        LAKSHADWEEP             114
        ANDAMAN & NICOBAR ISLANDS 110
        ARUNACHAL PRADESH       97
        Name: SUBDIVISION, dtype: int64
```

```
In [26]: df=df.set_index("index")
```

```
In [27]: df.to_csv("cleaned_rainfall")
```

ANDAMAN & NICOBAR ISLANDS

```
In [11]: dat1=df[df["SUBDIVISION"]=="ANDAMAN & NICOBAR ISLANDS"]
dat1
```


Out[11]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	
0	0	ANDAMAN & NICOBAR ISLANDS	1901	49.2	87.1	29.2	2.3	528.8	517.5	365.1	481.1	332.6	388.5	5
1	1	ANDAMAN & NICOBAR ISLANDS	1902	0.0	159.8	12.2	0.0	446.1	537.1	228.9	753.7	666.2	197.2	3
2	2	ANDAMAN & NICOBAR ISLANDS	1903	12.7	144.0	0.0	1.0	235.1	479.9	728.4	326.7	339.0	181.2	2
3	3	ANDAMAN & NICOBAR ISLANDS	1904	9.4	14.7	0.0	202.4	304.5	495.1	502.0	160.1	820.4	222.2	3
4	4	ANDAMAN & NICOBAR ISLANDS	1905	1.3	0.0	3.3	26.9	279.5	628.7	368.7	330.5	297.0	260.7	
...	
105	105	ANDAMAN & NICOBAR ISLANDS	2011	265.9	84.8	272.8	111.4	326.5	383.2	583.2	441.5	757.1	212.3	1
106	106	ANDAMAN & NICOBAR ISLANDS	2012	119.9	45.6	30.9	55.8	533.9	458.2	317.3	369.6	868.9	209.7	3
107	107	ANDAMAN & NICOBAR ISLANDS	2013	67.1	37.6	43.0	46.3	509.3	777.0	564.8	336.7	473.6	455.8	3
108	108	ANDAMAN & NICOBAR ISLANDS	2014	41.9	8.6	0.0	11.1	238.0	416.6	467.6	321.6	412.9	402.6	2
109	109	ANDAMAN & NICOBAR ISLANDS	2015	126.8	7.6	3.1	138.2	331.9	346.4	328.9	480.0	523.3	252.1	2


110 rows × 20 columns




```
In [23]: dat1.plot.bar("YEAR", "FEB")
plt.xlim(0,20)
plt.figure(figsize=(60,30))
plt.show()
dat1.plot.box()
plt.xlim(2,14)
plt.ylim(0,2000)
plt.show()
dat1.plot.area()
dat1.plot.scatter("YEAR", "FEB")
sns.stripplot(x=dat1["FEB"],y=dat1["YEAR"],jitter=True)
plt.ylim(1900,2010)
plt.xlim(0,145)
plt.xticks(dat1["FEB"],rotation="vertical")
plt.gca().xaxis.set_major_locator(tic.MultipleLocator(base=10))
plt.show()
dat1.plot.hist()
```




<Figure size 4320x2160 with 0 Axes>





Out[23]: <AxesSubplot:ylabel='Frequency'>



ARUNACHAL PRADESH

In [13]:


dat2=df[df["SUBDIVISION"]=="ARUNACHAL PRADESH"]
dat2

Out[13]:


	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
110	110	ARUNACHAL PRADESH	1916	48.1	69.8	71.1	316.1	424.6	1124.9	284.8	629.7	333.9	65.2
111	111	ARUNACHAL PRADESH	1917	21.4	164.5	7.8	269.6	107.9	823.8	909.1	628.4	411.5	199.3
112	112	ARUNACHAL PRADESH	1918	10.4	11.0	191.2	144.6	861.1	1609.9	1303.0	692.6	515.8	125.2
113	113	ARUNACHAL PRADESH	1919	34.5	67.8	28.5	256.9	420.6	973.6	999.0	286.7	628.7	948.3
114	114	ARUNACHAL PRADESH	1920	14.0	196.3	605.6	364.7	173.6	840.6	535.4	896.5	376.7	103.3
...
202	202	ARUNACHAL PRADESH	2011	40.0	51.3	174.5	240.8	219.6	288.4	531.4	277.6	286.7	51.9
203	203	ARUNACHAL PRADESH	2012	57.8	35.8	134.2	403.4	187.4	645.8	638.9	316.0	724.9	248.1
204	204	ARUNACHAL PRADESH	2013	18.5	40.5	115.1	175.1	335.8	290.0	329.6	230.2	316.1	164.1
205	205	ARUNACHAL PRADESH	2014	19.0	101.9	80.3	86.7	299.0	415.8	392.4	599.6	343.0	35.1
206	206	ARUNACHAL PRADESH	2015	30.8	47.5	97.5	287.1	238.9	637.9	329.3	595.5	374.2	65.2




97 rows × 20 columns


```
In [24]: dat2.plot.bar("YEAR", "FEB")
plt.xlim(0,20)
plt.figure(figsize=(60,30))
plt.show()
dat2.plot.box()
plt.xlim(2,14)
plt.ylim(0,2000)
plt.show()
dat2.plot.area()
dat2.plot.scatter("YEAR", "FEB")
sns.stripplot(x=dat2["FEB"],y=dat2["YEAR"],jitter=True)
plt.ylim(1900,2010)
plt.xlim(0,145)
plt.xticks(dat2["FEB"],rotation="vertical")
plt.gca().xaxis.set_major_locator(tic.MultipleLocator(base=20))
plt.show()
dat2.plot.hist()
plt.show()
```




<Figure size 4320x2160 with 0 Axes>





```
In [25]: sns.lineplot(x=dat2["FEB"],y=dat2["YEAR"])
plt.show()
```



In []:

In []: