In [1]: import pandas as pd
import matplotlib.pyplot as plt
import seaborn as sns
import matplotlib.ticker as tic

In [2]: df=pd.read_csv("cleaned_rainfall")
 df

Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ
0	0	ANDAMAN & NICOBAR ISLANDS	1901	49.2	87.1	29.2	2.3	528.8	517.5	365.1	481.1	332.6	388.5
1	1	ANDAMAN & NICOBAR ISLANDS	1902	0.0	159.8	12.2	0.0	446.1	537.1	228.9	753.7	666.2	197.2
2	2	ANDAMAN & NICOBAR ISLANDS	1903	12.7	144.0	0.0	1.0	235.1	479.9	728.4	326.7	339.0	181.2
3	3	ANDAMAN & NICOBAR ISLANDS	1904	9.4	14.7	0.0	202.4	304.5	495.1	502.0	160.1	820.4	222.2
4	4	ANDAMAN & NICOBAR ISLANDS	1905	1.3	0.0	3.3	26.9	279.5	628.7	368.7	330.5	297.0	260.7
4111	4111	LAKSHADWEEP	2011	5.1	2.8	3.1	85.9	107.2	153.6	350.2	254.0	255.2	117.4
4112	4112	LAKSHADWEEP	2012	19.2	0.1	1.6	76.8	21.2	327.0	231.5	381.2	179.8	145.9
4113	4113	LAKSHADWEEP	2013	26.2	34.4	37.5	5.3	88.3	426.2	296.4	154.4	180.0	72.8
4114	4114	LAKSHADWEEP	2014	53.2	16.1	4.4	14.9	57.4	244.1	116.1	466.1	132.2	169.2
4115	4115	LAKSHADWEEP	2015	2.2	0.5	3.7	87.1	133.1	296.6	257.5	146.4	160.4	165.4

4116 rows × 20 columns

In [3]:	<pre>df["SUBDIVISION"].value_counts()</pre>	
Out[3]:	RAYALSEEMA	115
	KERALA	115
	SOUTH INTERIOR KARNATAKA	115
	GANGETIC WEST BENGAL	115
	JAMMU & KASHMIR	115
	MADHYA MAHARASHTRA	115
	WEST RAJASTHAN	115
	WEST UTTAR PRADESH	115
	BIHAR	115
	SAURASHTRA & KUTCH	115
	SUB HIMALAYAN WEST BENGAL & SIKKIM	115
	UTTARAKHAND	115
	WEST MADHYA PRADESH	115
	ASSAM & MEGHALAYA	115
	COASTAL ANDHRA PRADESH	115
	TELANGANA	115
	GUJARAT REGION	115
	NAGA MANI MIZO TRIPURA	115
	ORISSA	115
	MATATHWADA	115
	KONKAN & GOA	115
	EAST RAJASTHAN	115
	NORTH INTERIOR KARNATAKA	115
	HARYANA DELHI & CHANDIGARH	115
	TAMIL NADU	115
	EAST UTTAR PRADESH	115
	PUNJAB	115
	HIMACHAL PRADESH	115
	JHARKHAND	115
	EAST MADHYA PRADESH	115
	COASTAL KARNATAKA	115
	CHHATTISGARH	115
	VIDARBHA	115
	LAKSHADWEEP	114
	ANDAMAN & NICOBAR ISLANDS	110
	ARUNACHAL PRADESH	97
	Name: SUBDIVISION, dtvpe: int64	

TELANGANA

In [4]: dat1=df[df["SUBDIVISION"]=="TELANGANA"]
 dat1


Out[4]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ	NO
3197	3197	TELANGANA	1901	6.9	41.8	7.8	45.2	22.0	123.6	237.8	177.2	77.7	75.5	12.;
3198	3198	TELANGANA	1902	0.0	0.0	0.2	10.7	7.3	52.4	146.3	142.8	190.5	41.7	31.1
3199	3199	TELANGANA	1903	12.9	4.6	0.0	9.9	40.7	99.2	505.2	246.7	191.9	155.8	15.
3200	3200	TELANGANA	1904	0.0	0.0	10.8	8.0	14.7	104.2	139.5	50.0	162.3	44.4	0.0
3201	3201	TELANGANA	1905	0.0	4.3	12.8	27.6	32.2	129.5	82.4	237.3	179.1	19.6	0.0
3307	3307	TELANGANA	2011	0.0	11.9	2.6	25.6	9.3	83.9	268.2	225.9	107.6	13.9	4.;
3308	3308	TELANGANA	2012	6.7	0.0	0.2	14.0	8.4	124.4	300.3	229.9	202.4	83.6	38.
3309	3309	TELANGANA	2013	2.4	29.0	0.2	24.4	8.5	213.4	453.8	230.6	161.4	205.9	16.4
3310	3310	TELANGANA	2014	0.2	2.9	58.3	10.3	73.3	62.3	146.0	205.2	146.8	29.6	10.8
3311	3311	TELANGANA	2015	17.5	0.0	43.0	65.7	23.3	266.9	104.4	160.5	158.3	15.6	0.0


115 rows × 20 columns


localhost:8888/notebooks/Rainfall(17-18).ipynb

```
In [5]: dat1.plot.bar("YEAR","JAN")
        plt.xlim(0,20)
        plt.figure(figsize=(60,30))
        plt.show()
        dat1.plot.box()
        plt.xlim(2,14)
        plt.ylim(0,2000)
        plt.show()
        dat1.plot.area()
        dat1.plot.scatter("YEAR","JAN")
        sns.stripplot(x=dat1["JAN"],y=dat1["YEAR"],jitter=True)
        plt.ylim(1900,2010)
        plt.xlim(0,145)
        plt.xticks(dat1["JAN"],rotation="vertical")
        plt.gca().xaxis.set_major_locator(tic.MultipleLocator(base=10))
        plt.show()
        dat1.plot.hist()
```




<Figure size 4320x2160 with 0 Axes>






Out[5]: <AxesSubplot:ylabel='Frequency'>



In [6]: sns.lineplot(x=dat1["JAN"],y=dat1["YEAR"])
plt.show()



SAURASHTRA & KUTCH


In [7]: dat2=df[df["SUBDIVISION"]=="SAURASHTRA & KUTCH"]
 dat2

Out[7]:


	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ	NO/
2392	2392	SAURASHTRA & KUTCH	1901	1.9	0.0	0.1	0.2	3.2	9.1	87.8	62.5	12.0	3.8	0.0
2393	2393	SAURASHTRA & KUTCH	1902	0.1	0.0	0.0	0.5	1.1	14.4	92.9	160.0	123.9	1.5	0.1
2394	2394	SAURASHTRA & KUTCH	1903	0.5	0.0	1.7	0.0	3.1	10.5	337.9	96.1	61.9	11.1	0.0
2395	2395	SAURASHTRA & KUTCH	1904	1.4	5.8	17.5	0.0	0.0	9.5	111.2	9.4	28.9	0.3	1.7
2396	2396	SAURASHTRA & KUTCH	1905	1.5	1.0	0.6	0.4	0.0	6.4	254.5	12.3	12.8	0.4	0.0
2502	2502	SAURASHTRA & KUTCH	2011	0.0	1.4	0.0	0.0	0.0	26.0	212.7	290.9	210.1	1.2	0.′
2503	2503	SAURASHTRA & KUTCH	2012	0.0	0.0	0.0	0.2	0.1	22.4	34.7	34.5	228.5	2.4	0.0
2504	2504	SAURASHTRA & KUTCH	2013	1.7	0.2	0.1	8.5	0.1	127.7	171.2	83.3	260.2	28.6	0.0
2505	2505	SAURASHTRA & KUTCH	2014	0.3	0.0	0.1	0.5	2.1	17.3	137.7	118.8	99.2	5.2	2.7
2506	2506	SAURASHTRA & KUTCH	2015	0.9	0.0	4.4	2.1	0.8	112.6	226.7	10.6	79.9	3.3	0.0


115 rows × 20 columns

```
In [8]:
        dat2.plot.bar("YEAR","JAN")
        plt.xlim(0,20)
        plt.figure(figsize=(60,30))
        plt.show()
        dat2.plot.box()
        plt.xlim(2,14)
        plt.ylim(0,2000)
        plt.show()
        dat2.plot.area()
        dat2.plot.scatter("YEAR","JAN")
        sns.stripplot(x=dat2["JAN"],y=dat2["YEAR"],jitter=True)
        plt.ylim(1900,2010)
        plt.xlim(0,145)
        plt.xticks(dat2["JAN"],rotation="vertical")
        plt.gca().xaxis.set_major_locator(tic.MultipleLocator(base=20))
        plt.show()
        dat2.plot.hist()
        plt.show()
```



<Figure size 4320x2160 with 0 Axes>





In [9]: sns.lineplot(x=dat2["JAN"],y=dat2["YEAR"])
plt.show()

