In [1]: import pandas as pd
import matplotlib.pyplot as plt
import seaborn as sns
import matplotlib.ticker as tic

In [2]: df=pd.read_csv("cleaned_rainfall")
 df

Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ
0	0	ANDAMAN & NICOBAR ISLANDS	1901	49.2	87.1	29.2	2.3	528.8	517.5	365.1	481.1	332.6	388.5
1	1	ANDAMAN & NICOBAR ISLANDS	1902	0.0	159.8	12.2	0.0	446.1	537.1	228.9	753.7	666.2	197.2
2	2	ANDAMAN & NICOBAR ISLANDS	1903	12.7	144.0	0.0	1.0	235.1	479.9	728.4	326.7	339.0	181.2
3	3	ANDAMAN & NICOBAR ISLANDS	1904	9.4	14.7	0.0	202.4	304.5	495.1	502.0	160.1	820.4	222.2
4	4	ANDAMAN & NICOBAR ISLANDS	1905	1.3	0.0	3.3	26.9	279.5	628.7	368.7	330.5	297.0	260.7
4111	4111	LAKSHADWEEP	2011	5.1	2.8	3.1	85.9	107.2	153.6	350.2	254.0	255.2	117.4
4112	4112	LAKSHADWEEP	2012	19.2	0.1	1.6	76.8	21.2	327.0	231.5	381.2	179.8	145.9
4113	4113	LAKSHADWEEP	2013	26.2	34.4	37.5	5.3	88.3	426.2	296.4	154.4	180.0	72.8
4114	4114	LAKSHADWEEP	2014	53.2	16.1	4.4	14.9	57.4	244.1	116.1	466.1	132.2	169.2
4115	4115	LAKSHADWEEP	2015	2.2	0.5	3.7	87.1	133.1	296.6	257.5	146.4	160.4	165.4

4116 rows × 20 columns

	df["SUBDIVISION"].value_counts()	
	HARYANA DELHI & CHANDIGARH	115
	WEST RAJASTHAN	115
	GUJARAT REGION	115
	UTTARAKHAND	115
	EAST UTTAR PRADESH	115
	PUNJAB	115
	TELANGANA	115
	RAYALSEEMA	115
	BIHAR	115
	COASTAL ANDHRA PRADESH	115
	CHHATTISGARH	115
	COASTAL KARNATAKA	115
	WEST UTTAR PRADESH	115
	HIMACHAL PRADESH	115
	GANGETIC WEST BENGAL	115
	KERALA	115
	ASSAM & MEGHALAYA	115
	TAMIL NADU	115
	NAGA MANI MIZO TRIPURA	115
	WEST MADHYA PRADESH	115
	EAST RAJASTHAN	115
	VIDARBHA	115
	SOUTH INTERIOR KARNATAKA	115
	NORTH INTERIOR KARNATAKA	115
	KONKAN & GOA	115
	SUB HIMALAYAN WEST BENGAL & SIKKIM	115
	MATATHWADA	115
	JHARKHAND	115
	SAURASHTRA & KUTCH	115
	JAMMU & KASHMIR	115
	MADHYA MAHARASHTRA	115
	EAST MADHYA PRADESH	115
	ORISSA	115
	LAKSHADWEEP	114
	ANDAMAN & NICOBAR ISLANDS	110
	ARUNACHAL PRADESH	97
	Name: SUBDIVISION, dtype: int64	

TAMIL NADU

In [4]: dat1=df[df["SUBDIVISION"]=="TAMIL NADU"]
 dat1


Out[4]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ	NO/
3427	3427	TAMIL NADU	1901	24.5	39.1	21.7	36.0	74.0	41.8	49.3	67.9	191.1	122.3	212.
3428	3428	TAMIL NADU	1902	67.2	9.8	25.1	21.9	84.7	39.3	55.1	113.8	98.6	282.2	174.
3429	3429	TAMIL NADU	1903	19.3	7.8	1.7	18.2	128.5	58.5	72.6	115.0	210.4	128.1	200.
3430	3430	TAMIL NADU	1904	35.2	0.1	0.7	19.5	121.9	34.9	89.0	40.4	85.7	163.2	23.0
3431	3431	TAMIL NADU	1905	6.5	7.5	17.2	64.8	83.7	49.8	39.0	101.8	73.5	250.4	123.
3537	3537	TAMIL NADU	2011	4.3	11.2	8.0	91.5	33.4	56.0	45.5	128.9	76.0	200.4	230.
3538	3538	TAMIL NADU	2012	3.0	0.1	2.5	35.5	41.9	30.1	46.5	98.0	84.9	235.2	44.
3539	3539	TAMIL NADU	2013	3.9	30.9	30.0	20.3	42.0	54.6	42.7	110.7	113.5	127.9	112.
3540	3540	TAMIL NADU	2014	7.4	6.1	8.1	8.3	139.1	47.8	50.6	117.7	98.9	252.2	110.
3541	3541	TAMIL NADU	2015	8.3	2.3	21.7	108.8	112.4	62.4	43.5	81.6	98.4	132.6	379.


115 rows × 20 columns


localhost:8888/notebooks/Rainfall(3-4).ipynb

```
In [5]: dat1.plot.bar("YEAR","MAR")
        plt.xlim(0,20)
        plt.figure(figsize=(60,30))
        plt.show()
        dat1.plot.box()
        plt.xlim(2,14)
        plt.ylim(0,2000)
        plt.show()
        dat1.plot.area()
        dat1.plot.scatter("YEAR", "MAR")
        sns.stripplot(x=dat1["MAR"],y=dat1["YEAR"],jitter=True)
        plt.ylim(1900,2010)
        plt.xlim(0,145)
        plt.xticks(dat1["MAR"],rotation="vertical")
        plt.gca().xaxis.set_major_locator(tic.MultipleLocator(base=10))
        plt.show()
        dat1.plot.hist()
```




<Figure size 4320x2160 with 0 Axes>






Out[5]: <AxesSubplot:ylabel='Frequency'>



```
In [6]: sns.lineplot(x=dat1["MAR"],y=dat1["YEAR"])
   plt.show()
```



ORISSA


In [7]: dat2=df[df["SUBDIVISION"]=="ORISSA"]
 dat2

Out[7]:


	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ	NO
667	667	ORISSA	1901	39.5	65.1	16.1	51.6	79.0	78.2	288.4	307.7	185.3	76.6	96.
668	668	ORISSA	1902	3.4	0.2	14.2	101.1	56.7	108.3	437.4	349.1	202.7	33.2	13.
669	669	ORISSA	1903	19.7	18.9	10.5	34.6	73.3	154.3	410.4	295.2	265.6	228.5	46.
670	670	ORISSA	1904	0.2	12.2	20.6	10.1	100.2	342.9	336.7	350.4	227.8	111.8	0.
671	671	ORISSA	1905	24.3	17.2	66.3	56.9	107.5	92.0	330.1	281.4	344.1	36.4	0.
		•••												
777	777	ORISSA	2011	3.7	16.2	4.9	58.2	75.6	210.1	199.6	358.6	398.7	20.2	0.
778	778	ORISSA	2012	50.8	3.6	0.9	34.8	21.3	169.6	324.3	417.0	242.4	66.0	72.
779	779	ORISSA	2013	3.3	7.8	2.1	53.6	57.7	272.6	380.0	254.9	208.1	391.0	1.
780	780	ORISSA	2014	0.0	17.6	25.1	11.7	111.9	92.2	496.2	386.3	281.1	111.8	2.
781	781	ORISSA	2015	15.1	3.3	10.5	67.6	32.6	238.6	294.8	264.0	237.0	24.7	6.

115 rows × 20 columns

```
In [8]:
        dat2.plot.bar("YEAR", "MAR")
        plt.xlim(0,20)
        plt.figure(figsize=(60,30))
        plt.show()
        dat2.plot.box()
        plt.xlim(2,14)
        plt.ylim(0,2000)
        plt.show()
        dat2.plot.area()
        dat2.plot.scatter("YEAR", "MAR")
        sns.stripplot(x=dat2["MAR"],y=dat2["YEAR"],jitter=True)
        plt.ylim(1900,2010)
        plt.xlim(0,145)
        plt.xticks(dat2["MAR"],rotation="vertical")
        plt.gca().xaxis.set_major_locator(tic.MultipleLocator(base=20))
        plt.show()
        dat2.plot.hist()
        plt.show()
```




<Figure size 4320x2160 with 0 Axes>



Oct-Dec

2000

1750



0

Ó

250

500

750

1000

1250

1500

In [9]: sns.lineplot(x=dat2["MAR"],y=dat2["YEAR"])
plt.show()

