In [1]: import pandas as pd
import matplotlib.pyplot as plt
import seaborn as sns
import matplotlib.ticker as tic

In [2]: df=pd.read\_csv("cleaned\_rainfall")
 df

## Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ
0	0	ANDAMAN & NICOBAR ISLANDS	1901	49.2	87.1	29.2	2.3	528.8	517.5	365.1	481.1	332.6	388.5
1	1	ANDAMAN & NICOBAR ISLANDS	1902	0.0	159.8	12.2	0.0	446.1	537.1	228.9	753.7	666.2	197.2
2	2	ANDAMAN & NICOBAR ISLANDS	1903	12.7	144.0	0.0	1.0	235.1	479.9	728.4	326.7	339.0	181.2
3	3	ANDAMAN & NICOBAR ISLANDS	1904	9.4	14.7	0.0	202.4	304.5	495.1	502.0	160.1	820.4	222.2
4	4	ANDAMAN & NICOBAR ISLANDS	1905	1.3	0.0	3.3	26.9	279.5	628.7	368.7	330.5	297.0	260.7
4111	4111	LAKSHADWEEP	2011	5.1	2.8	3.1	85.9	107.2	153.6	350.2	254.0	255.2	117.4
4112	4112	LAKSHADWEEP	2012	19.2	0.1	1.6	76.8	21.2	327.0	231.5	381.2	179.8	145.9
4113	4113	LAKSHADWEEP	2013	26.2	34.4	37.5	5.3	88.3	426.2	296.4	154.4	180.0	72.8
4114	4114	LAKSHADWEEP	2014	53.2	16.1	4.4	14.9	57.4	244.1	116.1	466.1	132.2	169.2
4115	4115	LAKSHADWEEP	2015	2.2	0.5	3.7	87.1	133.1	296.6	257.5	146.4	160.4	165.4

4116 rows × 20 columns

In [3]:	df["SUBDIVISION"].value_counts()									
Out[3]:	TAMIL NADU	115								
	GUJARAT REGION	115								
	SOUTH INTERIOR KARNATAKA	115								
	CHHATTISGARH	115								
	WEST UTTAR PRADESH	115								
	SAURASHTRA & KUTCH	115								
	EAST UTTAR PRADESH	115								
	KONKAN & GOA	115								
	JHARKHAND	115								
	ASSAM & MEGHALAYA	115								
	NAGA MANI MIZO TRIPURA	115								
	WEST MADHYA PRADESH	115								
	JAMMU & KASHMIR	115								
	HIMACHAL PRADESH	115								
	RAYALSEEMA	115								
	HARYANA DELHI & CHANDIGARH	115								
	PUNJAB	115								
	MADHYA MAHARASHTRA	115								
	SUB HIMALAYAN WEST BENGAL & SIKKIM	115								
	EAST RAJASTHAN	115								
	BIHAR	115								
	KERALA	115								
	COASTAL ANDHRA PRADESH	115								
	WEST RAJASTHAN	115								
	EAST MADHYA PRADESH	115								
	UTTARAKHAND	115								
	GANGETIC WEST BENGAL	115								
	MATATHWADA	115								
	TELANGANA	115								
	ORISSA	115								
	COASTAL KARNATAKA	115								
	NORTH INTERIOR KARNATAKA	115								
	VIDARBHA	115								
	LAKSHADWEEP	114								
	ANDAMAN & NICOBAR ISLANDS	110								
	ARUNACHAL PRADESH	97								
	Name: SUBDIVISION, dtvpe: int64									


## JAMMU & KASHMIR

## Out[4]:


	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ	I
1702	1702	JAMMU & KASHMIR	1901	66.4	69.3	69.6	132.2	105.8	53.4	171.7	181.3	101.8	24.1	_
1703	1703	JAMMU & KASHMIR	1902	6.5	9.7	91.3	100.5	70.7	113.3	108.4	136.9	62.2	15.1	
1704	1704	JAMMU & KASHMIR	1903	96.2	21.5	238.6	58.7	57.3	18.9	332.5	218.6	176.9	10.7	
1705	1705	JAMMU & KASHMIR	1904	110.6	17.3	145.2	64.5	67.8	25.9	182.3	132.2	62.3	50.0	
1706	1706	JAMMU & KASHMIR	1905	146.7	76.3	161.4	71.7	65.2	43.3	145.2	111.5	239.7	5.8	
1812	1812	JAMMU & KASHMIR	2011	43.4	211.6	97.8	89.0	32.4	72.5	81.6	131.2	72.0	19.4	
1813	1813	JAMMU & KASHMIR	2012	150.9	95.8	45.2	86.6	48.9	32.6	118.8	264.9	106.7	15.7	
1814	1814	JAMMU & KASHMIR	2013	52.2	136.4	41.9	47.4	47.4	80.5	125.1	219.1	41.2	34.4	
1815	1815	JAMMU & KASHMIR	2014	75.8	64.0	153.1	76.1	52.7	25.3	100.5	134.6	362.8	32.2	
1816	1816	JAMMU & KASHMIR	2015	27.9	187.2	341.4	173.3	64.6	121.4	233.2	129.2	130.2	87.1	


115 rows × 20 columns

```
In [5]: dat1.plot.bar("YEAR","MAR")
        plt.xlim(0,20)
        plt.figure(figsize=(60,30))
        plt.show()
        dat1.plot.box()
        plt.xlim(2,14)
        plt.ylim(0,2000)
        plt.show()
        dat1.plot.area()
        dat1.plot.scatter("YEAR","MAR")
        sns.stripplot(x=dat1["MAR"],y=dat1["YEAR"],jitter=True)
        plt.ylim(1900,2010)
        plt.xlim(0,145)
        plt.xticks(dat1["MAR"],rotation="vertical")
        plt.gca().xaxis.set_major_locator(tic.MultipleLocator(base=10))
        plt.show()
        dat1.plot.hist()
```




<Figure size 4320x2160 with 0 Axes>






Out[5]: <AxesSubplot:ylabel='Frequency'>



In [6]: sns.lineplot(x=dat1["MAR"],y=dat1["YEAR"])
plt.show()



## **NORTH INTERIOR KARNATAKA**


Out[7]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ	NO
3657	3657	NORTH INTERIOR KARNATAKA	1901	3.5	18.8	7.1	67.2	65.5	120.5	151.9	115.1	128.8	80.0	13.(
3658	3658	NORTH INTERIOR KARNATAKA	1902	0.0	0.0	0.3	22.5	34.4	111.3	83.2	78.1	146.7	118.8	35.
3659	3659	NORTH INTERIOR KARNATAKA	1903	3.5	0.0	0.1	6.9	53.4	102.8	209.4	146.4	189.3	166.4	34.:
3660	3660	NORTH INTERIOR KARNATAKA	1904	0.2	0.3	8.5	11.0	46.3	120.6	91.6	48.5	165.1	86.5	0.0
3661	3661	NORTH INTERIOR KARNATAKA	1905	0.0	6.0	2.6	16.0	51.2	99.6	60.1	139.2	42.2	85.0	4.4
3767	3767	NORTH INTERIOR KARNATAKA	2011	0.5	7.2	7.2	41.2	46.8	101.3	150.8	152.0	69.0	73.4	5.
3768	3768	NORTH INTERIOR KARNATAKA	2012	28.5	6.2	0.4	35.4	19.5	60.0	114.5	105.5	79.2	85.2	46.
3769	3769	NORTH INTERIOR KARNATAKA	2013	1.2	6.1	3.0	25.4	47.4	99.4	160.7	73.9	201.0	101.0	4.1
3770	3770	NORTH INTERIOR KARNATAKA	2014	0.0	6.1	29.2	26.4	93.0	50.4	136.8	205.2	90.2	80.3	25.0
3771	3771	NORTH INTERIOR KARNATAKA	2015	2.4	0.0	27.5	50.8	45.3	89.6	38.5	78.4	150.8	61.2	5.


115 rows × 20 columns

localhost:8888/notebooks/Rainfall(9-10).ipynb

```
In [8]:
        dat2.plot.bar("YEAR", "MAR")
        plt.xlim(0,20)
        plt.figure(figsize=(60,30))
        plt.show()
        dat2.plot.box()
        plt.xlim(2,14)
        plt.ylim(0,2000)
        plt.show()
        dat2.plot.area()
        dat2.plot.scatter("YEAR", "MAR")
        sns.stripplot(x=dat2["MAR"],y=dat2["YEAR"],jitter=True)
        plt.ylim(1900,2010)
        plt.xlim(0,145)
        plt.xticks(dat2["MAR"],rotation="vertical")
        plt.gca().xaxis.set_major_locator(tic.MultipleLocator(base=20))
        plt.show()
        dat2.plot.hist()
        plt.show()
```




<Figure size 4320x2160 with 0 Axes>



Jun-Sep Oct-Dec

3500



20

0

Ó

500

1000

1500

2000

2500

3000

In [9]: sns.lineplot(x=dat2["MAR"],y=dat2["YEAR"])
plt.show()

