

SATHISH M

Position Applied: NDT Inspector / Advanced NDT Technician

Personal Information

Nationality: Indian

Date of Birth: 05 April 1994

Marital Status: Married

Passport No: C9446914

Passport Expiry: 08 June 2035

Languages: English, Hindi, Tamil

Mobile no :91 8526267436

Professional Summary

Experienced NDT Inspector with more than 9 years of experience in oil and gas inspection services specializing in Magnetic Flux Leakage (MFL) Tank Floor Inspection, (UT) Ultrasonic Testing, Remote Visual Inspection (RVI), and Thermography. Proven experience working on major KOC, KAFCO, SAC (Saudi Arabian Chevron) and KNPC in-service inspection projects. Skilled in inspection data acquisition, interpretation, evaluation, and reporting in accordance with international standards.

Qualification

Bachelor of Engineering – Mechanical Engineering (April 2019)

Technical Certifications

ASNT Level II – MFL, ECT, UT, PT, MT, RT, VT

Remote Visual Inspection (RVI) – Level II (ASNT SNT-TC-1A 2016)

Eddyfi Floor map VS2i Operator Training

Major clients Working experience

KOC -Kuwait oil company
KNPC – Kuwait national petroleum corporation
KAFCO – Kuwait Aviation fuel company
KIPIC – Kuwait integrated petroleum industries company
Saudi Arabian chevron – joint operation (SAC)

Kuwait Oil Company (KOC)

STF – (south tank form), NTF – (north tank form), GC – (Gathering centers)

Performed in-service inspection of (crude, fire water, gas) storage tanks, pipelines, and pressure vessels using MFL, UT, and RVI techniques.

Kuwait National Petroleum Company (KNPC)

AGRP – (acid gas removal plant), CFP – (clean fuel projects)

performed tank floor inspections, corrosion monitoring, and thermography for refinery assets.

Kuwait Aviation Fueling Company (KAFCO)

AIRPORT TERMINAL-1 (fire water tanks, fuel tanks)

Conducted NDT (MFL, UT corrosion mapping) inspections for aviation fuel fire water storage systems, pipelines, and associated infrastructure to ensure safety and compliance.

Kuwait Integrated Petroleum Industries Company (KIPIC)

Conducted NDT (MFL, UT corrosion mapping) inspections for (crude, fuel, gas, fire water) storage tanks, pipelines, and associated infrastructure to ensure safety and compliance. Supported inspection activities (tube inspection, LRUT cross verification UT, thermography, RVI-Remote visual Inspection) for refinery and terminal facilities using advanced NDT techniques.

Joint Operations (Saudi Arabian Chevron)

Carried out inspection services for oil field assets, including tank inspections and corrosion assessment.

Supported inspection activities (Tube inspection, LRUT cross verification UT, thermography, RVI-Remote visual Inspection) for refinery and terminal facilities using advanced NDT techniques.

Responsibilities

International Inspection Centre Co. W.L.L (INTREX) – Kuwait

Advanced NDT Technician | Sep 2017 – FEB 2026

Planned, performed, & coordinated shutdown activities, ensuring compliance with safety standards & project schedules.

Permit to work (PTW) activities, including receiving, verifying, & ensuring proper authorization before job execution.

Performed confined space entry & work at height activities in accordance with PTW & HSE regulations.

MFL inspection of tank bottom plates and annular plates using Floor map equipment

Performed Ultrasonic testing (UT) for corrosion monitoring in support of LRUT inspection

Confirmation of MFL indications using Ultrasonic Testing

To support PAUT inspection in UT

Inspection of pressure vessels, boilers and in-service piping

Data acquisition, interpretation and reporting

Remote Visual Inspection using video crawler systems

Thermography inspection for condition monitoring

Equipment setup, calibration and preparation of calibration plates

Vibrant NDT Services Pvt. Ltd – India

NDT Technician | August 2016 – September 2017

Performed UT, PT, MT and VT inspections.

Ect tube inspection data collection

Prepared inspection reports and documentation

Ensured compliance with inspection standards and procedures.

Equipment Expertise

Silver wing Floor map Tank Scanner -VS2I

GE USM 36 Ultrasonic Flaw Detector

FLIR Thermal Camera E96

Olympus Iplex LX – RVI System Video Crawler Inspection Systems -X5-HS ROBOT

ECTANE 2 - Eddyfi

Declaration

I hereby confirm that the information provided above is true & accurate to the best of my knowledge.

I take full responsibility for the authenticity of the information.

Sathish Maruthamuthu



Reg.No. 815412114023/RG




The Syndicate of the Anna University hereby makes known that
SATHISH M *has been admitted to the* **DEGREE OF BACHELOR OF**
ENGINEERING *in* **MECHANICAL ENGINEERING** *under the*
Faculty of Mechanical Engineering, having completed the prescribed
programme of study and having been certified by the duly appointed examiners to be
qualified to receive the same, and has been placed in **SECOND CLASS** *at the*
Examination held in **APRIL 2019.**

Given under the Seal of the University



Chennai 600 025
India
December 2019


Controller of Examinations


Registrar


Vice-Chancellor



NDE CERTIFICATION

AMERICAN SOCIETY FOR NON DESTRUCTIVE TESTING Recommended Practice SNT-TC-1A, 2011 Edition

This is to certify Mr. SATHISH M of SELF

Has demonstrated his ability successfully in both written and practical examination in accordance with ASNT Written Practice document No.SNT-TC-1A, 2011 Edition, in the following discipline and level shown below

Method : **EDDY CURRENT TESTING**
Work Experience : **12 MONTHS**
Certificate No. : **ET08C1676**
Date of Issue : **30.08.2016**
Valid up to : **29.08.2021**

Level : **II**
Training Hours : **80 HOURS**
Qualification : **BE**
Visual Acuity : **OK**
Color Vision : **OK**

Examination	Marks %	Passing %
General	85.00	70.00
Specific	80.00	70.00
Practical	90.00	70.00
Composite	85.00	80.00



This certificate is issued to enable the employer to certify the individual as per their written practice framed to the requirements of SNT-TC-1A.
Renewable as per the requirements of SNT-TC-1A 2011.

Based on continuous satisfactory performance and vision clearance this certificate has been renewed up to 25/08/2026

B. B. Upadhyay



P. Jayakandan
P. JAYAKANDAN
Course Director

S. A. Murugappan
S. A. MURUGAPPAN
CERTIFIED: ASNT NOT LEVEL III
CERTIFICATE No. 202573
AMERICAN SOCIETY FOR NON DESTRUCTIVE TESTING

Examiners Signature



NDE CERTIFICATION

AMERICAN SOCIETY FOR NON DESTRUCTIVE TESTING Recommended Practice SNT-TC-1A, 2011 Edition

This is to certify **Mr. SATHISH M** of **SELF**

Has demonstrated his ability successfully in both written and practical examination in accordance with ASNT Written Practice document No.SNT-TC-1A, 2011 Edition, in the following discipline and level shown below

Method : **PENETRANT TESTING**
Work Experience : **12 MONTHS**
Certificate No. : **PT08C1676**
Date of Issue : **30.08.2016**
Valid up to : **29.08.2021**

Level : **II**
Training Hours : **12 HOURS**
Qualification : **BE**
Visual Acuity : **OK**
Color Vision : **OK**

Examination	Marks %	Passing %
General	85.00	70.00
Specific	80.00	70.00
Practical	90.00	70.00
Composite	85.00	80.00



This certificate is issued to enable the employer to certify the individual as per their written practice framed to the requirements of SNT-TC-1A.
Renewable as per the requirements of SNT-TC-1A 2011.

P. DHINESH PITCHAI
ASNT NDT LEVEL III
UT, RT, PT, MT
FILE No : 287072

P. Pitchai

RENEWED BASED ON
CONTINUES SATIS FACTORY
PERFORMANCE AND EXPERIENCE
VALID UPTO **28/08/2026**

P. Jayakandan
P. JAYAKANDAN
Course Director

S. A. Murugappan
AMERICAN SOCIETY FOR NON DESTRUCTIVE TESTING
S. A. MURUGAPPAN
CERTIFIED ASNT NDT LEVEL III
CERTIFICATE No. 202573

Examiners Signature



NDE CERTIFICATION

AMERICAN SOCIETY FOR NON DESTRUCTIVE TESTING Recommended Practice SNT-TC-1A, 2011 Edition

This is to certify **Mr. SATHISH M** of **SELF**

Has demonstrated his ability successfully in both written and practical examination in accordance with ASNT Written Practice document No. SNT-TC-1A, 2011 Edition, in the following discipline and level shown below

Method	: MAGNETIC PARTICLE TESTING	Level	: II
Work Experience	: 12 MONTHS	Training Hours	: 40 HOURS
Certificate No.	: MT08C1676	Qualification	: BE
Date of Issue	: 30.08.2016	Visual Acuity	: OK
Valid up to	: 29.08.2021	Color Vision	: OK

Examination	Marks %	Passing %
General	85.00	70.00
Specific	80.00	70.00
Practical	90.00	70.00
Composite	85.00	80.00



This certificate is issued to enable the employer to certify the individual as per their written practice framed to the requirements of SNT-TC-1A. Renewable as per the requirements of SNT-TC-1A 2011.

P. DHINESH PITCHAI
ASNT NDT LEVEL III
- UT, RT, PT, MT
FILE No : 287072


P. Jeyaraj

S. A. Murugappan

K. Jayakandan

P. JAYAKANDAN
Course Director

RENEWED BASED ON
CONTINUES SATISFACTORY
PERFORMANCE AND EXPERIENCE
VALID UPTO **28.10.8.2026**



Examiners Signature



NDE CERTIFICATION

AMERICAN SOCIETY FOR NON DESTRUCTIVE TESTING Recommended Practice SNT-TC-1A, 2011 Edition

This is to certify **Mr. SATHISH M** of **SELF**

Has demonstrated his ability successfully in both written and practical examination in accordance with ASNT Written Practice document No.SNT-TC-1A, 2011 Edition, in the following discipline and level shown below

Method : **ULTRASONIC TESTING**
Work Experience : **12 MONTHS**
Certificate No. : **UT08C1676**
Date of Issue : **30.08.2016**
Valid up to : **29.08.2021**

Level : **II**
Training Hours : **80 HOURS**
Qualification : **BE**
Visual Acuity : **OK**
Color Vision : **OK**

Examination	Marks %	Passing %
General	85.00	70.00
Specific	80.00	70.00
Practical	90.00	70.00
Composite	85.00	80.00



This certificate is issued to enable the employer to certify the individual as per their written practice framed to the requirements of SNT-TC-1A.
Renewable as per the requirements of SNT-TC-1A 2011.


P. DHINESH PITCHAI
ASNT NDT LEVEL III
UT, RT, PT, MT
FILE No : 287072

P. de J

S. A. Murugappan

K. Jayakandan
P. JAYAKANDAN
Course Director

RENEWED BASED ON
CONTINUES SATIS FACTORY
PERFORMANCE AND EXPERIENCE
VALID UPTO **28/08/2026**



Examiners Signature



NDE CERTIFICATION

AMERICAN SOCIETY FOR NON DESTRUCTIVE TESTING Recommended Practice SNT-TC-1A, 2011 Edition

This is to certify **Mr. SATHISH M** of **SELF**

Has demonstrated his ability successfully in both written and practical examination in accordance with ASNT Written Practice document No.SNT-TC-1A, 2011 Edition, in the following discipline and level shown below

Method : **RADIOGRAPHY TESTING**
Work Experience : **12 MONTHS**
Certificate No. : **RT08C1676**
Date of Issue : **30.08.2016**
Valid up to : **29.08.2021**

Level : **II**
Training Hours : **80 HOURS**
Qualification : **BE**
Visual Acuity : **OK**
Color Vision : **OK**

Examination	Marks %	Passing %
General	85.00	70.00
Specific	80.00	70.00
Practical	90.00	70.00
Composite	85.00	80.00



This certificate is issued to enable the employer to certify the individual as per their written practice framed to the requirements of SNT-TC-1A.
Renewable as per the requirements of SNT-TC-1A 2011.


P. DHINESH PITCHAI
ASNT NDT LEVEL III
• UT, RT, PT, MT
FILE No : 287072

P. de

S. A. Murugappan

RENEWED BASED ON
CONTINUES SATIS FACTORY
PERFORMANCE AND EXPERIENCE
VALID UPTO ...**28/08/2026**

P. Jayakandan
P. JAYAKANDAN
Course Director



Examiners Signature

This is to certify that

M.SATHISH

of

**INTERNATIONAL INSPECTION
CENTRE CO.W.L.L (INTREX)**

Has attended an operators training course of 24 hours duration and demonstrated satisfactory knowledge by assessment and/or examination for the following equipment manufactured by Eddyfi Technologies.

MFL Floormap VS2i

Course Ref: TRAINFM

Certificate No: 2291.04.19.

Issue Date: 4th April 2019

Expiry Date 4th April 2024

Signed:



Course Instructor:

J Cherian



Issued by:

Eddyfi UK Ltd, Clos Llyn Cwm, Swansea Enterprise Park,
Swansea, SA6 8QY, Wales, UK.

PTC_FMVS2i_8 | Printed in the UK

Photocopies to be authorised
by Eddyfi Technologies

This certificate is property of Eddyfi Technologies and must be surrendered on request

#1508#



JOINT OPERATIONS



SAUDI ARABIAN CHEVRON INC. - KUWAIT GULF OIL COMPANY (K.S.C.)

Saudi Arabian Chevron Inc.
P.O. Box 6
Al-Zour 66051
State of Kuwait

P.O. BOX 9720 AHMADI
61008 KUWAIT
TELEPHONE: 23983639
FACSIMILE: 23980253

Kuwait Gulf Oil Co.
P.O. Box 9919
Ahmadi 61010
State of Kuwait

Ref No: SAI/23/WJ64/116

Date: March 21, 2023

M/s. International Inspection Centre Co. W.L.L.
P.O. Box 296, Sabahiya 54573
Kuwait.
Fax: 23986749
Attn. Mr. Fadi C. Kardahji-Vice President

Sub: CONTRACT# JO/SC430A2/AI17 - Specialized Inspection
Services for Surface Facilities & Tubular Goods "MFL
Technicians Interview"

Reference to your letter IIC/JO/0169/23 dated March 01, 2023 interview of following MFL technicians have been conducted and approved.

S.L. #	Name	Designation
1	Mohammed Abu Wajid	MFL Technician
2	Sathish M	

The approval is subject to their performance in compliance with the contract requirements.

Kindly arrange their JO access gate passes.

This is for your information and necessary action.

Regards,


Tami Al-Ajmi
Acting Manager - EHS, Fire & Security Group

HAS

HSDS 

CC: Supt-AID
TCPU, HBMU, BAZQ.
File

Date: **23 SEP 2025**

Ref.#: KIPIC/ZOR/QA/I&C/EL/25/0387

Mr. Yazid Hammi

General Manager

M/s International Inspection Center Co. W.L.L

East Ahmadi Area,

Block No. 6, Plot No. 142,

P.O. Box No. 296, Code No. 54573

Sabahiya - Kuwait

Subject: Contract # CZ/REF/ES/073
Quality Control Services for Al-Zour Refinery
Approval of Manpower for Shutdown Activities

This is with reference to your letter # IIC/KIPIC/2025/0083, regarding approval of manpower for the services required during shutdown activities, please be informed that CV review & interview of the candidate has been carried out and the status is mentioned below:

Sr#	Name	Designation	Status
1	Tauwab Alam	Advance NDT Inspector (PAUT/TOFD)	Approved
2	Dany Josy	Mechanical Lab Technician	Approved
3	Sathish M	MFL & RVI Technician	Approved
4	Chanarpat Singh Goud	RT Technician	Rejected
5	Shaik Karim	ECT Technician	Approved

This is for your information and necessary action.


Faisal H. Al-Refai
A/Team Leader, Inspection & Corrosion - ZOR


Encl.: None

Cc : Manager, Quality Assurance Group

File : G02.09



MEHTA INSPECTION SERVICES

BHAVNAGAR, GUJARAT, INDIA-364002



NDE CERTIFICATE

This is to certify that Mr. SATHISH MARUTHAMUTHU has demonstrated his ability successfully in both written and practical examination as per written practice MIS/WP/NDT01/ Rev.02 Recommended by ASNT document SNT-TC-1A (2020) and is here by certify to

NDT LEVEL-II IN MAGNETIC FLUX LEAKAGE TESTING (MFL)

EXAM	GENERAL	SPECIFIC	PRACTICAL	AVERAGE GRADING	NEAR VISION		COLOR VISION
ACTUAL	90	95	93	91.00	LEFT EYE	RIGHT EYE	
PASSING	70 %	70 %	80 %	80 %	ACCEPT	ACCEPT	SATISFACTORY

Certificate No. : MIS/MFL/02261

Training Hours : 40

Date of Issue : 18/11/2023

Date of Expiry : 17/11/2028

Technique : MFL for Tank Bottom Plate


Mehta Viralkumar
CERT NO. 200528
ASNT NDT LEVEL III
(UT, RT, MT, PT, VT & MFL)