

Munib Ur Rehman

Dammam, Saudi Arabia | Transferable Iqama
+966568422779 | muneeb.atiq46@gmail.com
<https://www.linkedin.com/in/munib-ur-rehman-8b798322b>



Objective

Certified Welding Inspector (CSWIP 3.1) and Mechanical Engineer with practical QA/QC experience in welding inspection for oil, gas, and power projects. Familiar with ITP implementation, WPS/WQT verification, fit-up and visual inspection, NDT coordination, and compliance with API, ASME, and client requirements to support safe and quality construction works.

Industry Experience

• Al Qahtani PCK Pipe Company – Saudi Arabia

Jan 2026 – Present

QC Welding Inspector

- Performed final and in-process inspection of welded carbon steel line pipes in accordance with API 5L (PSL-1 & PSL-2) requirements.
- Performed post-weld visual inspections (VT) on welds in accordance with API 5L, ASME Section IX, SAES, and SAMSS requirements.
- Inspected weld bead profile (internal & external) including height, width, reinforcement, undercut, arc strikes, cracks, sweats, and leaks as per API 5L Clause 9 & Acceptance Criteria Tables.
- Verified pipe end geometry: bevel angle, root face, end squareness, internal taper, and alignment using welding gauges, steel protractor, Vernier caliper, and steel ruler.
- Conducted visual inspection (VT) of longitudinal and circumferential welds in compliance with API 5L Clause 9.10 – 9.12.
- Checked pipe dimensions including OD, WT, length, ovality, straightness, and weight tolerances as per API 5L dimensional requirements.
- Performed residual magnetism testing using Hall-Effect Gauss Meter, ensuring readings within $\leq 30-35$ Gauss as per API 5L Clause 9.14.1(c).
- Monitored and verified weld repair activities identified through NDT (UT/RT/MT), ensuring repairs were performed strictly in accordance with API 5L repair criteria, approved WPS, and re-inspection requirements before final acceptance.
- Ensured compliance with WPS / PQR, welding consumables control, and heat input limits during welding activities.
- Reviewed and maintained inspection records, checklists, NCRs, and repair documentation in line with ISO 9001 quality system.



• TIEJUN Contracting Co. – Subcontractor: HYCC

Sep 2025 – Jan 2026

QC Welding Inspector (SEC PP12 Expansion Project – Saudi Arabia)

- Reviewed and implemented Inspection & Test Plans (ITPs) for welding activities.
- Verified Welder Qualification Tests (WQT) against approved WPS.
- Conducted fit-up inspections using Hi-Lo gauge, welding gauges, and dimensional tools.
- Inspected welding works on 16", 8", 4", and 2" carbon steel pipes.
- Material handled (ASTM A106B & AISI 304L).
- Compiled daily fit-up and welding inspection reports.
- Monitored and controlled welding consumables storage room (E7018, ER70S-6).
- Ensured proper baking and holding temperatures of E7018 electrodes.
- Maintained consumable issuance and return records (type, quantity issued, used, returned).
- Implemented electrode colour coding system based on return cycles and oven exposure.
- Ensured back purging with inert gas (Argon) during AISI 304L S.S welding to prevent oxidation.
- Verified purge dam installation, purge gas flow, and oxygen control prior to root pass welding.
- Inspected root pass for oxidation, sugar formation, and discoloration.
- Raised RFI for welding activities in accordance with approved ITP.
- Coordinated witness inspections with EPC QC team.
- Ensured inspection stages were offered on time and recorded inspection status and remarks.
- Maintained proper RFI records, approvals, and closures.
- Coordinated with site welding teams to ensure compliance with SEC QA/QC requirements.



- **TUV Rheinland (Third Party)**

June 2025 – Sep 2025

QC Welding Inspector - OGDCL(Client)

- Verified MTC and conducted visual inspections on piping and structural welds to ensure compliance with project specifications and ASME standards.
- Performed inspection and verification of fit-ups, root gaps, and misalignment.
- Witness welding activities as per approved WPS and isometric drawings.
- Material Handled (ASTM A106B & A53B).
- Verified and marked NDT requirements (DPT & PAUT) on weld joints and reviewed inspection results.
- Supervised hydrostatic testing of process piping systems.
- Ensured proper pressure hold, leak testing, and documentation compliance.
- Witnessed Pressure tests (Hydrostatic & Pneumatic) as per approved procedure and applicable standards, package verification and report review.
- Check final dimension of spools & skid frame with approved drawing.
- Ensured all inspection and testing activities were performed in accordance with client specifications, ITP, and QA/QC procedures.
- Inspect servicing and hydrotesting of valves, including ball valves, globe valves, and other pressure retaining components.



- **Izhar Construction Pvt. Ltd., Lahore**

May 2024 – Sep 2024

QC Welding Inspector

- Performed visual inspection (VT) of weld joints as per project standards and WPS.
- Assisted in monitoring welding parameters and verifying welder qualifications.
- Coordinated with NDT teams and prepared inspection reports for QA/QC documentation.
- Ensured welding quality, material traceability, and adherence to safety procedures on site.
- Raw material inspection, Review of Test certificates with respect to Standards, project Specification & Purchase Order.
- Visual dimensional inspections. Verification of Equipment and Instruments Calibration.
- Reviewing of WPS, PQR & WQT. Witnessing of Pressure testing.
- Maintain all QA/QC documents & prepare Final QA/QC dossier.



- **Gharibwal Cement Limited**

June 2023 – Oct 2023

Trainee

- Gained practical exposure to the complete cement manufacturing process, with focus on raw material blending, raw meal production, and utilities.
- Worked with kiln operations, observing clinker formation phases (alite, belite, aluminate) at 1450 °C.
- Ensured accurate raw material blending to prevent kiln instability and clinker quality issues.
- Contributed to improving utility system efficiency, reducing downtime and enhancing operational reliability, and overall plant efficiency.



- **LCI (Polyester Business)**

April 2022 – Aug 2022

Trainee

- Resolved persistent leakage issues in the 1817-PO1 A and B Dow condensate pumps by identifying misalignment, inadequate lubrication, and vibration as root causes.
- Performed Dye Penetrant Testing (DPT) and implemented an automatic indication system with LAH/LAL triggers to prevent dry running.
- Recommended cartridge seals to enhance efficiency and minimize downtime.



Education

- **University of Engineering and Technology, Lahore**

BSc Mechanical Engineering

3.58/4.0



Certifications

- Certified CSWIP 3.1 Welding Inspector. The Welding Institute (TWI), UK (Certificate#659740, Candidate Id#807604).
- ASNT NDT level II in Radio Graphic Testing.
- ASNT NDT level II in Ultrasonic Testing.
- ASNT NDT level II in Magnetic Particle Testing.
- ASNT NDT level II in Dye Penetrant Testing.
- Certified on completing the Lean Six Sigma White Belt from Six Sigma Online.
- Certified on completing COSHH safety awareness in workplace. Certificate Id (q0gacobjur).
- Certified on completing the sustainability of plastics from Nestle E-Learning.
- Certified on Environmental Conservation and Sustainability for completing 10 hours of community service.



Expertise

- Welding Inspection, Line Pipe Inspection, fabricated piping, flanges, and fittings Inspection.
- Visual Inspection, understanding of NDT method, and Report Review.
- Capable of preparation, verification, and closure of RFIs.
- Interpretation of WPS, PQR, WPQ, WQT, and MTC as per applicable codes.
- Capable of ensuring compliance with QA/QC procedures, site inspections, and documentation.
- Capable of reading fabrication drawings, weld map and welding symbols.
- Familiar with pressure piping and structural welding codes (e.g., API5L, ASME B31.3, ASME Section IX).
- Valves Inspection (Gate, Globe, NRV and Ball Valves), Pump Inspection (Mechanical Seal, Bearings).
- Project Management and Scheduling.

Academic Research


- XGBoost based process modelling of 660 MW Steam Turbine of Coal Based Power Plant.
- AI assisted optimization of dry machining of (Aluminium Alloy) AA7075.
- Experimentally and analytically verify the length and thickness of weld size.
- Static Structural Analysis of 2D axisymmetric cylindrical tank baffle.
- Vibration analysis of cantilever beam with or without tip mass attached.

Language

- English (Speaking Yes, Writing Yes)



MUNIB UR REHMAN
WELDING INSPECTOR



0025

TWI Certification Ltd
Granta Park, Gt Abington
Cambridge, CB21 6AL UK
Tel: +44 (0) 1223 899000

Expiry Date: 9 September 2030

No: 0000807604

*This card is the property of TWI Certification Ltd and must be surrendered on demand.
It is not valid without the official CSWIP certificate.*



Certificate of Proficiency

***BS EN ISO 17637 Non-destructive testing of welds, visual
testing of fusion-welded joints***

CSWIP CERT NO 659740

This is to certify that:

Munib Ur Rehman

Date of birth 26 February 2002

has demonstrated proficiency in fusion welding inspection as a Welding Inspector in accordance with the CSWIP requirements published in Document CSWIP-WI-6-92, 17th Edition June 2024 and amendments in force on the examination date.

Date of issue 29 October 2025

Date of expiry 9 September 2030

Signed

A handwritten signature in dark ink, appearing to be 'J. Smith', written over a horizontal line.

(For CSWIP)

SIGNATURE OF HOLDER
(Person named above)

Date

**NEW EMPLOYERS SHOULD ALWAYS ASK TO SEE THE CERTIFICATE HOLDER'S
TWI CERTIFICATION LTD IDENTITY CARD, AND VERIFY CERTIFICATE VALIDITY AT WWW.CSWIP.COM**

PLEASE READ THE NOTES OVERLEAF

Photocopies are unauthorised by
TWI Certification Ltd

Issued by:
TWI Certification Ltd, Granta Park, Great Abington, Cambridge CB21 6AL, UK

The use of the UKAS Accreditation Mark indicates accreditation in respect of those activities covered by Accreditation Certificate No.0025
This certificate is the property of TWI Certification Ltd and must be surrendered on request

AMERICAN SOCIETY FOR NONDESTRUCTIVE TESTING



Certificate of Proficiency

This is to certify that

MUNIB UR REHMAN



Has demonstrated his ability in the subject of

PENETRANT TESTING – Level II

In accordance with the written practice and requirement of Recommended Practice No. SNT-TC-1A Personnel Qualification and Certification in Nondestructive Testing

The American Society for Nondestructive Testing

This certificate has been issued to enable his employer to certify the individual to the requirement of SNT-TC-1A and renewable as per requirement of SNT-TC-1A. His near vision acuity and colour differentiation Proficiency are acceptable.

Near Vision	Jaeger J-1, OK	General	86
Color vision	Ishihara Chart, OK	Specific	82
Training Hours	40	Practical	88
Date of issue	26-June-2022	Composite	85
Date of expiry	25-June-2027	Certificate	NDT-PT-623

Issued By **Waqar Hafeez**
213 973
ASNT NDT Level III
MT, PT, RT, UT
ASNT NDT Level III
Contact: + 971-563091957 waqar259@hotmail.com

AMERICAN SOCIETY FOR NONDESTRUCTIVE TESTING



Certificate of Proficiency

This is to certify that

MUNIB UR REHMAN



Has demonstrated his ability in the subject of

RADIOGRAPHIC TESTING – Level II

In accordance with the written practice and requirement of Recommended Practice No. SNT-TC-1A Personnel Qualification and Certification in Nondestructive Testing

The American Society for Nondestructive Testing

This certificate has been issued to enable his employer to certify the individual to the requirement of SNT-TC-1A and renewable as per requirement of SNT-TC-1A. His near vision acuity and colour differentiation Proficiency are acceptable.

Near Vision	Jaeger J-1, OK	General	80
Color vision	Ishihara Chart, OK	Specific	84
Training Hours	40	Practical	92
Date of issue	22-June-2022	Composite	85
Date of expiry	21-June-2027	Certificate	NDT-RT-623

Issued By **Waqar Hafeez**
213 973
ASNT NDT Level III
MT, PT, RT, UT
ASNT NDT Level III
Contact: + 971-563091957 waqar259@hotmail.com

AMERICAN SOCIETY FOR NONDESTRUCTIVE TESTING



Certificate of Proficiency

This is to certify that

MUNIB UR REHMAN



Has demonstrated his ability in the subject of

MAGNETIC PARTICLE TESTING – Level II

In accordance with the written practice and requirement of Recommended Practice No. SNT-TC-1A Personnel Qualification and Certification in Nondestructive Testing

The American Society for Nondestructive Testing

This certificate has been issued to enable his employer to certify the individual to the requirement of SNT-TC-1A and renewable as per requirement of SNT-TC-1A. His near vision acuity and colour differentiation Proficiency are acceptable.

Near Vision	Jaeger J-1, OK	General	84
Color vision	Ishihara Chart, OK	Specific	86
Training Hours	40	Practical	90
Date of issue	05-June-2022	Composite	87
Date of expiry	04-June-2027	Certificate	NDT-MT-623

Issued By **Waqar Hafeez**
213/973
ASNT NDT Level III
MT, PT, RT, UT
ASNT NDT Level III
Contact: + 971-563091957 waqar259@hotmail.com

AMERICAN SOCIETY FOR NONDESTRUCTIVE TESTING



Certificate of Proficiency

This is to certify that

MUNIB UR REHMAN



Has demonstrated his ability in the subject of

PENETRANT TESTING – Level II

In accordance with the written practice and requirement of Recommended Practice No. SNT-TC-1A Personnel Qualification and Certification in Nondestructive Testing

The American Society for Nondestructive Testing

This certificate has been issued to enable his employer to certify the individual to the requirement of SNT-TC-1A and renewable as per requirement of SNT-TC-1A. His near vision acuity and colour differentiation Proficiency are acceptable.

Near Vision	Jaeger J-1, OK	General	86
Color vision	Ishihara Chart, OK	Specific	82
Training Hours	40	Practical	88
Date of issue	26-June-2022	Composite	85
Date of expiry	25-June-2027	Certificate	NDT-PT-623

Issued By **Waqar Hafeez**
213/973
ASNT NDT Level III
MT, PT, RT, UT
ASNT NDT Level III
Contact: + 971-563091957 waqar259@hotmail.com