

## **CURRICULUM VITAE**

**Pavan J. AHER**

Email – [pavan.aher64@gmail.com](mailto:pavan.aher64@gmail.com)

Contact No. +91 90281 20008

LinkedIn- [www.linkedin.com/in/pavan-aher-3a5632177](http://www.linkedin.com/in/pavan-aher-3a5632177)

### **OBJECTIVE**

Seeking a challenging environment where my knowledge and experienced can be shared and enriched. Looking for an opportunity where I can prove my skills and enhance my existing abilities.

### **SUMMARY OF EXPERIENCE AND PROFILE**

Mechanical Engineer having 12+years of experience in QA/QC, Welding, NDT, Inspection in Third-Party Inspection (TPI) and Static & Rotary equipment Manufacturing Companies from the pre-ordering stage to final dispatch at both Vendor Place and shop Floor with coordination / monitoring/project management of various locations in India. In the Sector of **Oil & Gas, Power energy**, Refinery, Fertilizer, Steel, Mining, Process Industries, Pharma, Chemical, Infrastructure & General engineering fabrication. Review the WPS, PQR, and WPQR for welding process **SMAW, GTAW, SAW, GMAW, FCAW** using essential aids as per applicable codes and relevant standards. **REVIEW AND WITNESS Hydro Test, Pneumatic test, FAT, Performance test, FE Test, NDT TEST, LAB WITNESS, COATING & PAINTING, GALVANIZING INSPECTION AS PER CLIENT APPROVED PROCEDURES & ITP/QAP.**

### **CODES AND STANDARDS CONVERSANT WITH**

- ASME Sec VIII, Sec IX, Sec. V, Sec IIA/B/C, API 650, API 598, API 600, API 6D, API 6A, API 5L, API 5CT, ASTM, TEMA, ASME B31.3, B31.1, AWS, ISO, BS, EN, IS, MSS-SP, NACE.
- FCI 70-2, IEC 60534-4, IS STD.- IS4759, IS2062, IS1239, IS 4985, IS 3196: part 1 & IS 13258 etc.

### **PROFESSIONAL & ACADEMIC QUALIFICATIONS**

- CSWIP – 3.1 (Welding Inspector)
- ASNT Level II – UT, RT, MPT, LPT & VT
- Bachelor of Engineering (Mechanical) from Pune University (Passing Year-2011)

### **EMPLOYMENT HISTORY**

| Period                           | Organization                            | Responsibility / Position  |
|----------------------------------|-----------------------------------------|----------------------------|
| 14th May 2018 to till date       | Bureau VERITAS India Pvt. Ltd., Nashik. | Sr. Surveyor               |
| 1st Jun. 2014 to 30th April 2018 | R & D Therm India Pvt. Ltd. Nashik.     | Quality Assurance Engineer |
| 1st Jan. 2012 to 30th May 2014   | Shri Datta Industries, Nashik.          | QA/ QC Engineer            |

### **WORK EXPERIENCE**

| Organization                                         | Position                                                            | Brief Description of Work Experience                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|------------------------------------------------------|---------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Bureau VERITAS India Pvt. Ltd., Nashik, Maharashtra. | Surveyor<br>(Period: 14 <sup>th</sup> May 2018 to till Date)        | <ul style="list-style-type: none"> <li>➤ Inspection of Pressure Vessels, Heat Exchangers, Columns, Fire Heaters, Boilers, Pressure Piping, Reactors &amp; Coolers etc..</li> <li>➤ Inspection of raw material items (Plates, Pipes &amp; forgings, Casting) of carbon steel, low alloy steel, stainless steel etc.</li> <li>➤ Witness &amp; Review of WPS, PQR &amp; WPQR, Tube to Tube sheet Mockup test.</li> <li>➤ Witness of Hydro test, Pneumatic test, PMI, weld hardness, Ferrite Content test, Cladding UT test.</li> <li>➤ NDT test witness like VT, UT, MPT &amp; LPT.</li> <li>➤ NDT report Review for VT, RT, UT, MPT &amp; LPT.</li> <li>➤ Mechanical, Chemical testing witness at NABL accredited lab.</li> <li>➤ Inspection of Pipes &amp; Tubes at Manufacturer mills.</li> <li>➤ Inspection of Safety valves.</li> <li>➤ Inspection of Vessel, tank, column, Regenerator, etc.</li> <li>➤ Inspection of Micro air filter, Filter water separator.</li> <li>➤ PR2 testing of gate valve.</li> <li>➤ Inspection of PVC-U pipes &amp; fittings at manufacturer mills.</li> <li>➤ Stuffing inspection of PVC-U pipes &amp; Fittings.</li> <li>➤ Inspection of Various types of Valves including Emergency Shutdown Ball valves &amp; blow down valves viz. Ball valves, Gate Valves, Globe valves, check valves, Gates (Manual &amp; Actuator controlled), Inconel weld overlay Ball Valves for various clients – As per Project requirements, approved ITP/QAP, approved GAD, CR, PO, API/ASTM/ASME Standards &amp; Customer Specifications.</li> <li>➤ Inspection of ATFE for final assembly &amp; testing.</li> <li>➤ Inspection of Choke valves &amp; control valves.</li> <li>➤ Inspection of Anti-corrosion, Anti scaling &amp; Anti Fouling Injection package/Dosing System.</li> <li>➤ Inspection of 6 Mtr. Poles for final inspection like dimensional, visual, &amp; GI coating inspection as per IS 4759.</li> <li>➤ Factory surveillance &amp; Lot inspection of "ISI" marked products as per BIS product manual &amp; BIS Guidelines.</li> <li>➤ Report Supervision &amp; Onsite supervision of Surveyors.</li> </ul> |
| R & D Therm India Pvt. Ltd., Nashik, Maharashtra..   | QA Engineer<br>(Period: June 2014 to 30 <sup>th</sup> April 2018)   | <ul style="list-style-type: none"> <li>➤ Documentation as per QAP of entire work process/ project.</li> <li>➤ Prepare Quality Assurance plans/Inspection test plans.</li> <li>➤ Stage wise &amp; final inspection a shop floor.</li> <li>➤ Handling of TPI/Client inspection.</li> <li>➤ New procedures &amp; welder Qualification making like plate to plate welding under TPI witness.</li> <li>➤ New procedure &amp; welder qualification for Tube to Tube sheet mock-up, weld overlay under TPI witness.</li> <li>➤ Responsible for executing all quality related activities for give project.</li> <li>➤ Monitoring welding quality.</li> <li>➤ RT film interpretation, Witness of LPT, UT &amp; offer to TPI.</li> <li>➤ RT sketch &amp; RT offer making.</li> <li>➤ Inspection of Pipes &amp; Plates at supplier place.</li> <li>➤ Review of Quality related documents &amp; offer same to customer / TPI.</li> <li>➤ Co Ordination with Customer for inspection arrangement.</li> <li>➤ Raw material inspection of Pipes, Tubes, Forgings &amp; offering same to customer / TPI.</li> <li>➤ Review quality documents as per quality plans, TC's as per code.</li> <li>➤ Inspection of Various fabricated parts as per Client requirements/drawings.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Shri Datta Industries, Nashik, Maharashtra.          | QA/ QC Engg<br>(Period: 1st Jan. 2012 to 30 <sup>th</sup> May 2014) | <ul style="list-style-type: none"> <li>➤ Daily Work planning of Shop floor, making inspection reports.</li> <li>➤ Final inspection of fabricated items.</li> <li>➤ Representative of TQMI team.</li> <li>➤ To maintain 5s activity on shop floor.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

**MAJOR PROJECT HANDLE IN Bureau VERITAS (India) Pvt. Ltd.**

| Client                                             | Project                                                                   | Details of work done in the project                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|----------------------------------------------------|---------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| M/s. Indian Oil Corporation Limited                | IOCL Aviation project.<br>&<br>IOCL Lube Project, Vashi.                  | <ul style="list-style-type: none"> <li>➤ Inspection of Filter water separator, Micro filter, Inner &amp; Outer vessel for Aviation Fuel Tank 35 KL. for weld Visual, Hydro test witness, Pneumatic test witness &amp; Document review at M/s. Indian Oil Corporation Limited. Nashik.</li> <li>➤ Inspection of Grease Blending Kettle Visual Inspection, RT film &amp; report Review &amp; Document review at M/s. Indian Oil Corporation Limited. Nashik.</li> </ul> <p>(Period: May 2018 to Dec. 2018)</p> |
| M/s Punj Lloyd Ltd.                                | Aishwarya Project<br>Haldia Refinery, IOCL.                               | <ul style="list-style-type: none"> <li>➤ Inspection of Rich Amine Flash Drum, Regenerator for Weld visual, Paint DFT witness, RF pad pneumatic test witness before PWHT, RT film review, RT summary review, PMI &amp; Ferrite content Test, Alignment Check, Dimensional inspection, DP test, Hardness test of weld &amp; HAZ, PWHT chart review, Hydro test witness &amp; Documentation review at M/s R.D. ENGINEERS (India) PVT LTD., Sinnar.</li> </ul> <p>(Period: May to June 2018)</p>                 |
| M/s. Triveni Turbines Ltd.                         | Al Masirah, Maheshwari Logistics, Ingenio Maria Luisa & KPA UNICON.       | <ul style="list-style-type: none"> <li>➤ Inspection of Quick closing Non Return Valve for Raw Material Test Certificate Review, Visual &amp; Dimensional inspection, Hydro Body &amp; Seat Test Verification, Functional test of valve actuator &amp; serial numbers and Documentation review at M/s Cesare Bonetti International Pvt Ltd, Nashik.</li> </ul> <p>(Period: June 2018)</p>                                                                                                                     |
| M/s Chemie Tech LLC – Sharjah.                     | P1067 – Fuel Storage Facilities modifications.<br>HAS SAPTAN – Malta.     | <ul style="list-style-type: none"> <li>➤ Inspection of CS seamless pipe API 5L, GR. B raw Material Test Certificate Review, Visual &amp; Dimensional inspection &amp; Documentation review at M/s Jindal Saw Limited, Sinnar.</li> </ul> <p>(Period: June 2018)</p>                                                                                                                                                                                                                                          |
| M/s ONGC                                           | M/s ONGC – Ankleshwar.                                                    | <ul style="list-style-type: none"> <li>➤ Inspection of Gas anchor, Wheeled Rod Guided Couplings for raw Material Test Certificate Review, NDT document review, Visual &amp; Dimensional inspection, Marking verification, Thread gauging verification, functional inspection of wheels &amp; Documentation review at M/s Parveen Industries Pvt. Ltd., Igatpuri, Nashik.</li> </ul> <p>(Period: July 2018)</p>                                                                                               |
| M/s. Sumitomo Corporation India Pvt. Ltd.          | Petroleum Development Oman LLC (PDO).                                     | <ul style="list-style-type: none"> <li>➤ Inspection of Seamless pipe as per API 5CT Gr. J55 for witness of Heat treatment process, Mechanical &amp; chemical test, Hydro test, NDT (Ultrasonic), Visual &amp; dimensional at M/s Jindal Saw Limited, Sinnar.</li> </ul> <p>(Period: Oct 2018 to Nov 2018)</p>                                                                                                                                                                                                |
| M/s. PI Industries Ltd.                            | Jambusar Plant                                                            | <ul style="list-style-type: none"> <li>➤ Inspection of cooler &amp; condenser for witness of Hydro test, Visual &amp; dimensional at M/s Graphite India Ltd.</li> </ul> <p>(Period: Oct 2018 to Nov 2018)</p>                                                                                                                                                                                                                                                                                                |
| M/s. Linde India Ltd.                              | HMEL petrochemical complex                                                | <ul style="list-style-type: none"> <li>➤ Inspection of Seamless pipe as per ASTM A 106 Gr. B for witness of Chemical &amp; Mechanical test, Hydro test, Visual &amp; dimensional at M/s Jindal Saw Limited, Sinnar.</li> </ul> <p>(Period: Dec 2018)</p>                                                                                                                                                                                                                                                     |
| M/s. Petrofac International (UAE) LLC              | BPCL Kochi Refinery                                                       | <ul style="list-style-type: none"> <li>➤ Inspection of Seamless pipe as per ASTM A 106 Gr. B for witness of, Hydro test, Visual &amp; dimensional at M/s Jindal Saw Limited, Sinnar.</li> </ul> <p>(Period: Dec 2018 to Jan 2019)</p>                                                                                                                                                                                                                                                                        |
| M/s AFCONS Infrastructure –SMC Infra Joint Venture | Extension of the Lake Victoria Pipeline to Tabora Nzega and Igunga Towns, | <ul style="list-style-type: none"> <li>➤ Inspection of PVC-U pipes &amp; fittings as per ISO 1452-2/3 for Visual Inspection, Dimensional inspection, Witnessed Density, Wall Thickness, Length of Pipe, Impact Strength, Resistance to Internal Pressure (For Pipe &amp; Integral socket Pipe), Longitudinal Reversion, Resistance to Dichloromethane at a specific temperature, Long term resistance to</li> </ul>                                                                                          |

|                                               |                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|-----------------------------------------------|--------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                               | Tanzania- Package-III                                                          | internal pressure test, raw material TC review & final documents review at M/s. Supreme Industries Ltd., Jalgaon.<br><br>(Period: Jun 2018 to Feb 2019)                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Graphite India Ltd.                           | Various                                                                        | ➤ Export product certification. At M/s. Graphite India Ltd., Nashik.<br><br>(Period: Jun 2018 to Mar 2019)                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| M/s ONGC                                      | M/s ONGC stores like Ankleshwar, Sivsagar, Mehsana, Silchar etc.               | ➤ Inspection of Seamless pipe as per API 5CT Gr. L80 & P110 for witness of Mechanical & chemical test, Hydro test, NDT (Ultrasonic), Visual & dimensional at M/s Jindal Saw Limited, Sinnar.<br><br>(Period: Feb 2019 to Mar 2019)                                                                                                                                                                                                                                                                                                                                              |
| M/s McDERMOTT EASTERN HEMISPHERE LTD          | D6071-BUL HANINE Re-Development (Phase-1B)                                     | ➤ Inspection of control valves as per IEC-60534-4 for hydro test & seat leakage test. FE production test as per SPE 77/312 Class B. PMI test on alloy parts. Documentation reviewed as per approved ITP at M/s. KOSO India Pvt. Ltd.<br><br>(Period: Mar 2019 to May 2019)                                                                                                                                                                                                                                                                                                      |
| M/s. Aarti Industries Ltd.                    | Jhagadia                                                                       | ➤ Inspection of ATFE with motor for final Assembly & testing for vacuum test, Running trial test & vibration measurement test as per approved ITP at M/s. Fabex Engineering, Ambad.<br><br>(Period: Apr. 2019)                                                                                                                                                                                                                                                                                                                                                                  |
| M/s KOSO India Pvt. Ltd.                      | PE-104 EPC for Qusahwira field development Phase-2<br><br>(Project No.:P14395) | ➤ Inspection of Choke valves for cladding inspection such as LPT, Hardness, UT disband checking, PMI on cladding, Thickness of cladding, PMI on trim parts, Valve Hydro test as per API 6A, Seat leakage as per FCI 70-2, PR1 test as per 6A, FE production test as per SPE 77/312 class B, Functional & calibration test as per approved procedure, Surface & preparation painting as per approved procedure, Final valve certificate review & documentation reviewed at M/s. KOSO India Pvt. Ltd. for customer Petrofac Emirates LLC.<br><br>(Period: Apr. 2019 to Aug. 2019) |
| M/s. SAKARAT-MAK ENGINEERING PRIVATE LIMITED. | Aishwariya Barmer Hill (ABH) Field                                             | ➤ Inspection of Butterfly valve for Hydro test, Seat leakage test, Functional & calibration test, Visual & dimensional painting, painting inspection as per approved ITP & procedure at M/s. KOSO India Pvt. Ltd.<br><br>(Period: Oct. 2019)                                                                                                                                                                                                                                                                                                                                    |
| M/s KOSO India Pvt. Ltd.                      | EPC for AL Dabb'ya Thammama Zone B Transition Zone (Project No.: P02096).      | ➤ Inspection of control valve & choke valve for Hydro test as per IEC 60534-4 & API 6A respectively. Seat leakage test as per IEC 60534-4 & FCI 70-2 class" IV" respectively. PMI on trim parts FE production test as per SPE 77/312 class B, Functional & calibration test as per approved procedure, Surface & preparation painting as per approved procedure, Final valve certificate review & documentation reviewed at M/s. KOSO India Pvt. Ltd. for customer ARCHIRODON CONSTRUCCION (OVERSEAS) COMPANY LIMITED.<br><br>(Period: Oct. 2019 to Dec. 2019)                  |
| M/s. STERLING AND WILSON PVT LIMITED          | Development of Container Terminal at Vizhinjam Port, Kerala                    | ➤ Inspection of alarm valve for hydrostatic test of Housing & cover as per approved datasheet, Seat leakage test & performance test, Documentation reviewed as per approved ITP at M/s. HD Fire Protect Pvt. Ltd., Jalgaon.<br><br>(Period: Sep. & Nov. 2019)                                                                                                                                                                                                                                                                                                                   |
| M/s Crystal TCS                               | Dissolved gas ejectors                                                         | ➤ Inspection of dissolved gas ejectors at Crystal TCS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| M/s KOSO India Pvt. Ltd.                      | PE-104 EPC for Qusahwira field development Phase-2<br><br>(Project No.:P14395) | ➤ Inspection of Control valves for cladding inspection as per SPE 77/313 such as LPT, Hardness, UT disband checking, PMI on cladding, Thickness of cladding, PMI on trim parts, Valve Hydro test as per IEC 60534-4, Seat leakage as per FCI 70-2, FE production test as per SPE 77/312 class B, Functional & calibration test as per approved procedure, Surface & preparation painting as per approved procedure, Final valve certificate review & documentation reviewed at M/s. KOSO India Pvt. Ltd. for                                                                    |

|                                               |                                                                                                       |                                                                                                                                                                                                                                                                                                                                                      |
|-----------------------------------------------|-------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                               |                                                                                                       | customer Petrofac Emirates LLC.<br>(Period: Aug. 2019 to Dec. 2019)                                                                                                                                                                                                                                                                                  |
| M/s. NUBERG ENGINEERING LTD.                  | ---                                                                                                   | ➤ Inspection of Dosing system, for pump performance, Agitator run trial, PMI test, Motor certificate review & documentation reviewed at M/s. Positive Metering Pumps (I) Pvt. Ltd.<br>(Period: Jan. 2020)                                                                                                                                            |
| M/s. BPCL                                     | ---                                                                                                   | ➤ Inspection of pressure safety valves for set pressure as per API RP 527, performance test, Seat leakage test & documentation review at M/s. Fainger Lesser Valves (I) Pvt. Ltd., Paithan, Aurangabad.<br>(Period: Feb. 2020)                                                                                                                       |
| M/s. L&T HYDROCARBON ENGINEERING              | Hindustan Urvarak & Rasayan Ltd. (HURL)<br>For<br>Barauni & Sindri Site                               | ➤ Inspection of Anti-Corrosion Injection system / Dosing system, for pump performance, Agitator run trial, PMI test, Motor certificate review & documentation reviewed at M/s. Positive Metering Pumps (I) Pvt. Ltd.<br>(Period: Feb. 2020 – Mar. 2020)                                                                                              |
| M/s. RELIANCE DIGITAL PLATFORM & PRO. SER LTD | Reliance 4G Tower Project                                                                             | ➤ Inspection of 6 meter poles for Dimensional, visual, PT at inprocess stage & final Dimensional, Visual, GI coating DFT, Hot dip Galvanizing testing of poles as per IS 4759 for coating testing & review of documentation at M/s. Fab Industries, Wadivarhe, Tal. Igatpuri.<br>(Period: Feb. 2020 – Mar. 2020)                                     |
| M/s. L&T HYDROCARBON ENGINEERING              | South West Gas Fields Development Project, Algeria Realization of Gas Treatment Units (EPC – Phase 1) | ➤ Inspection of Seamless pipe as per API 5CT Gr. L80 & P110 for witness of Mechanical & chemical test, Hydro test, NDT (Ultrasonic), Visual & dimensional at M/s Jindal Saw Limited, Sinnar.<br>(Period: Mar. 2020 to Nov. 2021)                                                                                                                     |
| M/s. DEEPAK PHENOLICS LIMITED                 | 1 x 120 TPH CFBC Boiler for 1x29 MW CPP, Dahej                                                        | ➤ Inspection of Header coil for witness of Mechanical & chemical test, Hydro test, NDT (Ultrasonic), Visual & dimensional at M/s. Alfa Boilers, Malegaon.<br>(Period: Jul 2021 to Sep. 2021)                                                                                                                                                         |
| M/s. BHEL                                     | 2X660 MW SWIO UDANGUDI, STPP STAGE-I TAMIL NADU                                                       | ➤ Inspection of HDPE pipes & fittings as per AS PER ISO 4427:2007 (PE 100 PN 6 DN 2000) for Visual Inspection, Dimensional inspection, Witnessed Density, Wall Thickness, Length of Pipe, Acceptance & Type test, raw material TC review & final documents review at M/s. JAIN IRRIGATION SYSTEMS LTD., Jalgaon.<br>(Period: Aug. 2021 to Sep. 2021) |
| M/s. SBESS SERVICES PROJECT CO TWO PVT LTD    | WND-325                                                                                               | ➤ Inspection of cut & bend steel for visual & dimension Inspection, Tensile test, chemical test, bend & Re-bend test as per approved QAP at SRJ Petty, Jalna.<br>(Period: Nov. 2021 to Dec. 2021)                                                                                                                                                    |
| M/s. BHEL                                     | MAITREE, MRPL, UDANGUDI                                                                               | ➤ Inspection of Pumps for visual, Dimension, performance test and as per approved QAP at M/s. KSB PUMPS LTD. Sinnar.<br>(Period: Nov. 2021 to Mar. 2021)                                                                                                                                                                                             |
| M/s. Aarti Industries Ltd.                    | Jhagadia, Diamon Dahej project                                                                        | ➤ Inspection of PTFE Lined spool Piping & fittings for visual, Dimension, Hydro test, Spark test and Documentation review as per approved QAP at M/s. Resistotech Industries Pvt. Ltd. Sinnar.<br>(Period: Jan. 2021 to Apr. 2021)                                                                                                                   |
| FTV PROCLAD LLC.                              | EPC FOR BU HASA Integrated Field Development Project (BIFDP)- Project No. 80057                       | ➤ Inspection of Seamless pipe as per API 5L GRADE X 60, PSL 2 QS for witness of Mechanical & chemical test, Hydro test, NDT (Ultrasonic), Visual & dimensional at M/s Jindal Saw Limited, Sinnar.<br>(Period: Jun. 2021 to Jul. 2021)                                                                                                                |

|                                                      |                                                                                        |                                                                                                                                                                                                                                                                                                                        |
|------------------------------------------------------|----------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| M/s. ENERCON GmBH                                    | 1st article inspection<br>092.80.3355.100.48140D,<br>Blade Bearing                     | ➤ Inspection of Blade bearing Inner, Outer ring with ball for Visual & dimension, Case harden depth, MPT & painting at M/s. Rothe Erde India Private Ltd., Gonde, Igatpuri<br><br>(Period: Aug. 2021)                                                                                                                  |
| M/s. United Gulf Construction company (UGCC)         | RA/223 Project                                                                         | ➤ Inspection of Air valves for Hydro test, Dimension, Visual Inspection, Functional test, Painting & packing inspection at M/s. Indian valve Pvt. Ltd. Satpur.<br><br>(Period: Aug. 2021 to Nov. 2021)                                                                                                                 |
| M/s. BHEL                                            | BHEL, BHUSAWAL 1 X 660 MW PROJECT                                                      | ➤ Inspection of Mass flow meter, slurry flow transmitter, water flow transmitter Visual & dimension inspection, accuracy & calibration test, communication with HART communicator as per client approved QAP at Endress+Hauser (India) Automation Instrumentation, MIDC Walunj, Aurangabad.<br><br>(Period: Oct. 2021) |
| M/s. L&T HYDROCARBON ENGINEERING                     | LSTK Package-1 for the Ethylene Glycol Project at Paradip Refinery, Odisha.            | ➤ Inspection of Boiler equipment's like steam drum, Evaporator, Condenser coils, Evaporator, Headers, BBT, Steam & water piping's, Structures like Hand rails, Dispatch Module etc. as per client approved QAP at M/s. Uttam Energy Ltd., Gangapur, Aurangabad.<br><br>(Period: Apr. 2021 to Nov. 2021)                |
| M/s. BHEL, Bhopal                                    | PALAMURU RANGAEDDY STAGE 2 & 3                                                         | ➤ Inspection of Self lubrication Bush, DV Servomotor for Visual, Dimensional, Surface finish, Pressure test, Functional test as per client approved QAP at M/s. RA Spectrum Engineering services Pvt. Ltd., Musalgaon, Sinnar.<br><br>(Period: Dec. 2021 to Mar. 2022)                                                 |
| M/s. United Gulf Construction company (UGCC), Kuwait | RA/200 & RA/223 Project                                                                | ➤ Inspection of Air valves, Sluice Valves, Gate Valves, Butterfly valves for Hydro test, Dimension, Visual Inspection, Functional test, Painting & packing inspection at M/s. Indian valve Pvt. Ltd. Satpur.<br><br>(Period: Nov. 2021 to Mar. 2022)                                                                   |
| M/s. SRF Ltd.                                        | SS25 campaign, P17 Plant, Dahej.                                                       | ➤ Inspection of cooler & condenser for witness of Hydro test, Visual & dimensional at M/s Graphite India Ltd.<br><br>(Period: Mar. 2022)                                                                                                                                                                               |
| M/s. ONGC                                            | ONGC                                                                                   | ➤ Inspection of Bits as per client approved QAP for Pneumatic test, visual, dimensional Inspection, DP test etc at M/s. Drillbits International Pvt. Ltd., Satpur, Nashik.<br><br>(Period: Feb. 2022 to Mar. 2022)                                                                                                     |
| M/s. L&T HYDROCARBON ENGINEERING                     | IOCL_AVU                                                                               | ➤ Inspection of CS seamless pipe API 5L, A 106 GR. B raw Material Test Certificate Review, Visual & Dimensional, Hydro test, Lab test inspection & Documentation review as per client approved QAP at M/s Jindal Saw Limited, Sinnar.<br><br>(Period: Jan 2022 to Apr. 2022)                                           |
| M/s. AFCONS INFRASTRUCTURE LIMITED & VIJETA          | 6956 Rehabilitation & Improvement of Water Supply System in Zanzibar, Tanzania, Africa | ➤ Inspection of FRF Manhole Cover raw Material Test Certificate Review, Visual & Dimensional, Load test inspection & Documentation review as per client approved QAP at M/s. K K MANHOLE & GRATINGS CO., Musalgaon, Sinnar.<br><br>➤ (Period: May 2022 to Jul 2022)                                                    |
| M/s. FLOTEK ENGG SERVICES                            | Supply of TRV & PSV for works at IOCL, Jodhpur                                         | ➤ Inspection of pressure safety valves for set pressure as per API 527, performance test, Seat leakage test & documentation review at M/s. Fainger Lesser Valves (I) Pvt. Ltd., Paithan, Aurangabad.<br><br>➤ (Period: Jul 2022 to Aug 2022)                                                                           |
| M/s. Larsen &                                        | Dual Feed Cracker                                                                      | ➤ Inspection of Inter cooler & After cooler for witness of NDE (PT), Hydro test, Pneumatic test, Visual & dimensional at M/s United Heat Transfer                                                                                                                                                                      |

|                                               |                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-----------------------------------------------|-------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Toupro Limited                                | Block Rajasthan Refinery Limited (HRRL-DFCU) - Package: EPCC-07                                 | Pvt Ltd., Talegaon, Dindori Nashik.<br>➤ (Period: Sep 2022 to Oct 2022)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| M/s. Hydrotek Engineering Company, Kuwait     | SE-158: Construction, Operation and Maintenance of TSE Network & Reservoirs for Project Area D1 | ➤ Inspection of Gates for Shop Leakage test, Performance test, Dimension & Visual Inspection as per client approved QAP & specification at M/s. Indian valve Pvt. Ltd. Satpur.<br>(Period: Nov. 2022)                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| M/s. AIR LIQUIDE GLOBAL E&C SOLUTIONS (I) P L | Hyundai Oil Bank B Project (HOBP)                                                               | ➤ Inspection of Control & ON-OFF valves for Valve Hydro test as per ASME B 16.34, Seat leakage as per FCI 70-2, Functional & calibration test as per approved procedure, Surface & preparation painting as per approved procedure, Final valve certificate review & documentation reviewed at M/s. KOSO India pvt ltd., Ambad.<br>(Period: Nov. 2022 to Dec. 2022)                                                                                                                                                                                                                                                                        |
| M/s. SUZANO S. A.                             | SUZANO PULP MILL                                                                                | ➤ Inspection of Spray water valve & Steam conditioning valves for Visual Inspection at M/s. KOSO India pvt ltd., Ambad.<br>(Period: Dec. 2022)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| M/s. ARTSON ENGINEERING LIMITED-GUJARAT       | ADDITION OF MOTOR DRIVEN PAC                                                                    | ➤ Inspection of 1st, 2nd & 3rd stage Inter cooler for witness of Shell to tube sheet, PMI, Visual & dimensional at M/s. ARTSON ENGINEERING LIMITED, Ambad for Customer - KRISHAK BHARTI CO OPERATIVE LIMITED.<br>(Period: Dec. 2022)                                                                                                                                                                                                                                                                                                                                                                                                      |
| M/s. KALPATARU POWER TRANSMISSION LTD         | 225/ 90 KV Single AAC630 mm2 - NOUAKCHOTT-NOUADHIBOU AND ASSOCIATED SUBSTATIONS AT MAURITANIA   | ➤ Inspection of Single suspension, Double suspension string, Pilot String Mid span joint, repair sleeve, vibration damper for witness of Final Visual & dimensional, Galvanizing, Electrical resistance test, clamp bolt tightening torque test, Slip strength test, Mechanical & chemical test & documentation reviewed like Raw material test certificate, Factory acceptance test report etc. as per ITP at M/s. Mosdorfer India Pvt Ltd., Gonde with Customer from MAURITANIA.<br>(Period: Dec. 2022 to Jan. 2023)                                                                                                                    |
| M/s. Wison Engineering Ltd.                   | New Hydrogen Manufacturing Unit (HMU-2) Project                                                 | ➤ Inspection of Lube Oil cooler for witness of Tube to tube sheet Pneumatic test, Final Visual & dimensional, Internal cleaning & documentation reviewed like LPT report, MTC, RF pad Pneumatic Test report, RT film & report, PMI report etc as per ITP at M/s. United Heat Transfer Pvt. Ltd, Dindori.<br>➤ Inspection of Suction & Discharge damper for witness of Hydro test, Hardness of Weld & HAZ, Final Visual & dimensional, Painting & documentation reviewed like MTC, RT film & report, RF pad Pneumatic Test report etc. as per ITP at M/s. M/s. United Heat Transfer Pvt. Ltd, Dindori.<br>(Period: Dec. 2022 to Jan. 2023) |
| M/s. DEEPAK CHEM TECH LIMITED.                | BF1                                                                                             | ➤ Inspection of Distillation column, Dump tank & chilled water tank for witness of Hydro test, RF pad pneumatic test, Internal cleaning, Pickling & passivation, Final Visual & dimensional, Painting & documentation reviewed like MTC, RT summary, RT film & report, RF pad Pneumatic Test report etc. as per ITP at M/s. R & D Therm (I) Pvt Ltd, Ambad.<br>(Period: Jan. 2023)                                                                                                                                                                                                                                                        |
| M/s. VRV Asia Pacific Pvt. Ltd.               | HUDSON PRODUCTS CORPORATION (CHART)                                                             | ➤ Inspection of Air cooled Heat Exchanger for witness of Tube to tube Hydro test, Final Visual & dimensional & documentation reviewed like Fit up report, MTC, PWHT chart etc. as per ITP at M/s. United Heat Transfer Pvt. Ltd, Dindori.<br>(Period: Jan. 2023)                                                                                                                                                                                                                                                                                                                                                                          |
| M/s. Larsen &                                 | Petrochemical                                                                                   | ➤ Inspection of Column (ABSORBER GAS AMINE CONTRACTOR) & vessel                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

|                                              |                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Toubro Limited, L&T Energy, Hydrocarbon      | Fluidized Catalytic Cracking Unit & Propylene Recovery Unit Project, Barmer (HRRL-PFCCU-PRU) - EPCC-3                                           | (ABSORBER GAS KO DRUM) for witness of Internals, water level, Alignment, PMI, SS cladding Chips removal, PMI, Hardness on weld & HAZ after PWHT, Final Visual & dimensional & documentation reviewed like Fit up report, MTC, PWHT chart, RT summary, RT film & report, Material Heat chart etc. as per ITP & Project specification at M/s. RD Engineers India Pvt. Ltd., Sinnar.<br><br>(Period: Jan. 2023 to Feb. 2023)                                                                         |
| M/s. JGC CORPORATION                         | Basrah refinery upgrading project                                                                                                               | ➤ Inspection of Hooper Fins Filter for witness of Trial Assembly, Hydro test, Final Visual & dimensional & documentation reviewed like Fit up report, MTC, RT summary, RT film & report, Material Heat chart etc. as per ITP & Project specification at M/s. RD Engineers India Pvt. Ltd., Sinnar.<br><br>(Period: Feb. 2023)                                                                                                                                                                     |
| M/s. TECHNIP ENERGIES INDIA LIMITED          | EPCC-06- FOR NEW ONCE THROUGH HYDROCRACKER UNIT (OHCU) + FUEL GAS TREATMENT UNIT (FGTU), BR-9 Expansion Project at IOCL Barauni Refinery, Bihar | ➤ Inspection of Column (FUEL GAS H <sub>2</sub> S ABSORBER) & vessel (Separator, KO Drum etc.) for witness of Internals, water level, Alignment, PMI, SS cladding Chips removal, PMI, Hardness on weld & HAZ after PWHT, Final Visual & dimensional & documentation reviewed like Fit up report, MTC, PWHT chart, RT summary, RT film & report, Material Heat chart etc. as per ITP & project specification at M/s. RD Engineers India Pvt. Ltd., Sinnar.<br><br>(Period: Feb. 2023 to Mar. 2023) |
| MANTRAC CO S.A.E.                            | Factory Audit + Approval                                                                                                                        | ➤ Inspection audit of factory as per client requirement for shop inspection & quality system documentation review as per client given guidelines at manufacturing plant M/s. TEKNOFLOW GREEN EQUIPMENT'S PVT. LTD., Ambehahula. (Vendor: Dürr India Private Limited) Product: Intake & Exuast Silencers, ducting & Filter Housing etc.<br><br>(Period: Mar. 2023)                                                                                                                                 |
| M/s. ATLAS COPCO (INDIA) LTD.                | NEW WELL MANIFOLD 32 & 33 (SKID: ZT55 + CDE150 (2x))-INSTRUMENT AIR COMPRESSOR PACKAGE (M/s. TATWEER PETROLEUM)                                 | ➤ Joint Inspection of Dryer vessels for witness of Final Visual & dimensional & documentation reviewed like Fit up report, MTC, etc. as per ITP & project specification at M/s. TEKNOFLOW GREEN EQUIPMENT'S PVT. LTD., Ambehahula.<br><br>(Period: Mar. 2023)                                                                                                                                                                                                                                     |
| M/s. Intertechne Consultores S/A, Spain      | AÑA CUÁ PROJECT EQUIPMENT: 32T X 7.5m span GANTRY crane & 3X100T (300T) GANTRY crane                                                            | ➤ Joint Inspection & Expediting of Gantry cranes components for witness of Visual & dimensional, Painting & documentation reviewed like PO status, MTC, etc. as per ITP & project specification at M/s. Unique Industrial Handlers Pvt Ltd., Gonde.<br><br>(Period: Mar. 2023)                                                                                                                                                                                                                    |
| M/s. MEGHA ENGINEERING & INFRASTRUCTURES LTD | EPCC07 PRU                                                                                                                                      | ➤ Inspection of Seamless pipe as per ASTM A 106 Gr. B & ASTM A 333 Gr. 6 for witness of Chemical & Mechanical test, Hydro test, Visual & dimensional at M/s Jindal Saw Limited, Sinnar.<br><br>(Period: Mar. 2023)                                                                                                                                                                                                                                                                                |
| RELIANCE INDUSTRIES LTD.                     | Onshore Terminal Modification (OTMO) Project                                                                                                    | ➤ Joint Inspection of NGPE & Dryer vessels for witness of Stage inspection, Final Visual & dimensional & documentation reviewed like Fit up report, MTC, etc. as per ITP & project specification at M/s. TEKNOFLOW GREEN EQUIPMENT'S PVT. LTD., Ambehahula.<br><br>(Period: Apr. to June 2023)                                                                                                                                                                                                    |
| Bureau of Indian Standards                   | IOCL, HPCL, BPCL, Total Energies (Adani)                                                                                                        | ➤ Inspection of LPG cylinders (capacity 5 Kg to 47.5 Kg) as per IS 3196: part 1 & IS 13258 for witness of Lot inspection & stages witnessed like acceptance test, Burst test, Visual Inspection, Torque test, Pneumatic test, Painting Inspection etc. at M/s. OM FABTECH PRIVATE LIMITED, M/s. SATYASAI PRESSURE VESSELS PRIVATE LIMITED, M/s. SUPER TECHNOFAB PRIVATE LIMITED, Musalgaon, Sinnar.<br><br>(Period: June to Dec. 2023)                                                            |

|                                            |                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|--------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| TATA PROJECTS LIMITED                      | LUPECH J18 - IOCL-MS BLOCK PROJECT                                                                                                                                                                                             | <ul style="list-style-type: none"> <li>➤ Inspection of Pressure vessels &amp; storage tanks (Various sizes) as per Design code of ASME sec. VIII Div. 1 for witness of stage inspection &amp; final Inspection as per client approved QAP., at M/s Artson Engineering Ltd., Ambad.</li> </ul> (Period: Oct. 2023 to Jan. 2024)                                                                                                                                                                                                                                         |
| THYSSENKRUPP INDUSTRIAL SOLUTIONS (I)P. L. | IOCL Gujrat Refinery                                                                                                                                                                                                           | <ul style="list-style-type: none"> <li>➤ Inspection of pressure safety valves for set pressure as per API RP 527, performance test, Seat leakage test &amp; documentation review at M/s. Fainger Lesser Valves (I) Pvt. Ltd., Paithan, Aurangabad.</li> </ul> (Period: Jan. 2024)                                                                                                                                                                                                                                                                                      |
| M/s. TECNIMONT PRIVATE LIMITED             | Acrylic/OXO Alcohol Project, IOCL Dumad, Gujrat Refinery                                                                                                                                                                       | <ul style="list-style-type: none"> <li>➤ Joint Inspection with Client for HP Dosing system as per approved Procedure &amp; QAP for Pump performance, Water fill test, Final Dimension inspection, P&amp;ID check, Agitator run Trial, Suction &amp; Discharge piping Hydro test, PMI test &amp; Documentation review of Bought out items like level transmitter, Level gauge, Motor, Strainer, Calibration pot, Dampener &amp; Valves as per client specification &amp; datasheet at M/s. V.K. PUMP INDUSTRIES PVT. LTD, Ambad, Nashik.</li> </ul> (Period: Jan. 2024) |
| PRODAIR AIR PRODUCTS INDIA PVT LTD         | Edmonton Net Zero Hydrogen Energy Complex (EN-21-2639 HPU)                                                                                                                                                                     | <ul style="list-style-type: none"> <li>➤ Joint Inspection of CO2-Absorber (Chimney Collector) for witness of PMI inspection, Final Visual &amp; dimensional &amp; documentation reviewed like Fit up report, MTC, etc. as per ITP &amp; project specification at M/s. TEKNOFLOW GREEN EQUIPMENT'S PVT. LTD., Ambehahula.</li> </ul> (Period: Jan. 2024)                                                                                                                                                                                                                |
| SATYASAI PRESSURE VESSELS PRIVATE LIMITED  | NEWGAS CYLINDER BOTTLING LTD., Quantum Group Ghana.                                                                                                                                                                            | <ul style="list-style-type: none"> <li>➤ Inspection of Empty LPG cylinders (capacity 6 Kg) as per ISO 22991 for witness of Final inspection &amp; stages witnessed like acceptance test, Burst test, Visual Inspection, Torque test, Pneumatic test, Painting Inspection etc. at M/s. SATYASAI PRESSURE VESSELS PRIVATE LIMITED, Musalgaon, Sinnar.</li> </ul> (Period: Jan to Feb. 2024)                                                                                                                                                                              |
| QATAR ENERGY LNG.                          | EPCIC FOR QG1 WASTEWATER RECYCLE AND REUSE PROJECT (QGWP) LTC/C/EPM/5487/21 - PROJECT REFERENCE NO. P974.                                                                                                                      | <ul style="list-style-type: none"> <li>➤ Joint Inspection with MEDGULF &amp; ASCO Filtri, ITALY of TSS REMOVAL CA-PRS: CARTRIDGE FILTER for witness of Dished end Inspection, Shell Inspection, Final Weld PT, Final Visual &amp; dimensional, Pickling &amp; Passivation, PMI test &amp; documentation reviewed like Fit up report, RT film interpretation, MTC, etc. as per ITP &amp; project specification at M/s. TEKNOFLOW GREEN EQUIPMENT'S PVT. LTD., Ambehahula.</li> </ul> (Period: Feb. 2024)                                                                |
| Eni S.p.A. QUCEX                           | Congo LNG S&B-SC5                                                                                                                                                                                                              | <ul style="list-style-type: none"> <li>➤ Joint Inspection with BLUTEK of Oil Filter assembly &amp; Dryer filter housing for witness Material Identification, Final Visual &amp; dimensional, documentation reviewed like Fit up report &amp; RT film interpretation, MTC, etc. as per ITP &amp; project specification at M/s. TEKNOFLOW GREEN EQUIPMENT'S PVT. LTD., Ambehahula.</li> </ul> (Period: Feb. 2024)                                                                                                                                                        |
| KALPATARU PROJECTS INTERNATIONAL LIMITED   | Hardware Fittings & Conductor Accessories for Equipment & construction of overhead lines high voltage for the connection of photovoltaic powerplant under concession regime & Sfax Seawater desalination station, STEG Tunisia | <ul style="list-style-type: none"> <li>➤ Inspection of Single suspension, Double suspension string, Pilot String Mid span joint, repair sleeve, vibration damper for witness of Final Visual &amp; dimensional, Galvanizing, Electrical resistance test, clamp bolt tightening torque test, Slip strength test, Mechanical &amp; chemical test &amp; documentation reviewed like Raw material test certificate, Factory acceptance test report etc. as per ITP at M/s. Mosdorfer India Pvt Ltd., Gonde with Customer from TUNISIA</li> </ul> (Period: Mar. 2024)       |

|                                                                      |                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|----------------------------------------------------------------------|------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| THYSSENKRUPP INDUSTRIAL SOLUTIONS (I)P. L.                           | NRL Expansion Project                                                        | <p>➤ Inspection of Prefractionator Column for witness of Internals, water level, Alignment, PMI, SS cladding Chips removal, PMI, Hardness on weld &amp; HAZ after PWHT, Final Visual &amp; dimensional &amp; documentation reviewed like Fit up report, MTC, PWHT chart, RT summary, RT film &amp; report, Material Heat chart etc. as per ITP &amp; project specification at M/s. RD Engineers India Pvt. Ltd., Sinnar.</p> <p>(Period: Mar. 2024)</p>                                                                                                |
| KUTCH COPPER LIMITED                                                 | CON 362                                                                      | <p>➤ Inspection of Gate Valve for Raw Material Test Certificate Review, Visual &amp; Dimensional inspection, Body Hydro test &amp; Seat Test Verification, Functional test of valve actuator &amp; serial numbers and Documentation review at M/s Cesare Bonetti International Pvt Ltd, Nashik.</p> <p>(Period: Mar. 2024)</p>                                                                                                                                                                                                                         |
| Kwality Tubes                                                        | Tubes India                                                                  | <p>➤ Inspection of CS Seamless pipe as per ASTM A 106 Gr. B, NACE, IBR &amp; H2 Service for witness of Chemical &amp; Mechanical test, Hydro test, Visual &amp; dimensional at M/s Jindal Saw Limited, Sinnar.</p> <p>(Period: Mar. 2024)</p>                                                                                                                                                                                                                                                                                                          |
| Petrofac INT'L Ltd. (Groupement Petrofac, GCB, Tinrhert)             | DEVELOPMENT OF TINRHERT GAS FIELDS TOWARDS ALRAR FULL DEVELOPMENT            | <p>➤ Joint Inspection with SONATRACH &amp; ACIL of Floating Pipe, Pressure Vessels &amp; 1 STAGE SUCTION &amp; DISCHARGE BOTTLE, 2 STAGE SUCTION &amp; DISCHARGE BOTTLE (The Nitrogen Compression Package) for witness of Internals, Final Visual &amp; dimensional &amp; documentation reviewed like Fit up report, MTC, RT summary, RT film &amp; report, Material Heat chart etc. as per ARH preliminary dossier, ITP &amp; project specification at M/s. TEKNOFLOW GREEN EQUIPMENT'S PVT. LTD., Ambehahula.</p> <p>(Period: Mar. to Apr. 2024)</p> |
| LINDE INDIA LIMITED                                                  | LINDE CILEGON INDONESIA (LCI)                                                | <p>➤ Inspection of After cooler for witness of Shell side &amp; Tube side Hydro test, Final Visual &amp; dimensional &amp; documentation reviewed like Fit up report, MTC, etc. as per ITP at M/s. United Heat Transfer Pvt. Ltd, Dindori.</p> <p>(Period: Mar. to Apr. 2024)</p>                                                                                                                                                                                                                                                                      |
| Aarti Industries Ltd                                                 | 4-MPP, PIN-072 Zone, Project, UMPP Plant, Jhagadia                           | <p>➤ Inspection of ATFE, Preheater &amp; Shell &amp; tube Heat Exchanger for witness of Shell side &amp; Tube side Hydro test, Tube to tube sheet Expansion, Ferrite Check, Final Visual &amp; dimensional, PMI Inspection, &amp; documentation reviewed like Fit up report, Material Heat Chart, MTC, etc. as per ITP at Fabex Engineering Private Ltd., Vilholi, Nashik</p> <p>(Period: Apr. 2024)</p>                                                                                                                                               |
| LTEH Contractor M/s. Larsen & Toubro Limited, L&T Energy-Hydrocarbon | Residue Hydrocracker Unit of Panipat Refinery Expansion Project (P25) (RHCU) | <p>➤ Joint Inspection with KOERTING &amp; GARDNER DENVER of Seal Liquid cooler &amp; Vent Gas Cooler for witness of Shell side &amp; Tube side Hydro test, Tube to tube sheet Expansion, Ferrite Check, Final Visual &amp; dimensional, PMI Inspection &amp; documentation reviewed like Fit up report, MTC, etc. as per ITP at M/s. United Heat Transfer Pvt. Ltd, Dindori.</p> <p>(Period: May 2024)</p>                                                                                                                                             |

#### ROLE & RESPONSIBILITY IN R & D THERM (I) PVT. LTD., NASHIK.

- R & D Therm is sister concern of Techno Force India Pvt. Ltd. Nashik.
- Project base working for Techno force India Pvt. Ltd., Hindustan Unilever Ltd, Wipro Ltd., NOCIL Ltd., Indian Oil Corporation Ltd., UPL Ltd., Asian Paints Ltd, Graphite India Ltd. and many more.
- Third party inspection under Lloyd's Register Industrial Services (I) Pvt. Ltd., Bureau Veritas, ThyssenKrupp Industrial solutions India (formerly known as UDHE), TUV India Pvt. Ltd., Jacobs H & G Pvt. Ltd. etc.
- Manufacturer of Heat Exchangers, Columns, Reactors, Pressure Vessel, Air Receivers, Tanks, Pressure Piping.

## **ROLE & RESPONSIBILITIES**

- Documentation as per QAP of entire work process/ project.
- QAP/QCP Preparation.
- Stage wise & final inspection on the shop floor.
- Handling of third-party inspector & client.
- Preparation of RT, UT, LPT, PWHT Reports & Procedure.
- New procedure & welder qualification making like plate-to-plate welding, Tube to tube sheet mock-up, weld overlay under various third parties like tKIS, BVQI, TUV, Lloyd's etc.
- Responsible for executing all quality related activities for given project.
- Monitoring welding quality.
- RT, LPT, UT, MPT Interpretation.
- Weld Map, RT Sketch & RT offer making.
- Internal inspection & quality control.
- Incoming RM inspection.
- RM inspection at supplier places.
- Sub-vendor Job Inspection.
- MR (Management representative) of ISO team.

## **ROLE & RESPONSIBILITY IN SHRI DATTA INDUSTRIES, NASHIK.**

- Shri Datta Industries is working for Atlas Copco India Pvt. Ltd., Graphite India Ltd., KSB Pumps, Jindal Saw Ltd., etc.
- Mfg. of Heat Exchanger, Pressure vessels, Dust collector, Blower, S.S. & M.S. Fabrication, Heavy Machining Jobs.

## **ROLE & RESPONSIBILITIES**

- Preparation of plate cutting layout in Auto-CAD.
- Stage Wise Inspection on shop floor of Tanks & Heat Exchangers.
- Planning of machining & Welding Process Sequence
- Preparation of Quality documents as per Client requirements.
- Representative of TQMI Team.
- Implementation of 3S in Company.
- Final Inspection of the product.
- Preparation of Inspection Report.
- To handle customer complaints.

## **PERSONAL DETAILS**

Current Living Address : - Nashik, Maharashtra.  
Nationality : - Indian.  
Gender : - Male.  
Language known : - English, Marathi & Hindi.  
Passport No. : - N6341159

## **DECLARATION**

I hereby declare that all the information furnished above is true and accurate to the best of my knowledge. I do hope that you will give me a chance to prove myself. I shall give my best to ensure the progress of the organization.

Thank you.

Place: Nashik.  
Date: May 2024



**Pavan J. AHER.**