Qualys. SSL Labs

Home Projects Qualys Free Trial Contact

You are here: Home > Projects > SSL Server Test > demo.openmrs.org

SSL Report: demo.openmrs.org (149.165.155.6)

Assessed on: Sun, 29 Mar 2026 15:07:09 UTC | Clear cache

Scan Another »

Summary

Overall Rating

A-

Certificate

Protocol Support

Key Exchange

Cipher Strength

0 20 40 60 80 100

Visit our documentation page for more information, configuration guides, and books. Known issues are documented here.

This server does not support TLS 1.3. MORE INFO »

HTTP Strict Transport Security (HSTS) with long duration deployed on this server. MORE INFO »

Certificate #1: RSA 2048 bits (SHA256withRSA)

Server Key and Certificate #1

Subject	bele.openmrs.org Fingerprint SHA256: c11776033b76cb64c18c9b7b8a6a4c8cc408896a789c7af248a68a6f1012bf63 Pin SHA256: tz9gh0xxO8yg75IZVTW3g0+3v7ve9t8q/86FXMEmiTk=
Common names	bele.openmrs.org
Alternative names	bele.openmrs.org cieladmin.openmrs.org demo.openmrs.org formbuilder.o3.openmrs.org mdsbuilder.openmrs.org o2.openmrs.org o3.openmrs.org
Serial Number	060e18d09787a46ef7269258589b3c7ae6b1
Valid from	Fri, 30 Jan 2026 23:06:32 UTC
Valid until	Thu, 30 Apr 2026 23:06:31 UTC (expires in 1 month and 1 day)
Key	RSA 2048 bits (e 65537)
Weak key (Debian)	No
Issuer	R13 AIA: http://r13.i.lencr.org/
Signature algorithm	SHA256withRSA
Extended Validation	No
Certificate Transparency	Yes (certificate)
OCSP Must Staple	No
Revocation information	CRL CRL: http://r13.c.lencr.org/50.crl
Revocation status	Good (not revoked)
DNS CAA	No (more info)
Trusted	Yes Mozilla Apple Android Java Windows

Additional Certificates (if supplied)

Certificates provided	2 (2705 bytes)
Chain issues	None

#2

Subject	R13 Fingerprint SHA256: d3b128216a843f8ef1321501f5df52a5df52939ee2c19297712cd3de4d419354 Pin SHA256: AlSQhgtJirc8ahLyekmtX+Iw+v46yPYRLJt9Cq1GIB0=
Valid until	Fri, 12 Mar 2027 23:59:59 UTC (expires in 11 months and 12 days)
Key	RSA 2048 bits (e 65537)
Issuer	ISRG Root X1
Signature algorithm	SHA256withRSA

Certification Paths

Click here to expand

Configuration

Protocols

TLS 1.3	No
TLS 1.2	Yes
TLS 1.1	No
TLS 1.0	No
SSL 3	No
SSL 2	No

Cipher Suites

 # TLS 1.2 (suites in server-preferred order)

TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 (0xc030) ECDH x25519 (eq. 3072 bits RSA) FS	256
TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 (0xc02f) ECDH x25519 (eq. 3072 bits RSA) FS	128
TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 (0x9f) DH 2048 bits FS	256
TLS_DHE_RSA_WITH_AES_128_GCM_SHA256 (0x9e) DH 2048 bits FS	128
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 (0xc028) ECDH x25519 (eq. 3072 bits RSA) FS **WEAK**	256
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA (0xc014) ECDH x25519 (eq. 3072 bits RSA) FS **WEAK**	256
TLS_DHE_RSA_WITH_AES_256_CCM_8 (0xc0a3) DH 2048 bits FS	256
TLS_DHE_RSA_WITH_AES_256_CCM (0xc09f) DH 2048 bits FS	256
TLS_DHE_RSA_WITH_AES_256_CBC_SHA256 (0x6b) DH 2048 bits FS **WEAK**	256
TLS_DHE_RSA_WITH_AES_256_CBC_SHA (0x39) DH 2048 bits FS **WEAK**	256
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 (0xc027) ECDH x25519 (eq. 3072 bits RSA) FS **WEAK**	128
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA (0xc013) ECDH x25519 (eq. 3072 bits RSA) FS **WEAK**	128
TLS_DHE_RSA_WITH_AES_128_CBC_SHA256 (0x67) DH 2048 bits FS **WEAK**	128
TLS_DHE_RSA_WITH_AES_128_CBC_SHA (0x33) DH 2048 bits FS **WEAK**	128
TLS_RSA_WITH_AES_256_GCM_SHA384 (0x9d) **WEAK**	256
TLS_RSA_WITH_AES_128_GCM_SHA256 (0x9c) **WEAK**	128
TLS_RSA_WITH_AES_256_CBC_SHA256 (0x3d) **WEAK**	256
TLS_RSA_WITH_AES_128_CBC_SHA256 (0x3c) **WEAK**	128
TLS_RSA_WITH_AES_256_CBC_SHA (0x35) **WEAK**	256
TLS_RSA_WITH_AES_128_CBC_SHA (0x2f) **WEAK**	128
TLS_ECDHE_RSA_WITH_CHACHA20_POLY1305_SHA256 (0xcca8) ECDH x25519 (eq. 3072 bits RSA) FS	256

Cipher Suites

TLS_DHE_RSA_WITH_CHACHA20_POLY1305_SHA256 (0xccaa) DH 2048 bits FS		256
TLS_ECDHE_RSA_WITH_ARIA_256_GCM_SHA384 (0xc061) ECDH x25519 (eq. 3072 bits RSA) FS		256
TLS_DHE_RSA_WITH_ARIA_256_GCM_SHA384 (0xc053) DH 2048 bits FS		256
TLS_DHE_RSA_WITH_AES_128_CCM_8 (0xc0a2) DH 2048 bits FS		128
TLS_DHE_RSA_WITH_AES_128_CCM (0xc09e) DH 2048 bits FS		128
TLS_ECDHE_RSA_WITH_ARIA_128_GCM_SHA256 (0xc060) ECDH x25519 (eq. 3072 bits RSA) FS		128
TLS_DHE_RSA_WITH_ARIA_128_GCM_SHA256 (0xc052) DH 2048 bits FS		128
TLS_ECDHE_RSA_WITH_CAMELLIA_256_CBC_SHA384 (0xc077) ECDH x25519 (eq. 3072 bits RSA) FS	**WEAK**	256
TLS_DHE_RSA_WITH_CAMELLIA_256_CBC_SHA256 (0xc4) DH 2048 bits FS	**WEAK**	256
TLS_ECDHE_RSA_WITH_CAMELLIA_128_CBC_SHA256 (0xc076) ECDH x25519 (eq. 3072 bits RSA) FS	**WEAK**	128
TLS_DHE_RSA_WITH_CAMELLIA_128_CBC_SHA256 (0xbe) DH 2048 bits FS	**WEAK**	128
TLS_DHE_RSA_WITH_CAMELLIA_256_CBC_SHA (0x88) DH 2048 bits FS	**WEAK**	256
TLS_DHE_RSA_WITH_CAMELLIA_128_CBC_SHA (0x45) DH 2048 bits FS	**WEAK**	128
TLS_RSA_WITH_AES_256_CCM_8 (0xc0a1)	**WEAK**	256
TLS_RSA_WITH_AES_256_CCM (0xc09d)	**WEAK**	256
TLS_RSA_WITH_ARIA_256_GCM_SHA384 (0xc051)	**WEAK**	256
TLS_RSA_WITH_AES_128_CCM_8 (0xc0a0)	**WEAK**	128
TLS_RSA_WITH_AES_128_CCM (0xc09c)	**WEAK**	128
TLS_RSA_WITH_ARIA_128_GCM_SHA256 (0xc050)	**WEAK**	128
TLS_RSA_WITH_CAMELLIA_256_CBC_SHA256 (0xc0)	**WEAK**	256
TLS_RSA_WITH_CAMELLIA_128_CBC_SHA256 (0xba)	**WEAK**	128
TLS_RSA_WITH_CAMELLIA_256_CBC_SHA (0x84)	**WEAK**	256
TLS_RSA_WITH_CAMELLIA_128_CBC_SHA (0x41)	**WEAK**	128

Handshake Simulation

Android 4.4.2	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1 FS
Android 5.0.0	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1 FS
Android 6.0	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1 FS
Android 7.0	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH x25519 FS
Android 8.0	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH x25519 FS
Android 8.1	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH x25519 FS
Android 9.0	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH x25519 FS
BingPreview Jan 2015	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1 FS
Chrome 49 / XP SP3	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1 FS
Chrome 69 / Win 7 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH x25519 FS
Chrome 70 / Win 10	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH x25519 FS
Chrome 80 / Win 10 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH x25519 FS
Firefox 31.3.0 ESR / Win 7	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1 FS
Firefox 47 / Win 7 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1 FS
Firefox 49 / XP SP3	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1 FS
Firefox 62 / Win 7 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH x25519 FS
Firefox 73 / Win 10 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH x25519 FS
Googlebot Feb 2018	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH x25519 FS
IE 11 / Win 7 R	RSA 2048 (SHA256)	TLS 1.2	TLS_DHE_RSA_WITH_AES_256_GCM_SHA384	DH 2048 FS
IE 11 / Win 8.1 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_DHE_RSA_WITH_AES_256_GCM_SHA384	DH 2048 FS
IE 11 / Win Phone 8.1 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA	ECDH secp256r1 FS
IE 11 / Win Phone 8.1 Update R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_DHE_RSA_WITH_AES_256_GCM_SHA384	DH 2048 FS
IE 11 / Win 10 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1 FS
Edge 15 / Win 10 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH x25519 FS
Edge 16 / Win 10 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH x25519 FS
Edge 18 / Win 10 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH x25519 FS

Handshake Simulation

Edge 13 / Win Phone 10 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1 FS
Java 8u161	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1 FS
Java 11.0.3	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1 FS
Java 12.0.1	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1 FS
OpenSSL 1.0.1l R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1 FS
OpenSSL 1.0.2s R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1 FS
OpenSSL 1.1.0k R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH x25519 FS
OpenSSL 1.1.1c R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH x25519 FS
Safari 6 / iOS 6.0.1	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384	ECDH secp256r1 FS
Safari 7 / iOS 7.1 R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384	ECDH secp256r1 FS
Safari 7 / OS X 10.9 R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384	ECDH secp256r1 FS
Safari 8 / iOS 8.4 R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384	ECDH secp256r1 FS
Safari 8 / OS X 10.10 R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384	ECDH secp256r1 FS
Safari 9 / iOS 9 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1 FS
Safari 9 / OS X 10.11 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1 FS
Safari 10 / iOS 10 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1 FS
Safari 10 / OS X 10.12 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1 FS
Safari 12.1.2 / MacOS 10.14.6 Beta R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH x25519 FS
Safari 12.1.1 / iOS 12.3.1 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH x25519 FS
Apple ATS 9 / iOS 9 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1 FS
Yahoo Slurp Jan 2015	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1 FS
YandexBot Jan 2015	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1 FS

 # Not simulated clients (Protocol mismatch)

Click here to expand

(1) Clients that do not support Forward Secrecy (FS) are excluded when determining support for it.
(2) No support for virtual SSL hosting (SNI). Connects to the default site if the server uses SNI.
(3) Only first connection attempt simulated. Browsers sometimes retry with a lower protocol version.
(R) Denotes a reference browser or client, with which we expect better effective security.
(All) We use defaults, but some platforms do not use their best protocols and features (e.g., Java 6 & 7, older IE).
(All) Certificate trust is not checked in handshake simulation, we only perform TLS handshake.

Protocol Details

Secure Renegotiation	Supported
Secure Client-Initiated Renegotiation	No
Insecure Client-Initiated Renegotiation	No
BEAST attack	Mitigated server-side (more info)
POODLE (SSLv3)	No, SSL 3 not supported (more info)
POODLE (TLS)	No (more info)
Zombie POODLE	No (more info) TLS 1.2 : 0xc014
GOLDENDOODLE	No (more info) TLS 1.2 : 0xc014
OpenSSL 0-Length	No (more info) TLS 1.2 : 0xc014
Sleeping POODLE	No (more info) TLS 1.2 : 0xc014
Downgrade attack prevention	Unknown (requires support for at least two protocols, excl. SSL2)
SSL/TLS compression	No
RC4	No
Heartbeat (extension)	No
Heartbleed (vulnerability)	No (more info)
Ticketbleed (vulnerability)	No (more info)
OpenSSL CCS vuln. (CVE-2014-0224)	No (more info)
OpenSSL Padding Oracle vuln. (CVE-2016-2107)	No (more info)

Protocol Details

ROBOT (vulnerability)	No (more info)
Forward Secrecy	Yes (with most browsers) ROBUST (more info)
ALPN	Yes http/1.1
NPN	Yes http/1.1
Session resumption (caching)	Yes
Session resumption (tickets)	Yes
OCSP stapling	No
Strict Transport Security (HSTS)	Yes max-age=15768000
HSTS Preloading	Not in: Chrome Edge Firefox IE
Public Key Pinning (HPKP)	No (more info)
Public Key Pinning Report-Only	No
Public Key Pinning (Static)	No (more info)
Long handshake intolerance	No
TLS extension intolerance	No
TLS version intolerance	No
Incorrect SNI alerts	No
Uses common DH primes	No
DH public server param (Ys) reuse	No
ECDH public server param reuse	No
Supported Named Groups	x25519, secp256r1, x448, secp521r1, secp384r1 (server preferred order)
SSL 2 handshake compatibility	No

HTTP Requests

1 https://demo.openmrs.org/ (HTTP/1.1 302 Moved Temporarily)

Miscellaneous

Test date	Sun, 29 Mar 2026 15:05:27 UTC
Test duration	102.358 seconds
HTTP status code	302
HTTP forwarding	https://o3.openmrs.org
HTTP server signature	nginx/1.18.0 (Ubuntu)
Server hostname	tg-asc170002-bele.asc170002.projects.jetstream-cloud.org

SSL Report v2.4.1

Copyright © 2009-2026 Qualys, Inc. All Rights Reserved. Privacy Policy. Terms and Conditions

Try Qualys for free! Experience the award-winning Qualys Cloud Platform and the entire collection of Qualys Cloud Apps, including certificate security solutions.