№4

:

2026-03-19

|

1

1.

1.1

- HTTP- Apache

2

2.

2.0.1 HTTP-

- `yum grouplist`



2.0.1 HTTP-

- yum grouplist
- Basic Web Server



2.0.1 HTTP-

- yum grouplist
- Basic Web Server
- Server with GUI



Basic Web Server

```
[root@server.user.net ~]# firewall-cmd --list-services
cockpit dhcp dhcpv6-client dns http https imap imaps ntp pop3 pop3s samba smtp ssh ssh-custom
[root@server.user.net ~]# firewall-cmd --get-services
RH-Satellite-6 RH-Satellite-6-capsule afp amanda-client amanda-k5-client amqp amqps apcupsd audit ausweisapp2 bacula
 bacula-client bareos-director bareos-filedaemon bareos-storage bb bgp bitcoin bitcoin-rpc bitcoin-testnet bitcoin-t
estnet-rpc bittorrent-lsd ceph ceph-exporter ceph-mon cfengine checkmk-agent cockpit collectd condor-collector crate
db ctdb dds dds-multicast dds-unicast dhcp dhcpv6 dhcpv6-client distcc dns dns-over-tls docker-registry docker-swarm
 dropbox-lansync elasticsearch etcd-client etcd-server finger foreman foreman-proxy freeipa-4 freeipa-ldap freeipa-l
daps freeipa-replication freeipa-trust ftp galera ganglia-client ganglia-master git gpsd grafana gre high-availabili
ty http http3 https ident imap imaps ipfs ipp ipp-client ipsec irc ircs iscsi-target isns jenkins kadmin kdeconnect
xerberos kibana klogin kpasswd kprop kshell kube-api kube-apiserver kube-control-plane kube-control-plane-secure kub
e-controller-manager kube-controller-manager-secure kube-nodeport-services kube-scheduler kube-scheduler-secure kube
-worker kubelet kubelet-readonly kubelet-worker ldap ldaps libvirt libvirt-tls lightning-network llmnr llmnr-client
llmnr-tcp llmnr-udp managesieve matrix mdns memcache minidlna mongodb mosh mountd mqtt mqtt-tls ms-wbt mssql murmur
mysql nbd nebula netbios-ns netdata-dashboard nfs nfs3 nmea-0183 nrpe ntp nut openvpn ovirt-imageio ovirt-storagecon
sole ovirt-vmconsole plex pmcd pmproxy pmwebapi pmwebapis pop3 pop3s postgresql privoxy prometheus prometheus-node-e
xporter proxy-dhcp ps2link ps3netsrv ptp pulseaudio puppetmaster quassel radius rdp redis redis-sentinel rpc-bind rq
uotad rsh rsyncd rtsp salt-master samba samba-client samba-dc sane sip sips slp smtp smtp-submission smtps snmp snmp
tls snmptls-trap snmptrap spideroak-lansync spotify-sync squid ssdp ssh ssh-custom steam-streaming svdrp svn syncthi
ng syncthing-gui syncthing-relay synergy syslog syslog-tls telnet tentacle tftp tile38 tinc tor-socks transmission-c
lient upnp-client vdsm vnc-server warpinator wbem-http wbem-https wireguard ws-discovery ws-discovery-client ws-disc
overy-tcp ws-discovery-udp wsman wsmans xdmcp xmpp-bosh xmpp-client xmpp-local xmpp-server zabbix-agent zabbix-serve
r zerotier
[root@server.user.net ~]# firewall-cmd --add-service=http
Warning: ALREADY_ENABLED: 'http' already in 'public'
success
[root@server.user.net ~]# firewall-cmd --add-service=http --permanent
Warning: ALREADY_ENABLED: http
success
[root@server.user.net ~]#
```

2: Basic Web Server dnf

- Basic Web Server
- httpd, mod_ssl, mod_fcgid

```
[root@server.user.net ~]# firewall-cmd --list-services
cockpit dhcp dhcpv6-client dns http https imap imaps ntp pop3 pop3s samba smtp ssh ssh-custom
[root@server.user.net ~]# firewall-cmd --get-services
RH-Satellite-6 RH-Satellite-6-capsule afp amanda-client amanda-k5-client amqp amqps apcupsd audit ausweisapp2 bacula
 bacula-client bareos-director bareos-filedaemon bareos-storage bb bgp bitcoin bitcoin-rpc bitcoin-testnet bitcoin-t
estnet-rpc bittorrent-lsd ceph ceph-exporter ceph-mon cfengine checkmk-agent cockpit collectd condor-collector crate
db ctdb dds dds-multicast dds-unicast dhcp dhcpv6 dhcpv6-client distcc dns dns-over-tls docker-registry docker-swarm
 dropbox-lansync elasticsearch etcd-client etcd-server finger foreman foreman-proxy freeipa-4 freeipa-ldap freeipa-l
daps freeipa-replication freeipa-trust ftp galera ganglia-client ganglia-master git gpsd grafana gre high-availabili
ty http http3 https ident imap imaps ipfs ipp ipp-client ipsec irc ircs iscsi-target isns jenkins kadmin kdeconnect
xerberos kibana klogin kpasswd kprop kshell kube-api kube-apiserver kube-control-plane kube-control-plane-secure kub
e-controller-manager kube-controller-manager-secure kube-nodeport-services kube-scheduler kube-scheduler-secure kube
-worker kubelet kubelet-readonly kubelet-worker ldap ldaps libvirt libvirt-tls lightning-network llmnr llmnr-client
llmnr-tcp llmnr-udp managesieve matrix mdns memcache minidlna mongodb mosh mountd mqtt mqtt-tls ms-wbt mssql murmur
mysql nbd nebula netbios-ns netdata-dashboard nfs nfs3 nmea-0183 nrpe ntp nut openvpn ovirt-imageio ovirt-storagecon
sole ovirt-vmconsole plex pmcd pmproxy pmwebapi pmwebapis pop3 pop3s postgresql privoxy prometheus prometheus-node-e
xporter proxy-dhcp ps2link ps3netsrv ptp pulseaudio puppetmaster quassel radius rdp redis redis-sentinel rpc-bind rq
uotad rsh rsyncd rtsp salt-master samba samba-client samba-dc sane sip sips slp smtp smtp-submission smtps snmp snmp
tls snmptls-trap snmptrap spideroak-lansync spotify-sync squid ssdp ssh ssh-custom steam-streaming svdrp svn syncthi
ng syncthing-gui syncthing-relay synergy syslog syslog-tls telnet tentacle tftp tile38 tinc tor-socks transmission-c
lient upnp-client vdsm vnc-server warpinator wbem-http wbem-https wireguard ws-discovery ws-discovery-client ws-disc
overy-tcp ws-discovery-udp wsman wsmans xdmcp xmpp-bosh xmpp-client xmpp-local xmpp-server zabbix-agent zabbix-serve
r zerotier
[root@server.user.net ~]# firewall-cmd --add-service=http
Warning: ALREADY_ENABLED: 'http' already in 'public'
success
[root@server.user.net ~]# firewall-cmd --add-service=http --permanent
Warning: ALREADY_ENABLED: http
success
[root@server.user.net ~]#
```

2: Basic Web Server dnf

- Basic Web Server
- httpd, mod_ssl, mod_fcgid
- apr, apr-util

```
[root@server.user.net ~]# firewall-cmd --list-services
cockpit dhcp dhcpv6-client dns http https imap imaps ntp pop3 pop3s samba smtp ssh ssh-custom
[root@server.user.net ~]# firewall-cmd --get-services
RH-Satellite-6 RH-Satellite-6-capsule afp amanda-client amanda-k5-client amqp amqps apcupsd audit ausweisapp2 bacula
 bacula-client bareos-director bareos-filedaemon bareos-storage bb bgp bitcoin bitcoin-rpc bitcoin-testnet bitcoin-t
estnet-rpc bittorrent-lsd ceph ceph-exporter ceph-mon cfengine checkmk-agent cockpit collectd condor-collector crate
db ctdb dds dds-multicast dds-unicast dhcp dhcpv6 dhcpv6-client distcc dns dns-over-tls docker-registry docker-swarm
 dropbox-lansync elasticsearch etcd-client etcd-server finger foreman foreman-proxy freeipa-4 freeipa-ldap freeipa-l
daps freeipa-replication freeipa-trust ftp galera ganglia-client ganglia-master git gpsd grafana gre high-availabili
ty http http3 https ident imap imaps ipfs ipp ipp-client ipsec irc ircs iscsi-target isns jenkins kadmin kdeconnect
xerberos kibana klogin kpasswd kprop kshell kube-api kube-apiserver kube-control-plane kube-control-plane-secure kub
e-controller-manager kube-controller-manager-secure kube-nodeport-services kube-scheduler kube-scheduler-secure kube
-worker kubelet kubelet-readonly kubelet-worker ldap ldaps libvirt libvirt-tls lightning-network llmnr llmnr-client
llmnr-tcp llmnr-udp managesieve matrix mdns memcache minidlna mongodb mosh mountd mqtt mqtt-tls ms-wbt mssql murmur
mysql nbd nebula netbios-ns netdata-dashboard nfs nfs3 nmea-0183 nrpe ntp nut openvpn ovirt-imageio ovirt-storagecon
sole ovirt-vmconsole plex pmcd pmproxy pmwebapi pmwebapis pop3 pop3s postgresql privoxy prometheus prometheus-node-e
xporter proxy-dhcp ps2link ps3netsrv ptp pulseaudio puppetmaster quassel radius rdp redis redis-sentinel rpc-bind rq
uotad rsh rsyncd rtsp salt-master samba samba-client samba-dc sane sip sips slp smtp smtp-submission smtps snmp snmp
tls snmptls-trap snmptrap spideroak-lansync spotify-sync squid ssdp ssh ssh-custom steam-streaming svdrp svn syncthi
ng syncthing-gui syncthing-relay synergy syslog syslog-tls telnet tentacle tftp tile38 tinc tor-socks transmission-c
lient upnp-client vdsm vnc-server warpinator wbem-http wbem-https wireguard ws-discovery ws-discovery-client ws-disc
overy-tcp ws-discovery-udp wsman wsmans xdmcp xmpp-bosh xmpp-client xmpp-local xmpp-server zabbix-agent zabbix-serve
r zerotier
[root@server.user.net ~]# firewall-cmd --add-service=http
Warning: ALREADY_ENABLED: 'http' already in 'public'
success
[root@server.user.net ~]# firewall-cmd --add-service=http --permanent
Warning: ALREADY_ENABLED: http
success
[root@server.user.net ~]#
```

2: Basic Web Server dnf

- /etc/httpd/conf.d

```
[root@server.user.net ~]# journalctl -x -f
Feb 12 21:21:51 server.user.net gsd-color[2428]: unable to get EDID for xrandr-Virtual1: unable to get EDID for output
Feb 12 21:21:51 server.user.net gsd-color[2428]: unable to get EDID for xrandr-Virtual1: unable to get EDID for output
Feb 12 21:22:51 server.user.net firewalld[745]: WARNING: ALREADY_ENABLED: 'http' already in 'public'
Feb 12 21:22:51 server.user.net systemd[1]: Starting dnf makecache...
  Subject: A start job for unit dnf-makecache.service has begun execution
  Defined-By: systemd
  Support: https://wiki.rockylinux.org/rocky/support

  A start job for unit dnf-makecache.service has begun execution.

  The job identifier is 2667.
Feb 12 21:22:51 server.user.net dnf[3864]: Metadata timer caching disabled when running on a battery.
Feb 12 21:22:51 server.user.net systemd[1]: dnf-makecache.service: Deactivated successfully.
  Subject: Unit succeeded
  Defined-By: systemd
  Support: https://wiki.rockylinux.org/rocky/support
```

3: /etc/httpd/conf.d

- /etc/httpd/conf.d
- ssl.conf, welcome.conf, userdir.conf

```
[root@server.user.net ~]# journalctl -x -f
Feb 12 21:21:51 server.user.net gsd-color[2428]: unable to get EDID for xrandr-Virtual1: unable to get EDID for output
Feb 12 21:21:51 server.user.net gsd-color[2428]: unable to get EDID for xrandr-Virtual1: unable to get EDID for output
Feb 12 21:22:51 server.user.net firewalld[745]: WARNING: ALREADY_ENABLED: 'http' already in 'public'
Feb 12 21:22:51 server.user.net systemd[1]: Starting dnf makecache...
   Subject: A start job for unit dnf-makecache.service has begun execution
   Defined-By: systemd
   Support: https://wiki.rockylinux.org/rocky/support

   A start job for unit dnf-makecache.service has begun execution.

   The job identifier is 2667.
Feb 12 21:22:51 server.user.net dnf[3864]: Metadata timer caching disabled when running on a battery.
Feb 12 21:22:51 server.user.net systemd[1]: dnf-makecache.service: Deactivated successfully.
   Subject: Unit succeeded
   Defined-By: systemd
   Support: https://wiki.rockylinux.org/rocky/support
```

3: /etc/httpd/conf.d

- /etc/httpd/conf.d
- ssl.conf, welcome.conf, userdir.conf
- Apache

```
[root@server.user.net ~]# journalctl -x -f
Feb 12 21:21:51 server.user.net gsd-color[2428]: unable to get EDID for xrandr-Virtual1: unable to get EDID for output
Feb 12 21:21:51 server.user.net gsd-color[2428]: unable to get EDID for xrandr-Virtual1: unable to get EDID for output
Feb 12 21:22:51 server.user.net firewalld[745]: WARNING: ALREADY_ENABLED: 'http' already in 'public'
Feb 12 21:22:51 server.user.net systemd[1]: Starting dnf makecache...
   Subject: A start job for unit dnf-makecache.service has begun execution
   Defined-By: systemd
   Support: https://wiki.rockylinux.org/rocky/support

   A start job for unit dnf-makecache.service has begun execution.

   The job identifier is 2667.
Feb 12 21:22:51 server.user.net dnf[3864]: Metadata timer caching disabled when running on a battery.
Feb 12 21:22:51 server.user.net systemd[1]: dnf-makecache.service: Deactivated successfully.
   Subject: Unit succeeded
   Defined-By: systemd
   Support: https://wiki.rockylinux.org/rocky/support
```

3: /etc/httpd/conf.d