# №15

:

2026-03-19

# |

1. 1.
2. 2.
3. 3.

1

1.

# 1.1

2

## 2.

# 2.1

- /etc/rsyslog.d

root@server:/etc/rsyslog.d

```
[user@server.user.net ~]$ sudo -i
[sudo] password for user:
[root@server.user.net ~]# cd /etc/rsyslog.d
[root@server.user.net rsyslog.d]# touch netlog-server.conf
[root@server.user.net rsyslog.d]#
```

1: rsyslog netlog-server.conf

# 2.1

- /etc/rsyslog.d
- netlog-server.conf

root@server:/etc/rsyslog.d

```
[user@server.user.net ~]$ sudo -i
[sudo] password for user:
[root@server.user.net ~]# cd /etc/rsyslog.d
[root@server.user.net rsyslog.d]# touch netlog-server.conf
[root@server.user.net rsyslog.d]#
```

1: rsyslog netlog-server.conf

# 2.1

- /etc/rsyslog.d
- netlog-server.conf
-

root@server:/etc/rsyslog.d

```
[user@server.user.net ~]$ sudo -i
[sudo] password for user:
[root@server.user.net ~]# cd /etc/rsyslog.d
[root@server.user.net rsyslog.d]# touch netlog-server.conf
[root@server.user.net rsyslog.d]#
```

1: rsyslog netlog-server.conf

- TCP- 514




2: TCP 514 rsyslog

- TCP- 514
- imtcp




2: TCP 514 rsyslog

- TCP- 514
- imtcp
- $InputTCPServerRun 514




2: TCP 514 rsyslog

- rsyslog

```
[root@server.user.net rsyslog.d]# systemctl restart rsyslog
[root@server.user.net rsyslog.d]# lsof | grep TCP
lsof: WARNING: can't stat() fuse.gvfsd-fuse file system /run/user/1001/gvfs
      Output information may be incomplete.
lsof: WARNING: can't stat() fuse.portal file system /run/user/1001/doc
      Output information may be incomplete.
cupsd      986                         root    6u     IPv6              23702       0t0        TCP localhost:ipp (LIS
TEN)
cupsd      986                         root    7u     IPv4              23703       0t0        TCP localhost:ipp (LIS
TEN)
sshd       988                         root    3u     IPv4              23717       0t0        TCP *:ssh (LISTEN)
sshd       988                         root    4u     IPv6              23719       0t0        TCP *:ssh (LISTEN)
master    1293                         root   13u     IPv4              23894       0t0        TCP localhost:smtp (LI
STEN)
smbd      1321                         root   27u     IPv6              24053       0t0        TCP *:microsoft-ds (LI
STEN)
smbd      1321                         root   28u     IPv6              24054       0t0        TCP *:netbios-ssn (LIS
TEN)
smbd      1321                         root   29u     IPv4              24056       0t0        TCP *:microsoft-ds (LI
STEN)
smbd      1321                         root   30u     IPv4              24057       0t0        TCP *:netbios-ssn (LIS
TEN)
firefox   2665                         user  135u     IPv4              30969       0t0        TCP *:server.user.net:38
```

3: TCP- rsyslog

- rsyslog
- lsof | grep TCP

```
[root@server.user.net rsyslog.d]# systemctl restart rsyslog
[root@server.user.net rsyslog.d]# lsof | grep TCP
lsof: WARNING: can't stat() fuse.gvfsd-fuse file system /run/user/1001/gvfs
      Output information may be incomplete.
lsof: WARNING: can't stat() fuse.portal file system /run/user/1001/doc
      Output information may be incomplete.
cupsd      986                         root    6u     IPv6              23702       0t0        TCP localhost:ipp (LIS
TEN)
cupsd      986                         root    7u     IPv4              23703       0t0        TCP localhost:ipp (LIS
TEN)
sshd       988                         root    3u     IPv4              23717       0t0        TCP *:ssh (LISTEN)
sshd       988                         root    4u     IPv6              23719       0t0        TCP *:ssh (LISTEN)
master    1293                         root   13u     IPv4              23894       0t0        TCP localhost:smtp (LI
STEN)
smbd      1321                         root   27u     IPv6              24053       0t0        TCP *:microsoft-ds (LI
STEN)
smbd      1321                         root   28u     IPv6              24054       0t0        TCP *:netbios-ssn (LIS
TEN)
smbd      1321                         root   29u     IPv4              24056       0t0        TCP *:microsoft-ds (LI
STEN)
smbd      1321                         root   30u     IPv4              24057       0t0        TCP *:netbios-ssn (LIS
TEN)
firefox   2665                         user  135u     IPv4              30969       0t0        TCP server.user.net:38
```

3: TCP- rsyslog

- rsyslog
- lsof | grep TCP
- LISTEN rsyslog

```
[root@server.user.net rsyslog.d]# systemctl restart rsyslog
[root@server.user.net rsyslog.d]# lsof | grep TCP
lsof: WARNING: can't stat() fuse.gvfsd-fuse file system /run/user/1001/gvfs
      Output information may be incomplete.
lsof: WARNING: can't stat() fuse.portal file system /run/user/1001/doc
      Output information may be incomplete.
cupsd      986                         root    6u     IPv6              23702       0t0        TCP localhost:ipp (LIS
TEN)
cupsd      986                         root    7u     IPv4              23703       0t0        TCP localhost:ipp (LIS
TEN)
sshd       988                         root    3u     IPv4              23717       0t0        TCP *:ssh (LISTEN)
sshd       988                         root    4u     IPv6              23719       0t0        TCP *:ssh (LISTEN)
master    1293                         root   13u     IPv4              23894       0t0        TCP localhost:smtp (LI
STEN)
smbd      1321                         root   27u     IPv6              24053       0t0        TCP *:microsoft-ds (LI
STEN)
smbd      1321                         root   28u     IPv6              24054       0t0        TCP *:netbios-ssn (LIS
TEN)
smbd      1321                         root   29u     IPv4              24056       0t0        TCP *:microsoft-ds (LI
STEN)
smbd      1321                         root   30u     IPv4              24057       0t0        TCP *:netbios-ssn (LIS
TEN)
firefox   2665                         user  135u     IPv4              30969       0t0        TCP server.user.net:38
```

3: TCP- rsyslog

- TCP- 514 `firewalld`

```
root@server:/etc/rsyslog.d
[root@server.user.net rsyslog.d]# firewall-cmd --add-port=514/tcp
success
[root@server.user.net rsyslog.d]# firewall-cmd --add-port=514/tcp --permanent
success
[root@server.user.net rsyslog.d]#
```

4: firewalld TCP- 514

- TCP- 514 `firewalld`
-

```
root@server:/etc/rsyslog.d
[root@server.user.net rsyslog.d]# firewall-cmd --add-port=514/tcp
success
[root@server.user.net rsyslog.d]# firewall-cmd --add-port=514/tcp --permanent
success
[root@server.user.net rsyslog.d]#
```

4: firewalld TCP- 514

- TCP- 514 `firewalld`
- 
- 

```
root@server:/etc/rsyslog.d
[root@server.user.net rsyslog.d]# firewall-cmd --add-port=514/tcp
success
[root@server.user.net rsyslog.d]# firewall-cmd --add-port=514/tcp --permanent
success
[root@server.user.net rsyslog.d]#
```

4: firewalld TCP- 514

- /etc/rsyslog.d

```
root@server:~
[root@server.user.net rsyslog.d]# sudo -i
[root@server.user.net ~]# tail -f /var/log/messages
Dec 13 12:56:49 server systemd[1]: Stopping System Logging Service...
Dec 13 12:56:49 server rsyslogd[1319]: [origin software="rsyslogd" swVersion="8.2310.0-4.el9" x-pid="1319" x-info="htt
ps://www.rsyslog.com"] exiting on signal 15.
Dec 13 12:56:49 server systemd[1]: rsyslog.service: Deactivated successfully.
Dec 13 12:56:49 server systemd[1]: Stopped System Logging Service.
Dec 13 12:56:49 server systemd[1]: Starting System Logging Service...
Dec 13 12:56:49 server rsyslogd[3287]: [origin software="rsyslogd" swVersion="8.2310.0-4.el9" x-pid="3287" x-info="htt
ps://www.rsyslog.com"] start
Dec 13 12:56:49 server systemd[1]: Started System Logging Service.
Dec 13 12:56:49 server rsyslogd[3287]: imjournal: journal files changed, reloading...  [v8.2310.0-4.el9 try https://ww
w.rsyslog.com/e/0 ]
Dec 13 13:10:52 server systemd[1]: Starting Hostname Service...
Dec 13 13:10:52 server systemd[1]: Started Hostname Service.
```

5: netlog-client.conf

- /etc/rsyslog.d
- netlog-client.conf

```
root@server:~
[root@server.user.net rsyslog.d]# sudo -i
[root@server.user.net ~]# tail -f /var/log/messages
Dec 13 12:56:49 server systemd[1]: Stopping System Logging Service...
Dec 13 12:56:49 server rsyslogd[1319]: [origin software="rsyslogd" swVersion="8.2310.0-4.el9" x-pid="1319" x-info="htt
ps://www.rsyslog.com"] exiting on signal 15.
Dec 13 12:56:49 server systemd[1]: rsyslog.service: Deactivated successfully.
Dec 13 12:56:49 server systemd[1]: Stopped System Logging Service.
Dec 13 12:56:49 server systemd[1]: Starting System Logging Service...
Dec 13 12:56:49 server rsyslogd[3287]: [origin software="rsyslogd" swVersion="8.2310.0-4.el9" x-pid="3287" x-info="htt
ps://www.rsyslog.com"] start
Dec 13 12:56:49 server systemd[1]: Started System Logging Service.
Dec 13 12:56:49 server rsyslogd[3287]: imjournal: journal files changed, reloading...  [v8.2310.0-4.el9 try https://ww
w.rsyslog.com/e/0 ]
Dec 13 13:10:52 server systemd[1]: Starting Hostname Service...
Dec 13 13:10:52 server systemd[1]: Started Hostname Service.
```

5: netlog-client.conf

- /etc/rsyslog.d
- netlog-client.conf
-

```
root@server:~
[root@server.user.net rsyslog.d]# sudo -i
[root@server.user.net ~]# tail -f /var/log/messages
Dec 13 12:56:49 server systemd[1]: Stopping System Logging Service...
Dec 13 12:56:49 server rsyslogd[1319]: [origin software="rsyslogd" swVersion="8.2310.0-4.el9" x-pid="1319" x-info="htt
ps://www.rsyslog.com"] exiting on signal 15.
Dec 13 12:56:49 server systemd[1]: rsyslog.service: Deactivated successfully.
Dec 13 12:56:49 server systemd[1]: Stopped System Logging Service.
Dec 13 12:56:49 server systemd[1]: Starting System Logging Service...
Dec 13 12:56:49 server rsyslogd[3287]: [origin software="rsyslogd" swVersion="8.2310.0-4.el9" x-pid="3287" x-info="htt
ps://www.rsyslog.com"] start
Dec 13 12:56:49 server systemd[1]: Started System Logging Service.
Dec 13 12:56:49 server rsyslogd[3287]: imjournal: journal files changed, reloading...  [v8.2310.0-4.el9 try https://ww
w.rsyslog.com/e/0 ]
Dec 13 13:10:52 server systemd[1]: Starting Hostname Service...
Dec 13 13:10:52 server systemd[1]: Started Hostname Service.
```

5: netlog-client.conf

- `*.* @@server.bahis.net:514`



Processes | Resources | File Systems

| Process Name | User | % CPU | ID | Memory | Disk read tota | Disk writ |
|---|---|---|---|---|---|---|
| at-spi2-registryd | user | 0.00 | 2004 | 786.4 kB | *N/A* | |
| at-spi-bus-launcher | user | 0.00 | 1973 | 2.8 MB | 4.1 kB | |
| bash | user | 0.00 | 3189 | 1.8 MB | 315.4 kB | |
| bash | user | 0.00 | 3377 | 2.0 MB | *N/A* | |
| dbus-broker | user | 0.00 | 1906 | 1.7 MB | *N/A* | |
| dbus-broker | user | 0.00 | 1979 | 262.1 kB | *N/A* | |
| dbus-broker-launch | user | 0.00 | 1905 | 393.2 kB | *N/A* | |
| dbus-broker-launch | user | 0.00 | 1978 | 262.1 kB | *N/A* | |
| dconf-service | user | 0.00 | 2187 | 524.3 kB | 81.9 kB | 16. |
| evolution-addressbook-factory | user | 0.00 | 2195 | 7.8 MB | 2.6 MB | 36. |
| evolution-alarm-notify | user | 0.00 | 2284 | 13.4 MB | 405.5 kB | |
| evolution-calendar-factory | user | 0.00 | 2154 | 11.1 MB | 1.5 MB | |
| evolution-source-registry | user | 0.00 | 2113 | 8.5 MB | 2.2 MB | |

- `*.* @@server.bahis.net:514`
- TCP (@@)



Processes | Resources | File Systems

| Process Name | User | % CPU | ID | Memory | Disk read tota | Disk writ |
|---|---|---|---|---|---|---|
| at-spi2-registryd | user | 0.00 | 2004 | 786.4 kB | *N/A* | |
| at-spi-bus-launcher | user | 0.00 | 1973 | 2.8 MB | 4.1 kB | |
| bash | user | 0.00 | 3189 | 1.8 MB | 315.4 kB | |
| bash | user | 0.00 | 3377 | 2.0 MB | *N/A* | |
| dbus-broker | user | 0.00 | 1906 | 1.7 MB | *N/A* | |
| dbus-broker | user | 0.00 | 1979 | 262.1 kB | *N/A* | |
| dbus-broker-launch | user | 0.00 | 1905 | 393.2 kB | *N/A* | |
| dbus-broker-launch | user | 0.00 | 1978 | 262.1 kB | *N/A* | |
| dconf-service | user | 0.00 | 2187 | 524.3 kB | 81.9 kB | 16. |
| evolution-addressbook-factory | user | 0.00 | 2195 | 7.8 MB | 2.6 MB | 36. |
| evolution-alarm-notify | user | 0.00 | 2284 | 13.4 MB | 405.5 kB | |
| evolution-calendar-factory | user | 0.00 | 2154 | 11.1 MB | 1.5 MB | |
| evolution-source-registry | user | 0.00 | 2113 | 8.5 MB | 2.2 MB | |

- `*.* @@server.bahis.net:514`
- TCP (@@)
-



Processes | Resources | File Systems

| Process Name | User | % CPU | ID | Memory | Disk read tota | Disk writ |
|---|---|---|---|---|---|---|
| at-spi2-registryd | user | 0.00 | 2004 | 786.4 kB | *N/A* | |
| at-spi-bus-launcher | user | 0.00 | 1973 | 2.8 MB | 4.1 kB | |
| bash | user | 0.00 | 3189 | 1.8 MB | 315.4 kB | |
| bash | user | 0.00 | 3377 | 2.0 MB | *N/A* | |
| dbus-broker | user | 0.00 | 1906 | 1.7 MB | *N/A* | |
| dbus-broker | user | 0.00 | 1979 | 262.1 kB | *N/A* | |
| dbus-broker-launch | user | 0.00 | 1905 | 393.2 kB | *N/A* | |
| dbus-broker-launch | user | 0.00 | 1978 | 262.1 kB | *N/A* | |
| dconf-service | user | 0.00 | 2187 | 524.3 kB | 81.9 kB | 16. |
| evolution-addressbook-factory | user | 0.00 | 2195 | 7.8 MB | 2.6 MB | 36. |
| evolution-alarm-notify | user | 0.00 | 2284 | 13.4 MB | 405.5 kB | |
| evolution-calendar-factory | user | 0.00 | 2154 | 11.1 MB | 1.5 MB | |
| evolution-source-registry | user | 0.00 | 2113 | 8.5 MB | 2.2 MB | |

- `*.* @@server.bahis.net:514`
- TCP (@@)
- 
- rsyslog



Processes | Resources | File Systems

| Process Name | User | % CPU | ID | Memory | Disk read tota | Disk writ |
|---|---|---|---|---|---|---|
| at-spi2-registryd | user | 0.00 | 2004 | 786.4 kB | *N/A* | |
| at-spi-bus-launcher | user | 0.00 | 1973 | 2.8 MB | 4.1 kB | |
| bash | user | 0.00 | 3189 | 1.8 MB | 315.4 kB | |
| bash | user | 0.00 | 3377 | 2.0 MB | *N/A* | |
| dbus-broker | user | 0.00 | 1906 | 1.7 MB | *N/A* | |
| dbus-broker | user | 0.00 | 1979 | 262.1 kB | *N/A* | |
| dbus-broker-launch | user | 0.00 | 1905 | 393.2 kB | *N/A* | |
| dbus-broker-launch | user | 0.00 | 1978 | 262.1 kB | *N/A* | |
| dconf-service | user | 0.00 | 2187 | 524.3 kB | 81.9 kB | 16. |
| evolution-addressbook-factory | user | 0.00 | 2195 | 7.8 MB | 2.6 MB | 36. |
| evolution-alarm-notify | user | 0.00 | 2284 | 13.4 MB | 405.5 kB | |
| evolution-calendar-factory | user | 0.00 | 2154 | 11.1 MB | 1.5 MB | |
| evolution-source-registry | user | 0.00 | 2113 | 8.5 MB | 2.2 MB | |

- `*.* @@server.bahis.net:514`
- TCP (@@)
- 
- rsyslog
- 



Processes | Resources | File Systems

| Process Name | User | % CPU | ID | Memory | Disk read tota | Disk writ |
|---|---|---|---|---|---|---|
| at-spi2-registryd | user | 0.00 | 2004 | 786.4 kB | *N/A* | |
| at-spi-bus-launcher | user | 0.00 | 1973 | 2.8 MB | 4.1 kB | |
| bash | user | 0.00 | 3189 | 1.8 MB | 315.4 kB | |
| bash | user | 0.00 | 3377 | 2.0 MB | *N/A* | |
| dbus-broker | user | 0.00 | 1906 | 1.7 MB | *N/A* | |
| dbus-broker | user | 0.00 | 1979 | 262.1 kB | *N/A* | |
| dbus-broker-launch | user | 0.00 | 1905 | 393.2 kB | *N/A* | |
| dbus-broker-launch | user | 0.00 | 1978 | 262.1 kB | *N/A* | |
| dconf-service | user | 0.00 | 2187 | 524.3 kB | 81.9 kB | 16. |
| evolution-addressbook-factory | user | 0.00 | 2195 | 7.8 MB | 2.6 MB | 36. |
| evolution-alarm-notify | user | 0.00 | 2284 | 13.4 MB | 405.5 kB | |
| evolution-calendar-factory | user | 0.00 | 2154 | 11.1 MB | 1.5 MB | |
| evolution-source-registry | user | 0.00 | 2113 | 8.5 MB | 2.2 MB | |

# 2.3

- /var/log/messages tail -f

```
root@server:~
[user@server.user.net ~]$ gnome-system-monitor
[user@server.user.net ~]$ sudo -i
[sudo] password for user:
[root@server.user.net ~]# dnf -y install lnav
Extra Packages for Enterprise Linux 9 - x86_64                  39 kB/s |  28 kB     00:00
Extra Packages for Enterprise Linux 9 - x86_64                 1.0 MB/s |  20 MB     00:20
Rocky Linux 9 - BaseOS                                         9.2 kB/s | 4.3 kB     00:00
Rocky Linux 9 - BaseOS                                         2.2 MB/s | 5.1 MB     00:02
Rocky Linux 9 - AppStream                                       13 kB/s | 4.8 kB     00:00
Rocky Linux 9 - AppStream                                      2.2 MB/s |  10 MB     00:04
Rocky Linux 9 - Extras                                         8.5 kB/s | 3.1 kB     00:00
Rocky Linux 9 - Extras                                          35 kB/s |  16 kB     00:00
Dependencies resolved.
================================================================================================
 Package                 Architecture            Version                 Repository          Size
================================================================================================
Installing:
 lnav                    x86_64                  0.11.1-1.el9            epel                2.4 M

Transaction Summary
================================================================================================
Install  1 Package

Total download size: 2.4 M
Installed size: 6.1 M
Downloading Packages:
lnav-0.11.1-1.el9.x86_64.rpm                                   2.4 MB/s | 2.4 MB     00:00
------------------------------------------------------------------------------------------------
Total                                                          1.4 MB/s | 2.4 MB     00:01
Running transaction check
```

# 2.3

- /var/log/messages tail -f
- server client

root@server:~

```
[user@server.user.net ~]$ gnome-system-monitor
[user@server.user.net ~]$ sudo -i
[sudo] password for user:
[root@server.user.net ~]# dnf -y install lnav
Extra Packages for Enterprise Linux 9 - x86_64                  39 kB/s |  28 kB     00:00
Extra Packages for Enterprise Linux 9 - x86_64                 1.0 MB/s |  20 MB     00:20
Rocky Linux 9 - BaseOS                                         9.2 kB/s | 4.3 kB     00:00
Rocky Linux 9 - BaseOS                                         2.2 MB/s | 5.1 MB     00:02
Rocky Linux 9 - AppStream                                       13 kB/s | 4.8 kB     00:00
Rocky Linux 9 - AppStream                                      2.2 MB/s |  10 MB     00:04
Rocky Linux 9 - Extras                                         8.5 kB/s | 3.1 kB     00:00
Rocky Linux 9 - Extras                                          35 kB/s |  16 kB     00:00
Dependencies resolved.
================================================================================================
 Package                 Architecture            Version                 Repository          Size
================================================================================================
Installing:
 lnav                    x86_64                  0.11.1-1.el9            epel                2.4 M

Transaction Summary
================================================================================================
Install  1 Package

Total download size: 2.4 M
Installed size: 6.1 M
Downloading Packages:
lnav-0.11.1-1.el9.x86_64.rpm                                   2.4 MB/s | 2.4 MB     00:00
------------------------------------------------------------------------------------------------
Total                                                          1.4 MB/s | 2.4 MB     00:01
Running transaction check
```

# 2.3

- /var/log/messages tail -f
- server client
- 

root@server:~

```
[user@server.user.net ~]$ gnome-system-monitor
[user@server.user.net ~]$ sudo -i
[sudo] password for user:
[root@server.user.net ~]# dnf -y install lnav
Extra Packages for Enterprise Linux 9 - x86_64                   39 kB/s |  28 kB     00:00
Extra Packages for Enterprise Linux 9 - x86_64                  1.0 MB/s |  20 MB     00:20
Rocky Linux 9 - BaseOS                                          9.2 kB/s | 4.3 kB     00:00
Rocky Linux 9 - BaseOS                                          2.2 MB/s | 5.1 MB     00:02
Rocky Linux 9 - AppStream                                        13 kB/s | 4.8 kB     00:00
Rocky Linux 9 - AppStream                                       2.2 MB/s |  10 MB     00:04
Rocky Linux 9 - Extras                                          8.5 kB/s | 3.1 kB     00:00
Rocky Linux 9 - Extras                                           35 kB/s |  16 kB     00:00
Dependencies resolved.
================================================================================================
 Package                 Architecture            Version                 Repository          Size
================================================================================================
Installing:
 lnav                    x86_64                  0.11.1-1.el9            epel                2.4 M

Transaction Summary
================================================================================================
Install  1 Package

Total download size: 2.4 M
Installed size: 6.1 M
Downloading Packages:
lnav-0.11.1-1.el9.x86_64.rpm                                    2.4 MB/s | 2.4 MB     00:00
------------------------------------------------------------------------------------------------
Total                                                           1.4 MB/s | 2.4 MB     00:01
Running transaction check
```

- gnome-system-monitor



- gnome-system-monitor
- , PID, CPU



- lnav dnf

```
LOG                                                    user@server:/vagrant/provision/server
[user@server.user.net ~]$ cd /vagrant/provision/server
[user@server.user.net server]$ mkdir -p /vagrant/provision/server/netlog/etc/rsyslog.d
[user@server.user.net server]$ cp -R /etc/rsyslog.d/netlog-server.conf
cp: missing destination file operand after '/etc/rsyslog.d/netlog-server.conf'
Try 'cp --help' for more information.
[user@server.user.net server]$ cp -R /etc/rsyslog.d/netlog-server.conf / agrant/provision/server/netlog/etc/rsyslog.d
cp: target 'agrant/provision/server/netlog/etc/rsyslog.d' is not a directory
[user@server.user.net server]$ cp -R /etc/rsyslog.d/netlog-server.conf / vagrant/provision/server/netlog/etc/rsyslog.d
cp: target 'vagrant/provision/server/netlog/etc/rsyslog.d' is not a directory
[user@server.user.net server]$ cp -R /etc/rsyslog.d/netlog-server.conf
/vagrant/provision/server/netlog/etc/rsyslog.d
cp: missing destination file operand after '/etc/rsyslog.d/netlog-server.conf'
Try 'cp --help' for more information.
bash: /vagrant/provision/server/netlog/etc/rsyslog.d: Is a directory
[user@server.user.net server]$ cp -R /etc/rsyslog.d/netlog-server.conf /vagrant/provision/server/netlog/etc/rsyslog.d
[user@server.user.net server]$
```

9: lnav

- lnav dnf
- 0.11.1-1.el9




9: lnav

- lnav


user@server:/vagrant/provision/server
LOG
user@server:/vagrant/provision/server
[user@server.user.net server]$ cd /vagrant/provision/server
[user@server.user.net server]$ touch netlog.sh
[user@server.user.net server]$ chmod +x netlog.sh
[user@server.user.net server]$

10: lnav

- lnav
-


user@server:/vagrant/provision/server
LOG
user@server:/vagrant/provision/server
[user@server.user.net server]$ cd /vagrant/provision/server
[user@server.user.net server]$ touch netlog.sh
[user@server.user.net server]$ chmod +x netlog.sh
[user@server.user.net server]$

10: lnav

- lnav
- 
- systemd, rsyslog, cupsd




10: lnav

- lnav

root@client:/etc/rsyslog.d

```
[user@client.user.net ~]$ sudo -i
[sudo] password for user:
[root@client.user.net ~]# cd /etc/rsyslog.d
[root@client.user.net rsyslog.d]# touch netlog-client.conf
[root@client.user.net rsyslog.d]#
```

11: lnav

- lnav
- systemd, rsyslog, packagekit

root@client:/etc/rsyslog.d

```
[user@client.user.net ~]$ sudo -i
[sudo] password for user:
[root@client.user.net ~]# cd /etc/rsyslog.d
[root@client.user.net rsyslog.d]# touch netlog-client.conf
[root@client.user.net rsyslog.d]#
```

11: lnav

- lnav
- systemd, rsyslog, packagekit
-

root@client:/etc/rsyslog.d

```
[user@client.user.net ~]$ sudo -i
[sudo] password for user:
[root@client.user.net ~]# cd /etc/rsyslog.d
[root@client.user.net rsyslog.d]# touch netlog-client.conf
[root@client.user.net rsyslog.d]#
```

11: lnav

- /vagrant/provision/server




12: netlog rsyslog

- /vagrant/provision/server
- netlog/etc/rsyslog.d




12: netlog rsyslog

# 2.4

- /vagrant/provision/server
- netlog/etc/rsyslog.d
- netlog-server.conf




12: netlog rsyslog

# 2.4

- /vagrant/provision/server
- netlog/etc/rsyslog.d
- netlog-server.conf
- provisioning




12: netlog rsyslog

- netlog.sh

```
[root@client.user.net rsyslog.d]# systemctl restart rsyslog
[root@client.user.net rsyslog.d]#
```

13: netlog.sh

- netlog.sh
-

```
[root@client.user.net rsyslog.d]# systemctl restart rsyslog
[root@client.user.net rsyslog.d]#
```

13: netlog.sh

- netlog.sh
- 
- 

```
[root@client.user.net rsyslog.d]# systemctl restart rsyslog
[root@client.user.net rsyslog.d]#
```

13: netlog.sh

- netlog.sh
- 
- 
- /etc

```
[root@client.user.net rsyslog.d]# systemctl restart rsyslog
[root@client.user.net rsyslog.d]#
```

13: netlog.sh

- netlog.sh
- 
- 
- /etc
- SELinux

```
[root@client.user.net rsyslog.d]# systemctl restart rsyslog
[root@client.user.net rsyslog.d]#
```

13: netlog.sh

- netlog.sh
- 
- 
- /etc
- SELinux
- 514

```
[root@client.user.net rsyslog.d]# systemctl restart rsyslog
[root@client.user.net rsyslog.d]#
```

13: netlog.sh

- netlog.sh
- 
- 
- /etc
- SELinux
- 514
- rsyslog

```
[root@client.user.net rsyslog.d]# systemctl restart rsyslog
[root@client.user.net rsyslog.d]#
```

13: netlog.sh

- /vagrant/provision/client




14: netlog

- /vagrant/provision/client
- netlog/etc/rsyslog.d




14: netlog

- /vagrant/provision/client
- netlog/etc/rsyslog.d
- netlog-client.conf




14: netlog

- netlog.sh




15: netlog.sh

- netlog.sh
-




15: netlog.sh

- netlog.sh
- 
- lnav




15: netlog.sh

- netlog.sh
- 
- lnav
- /etc




15: netlog.sh

- netlog.sh
- 
- lnav
- /etc
- SELinux




15: netlog.sh

- netlog.sh
- 
- lnav
- /etc
- SELinux
- rsyslog




15: netlog.sh

- `Vagrantfile` provisioning




16: provisioning Vagrantfile

- Vagrantfile provisioning
- provision/server/netlog.sh




16: provisioning Vagrantfile

- `Vagrantfile` provisioning
- `provision/server/netlog.sh`
-




16: provisioning Vagrantfile

root@client:/vagrant/provision/client

```
[root@client.user.net client]# systemctl restart rsyslog
[root@client.user.net client]#
```

17: provisioning Vagrantfile

- 
- `provision/client/netlog.sh`




17: provisioning Vagrantfile

- 
- `provision/client/netlog.sh`
- 




17: provisioning Vagrantfile

3

## 3.

# 3.1

- rsyslog

# 3.1

- rsyslog
- TCP 514

# 3.1

- rsyslog
- TCP 514
-

# 3.1

- rsyslog
- TCP 514
- 
- /var/log/messages lnav

# 3.1

- `rsyslog`
- TCP 514
- 
- `/var/log/messages` `lnav`
- provisioning-

# 3.1

- `rsyslog`
- TCP 514
- 
- `/var/log/messages` `lnav`
- provisioning-
- 

# 3.1

- `rsyslog`
- TCP 514
- 
- `/var/log/messages` `lnav`
- provisioning-
- 
- 