№16

:

2026-03-19

|

1. 1.
2. 2.
3. 3.

1

1.

1.1

- Fail2ban

1.1

- Fail2ban
- brute force

2

2.

2.1.1 Fail2ban

- fail2ban dnf

```
================================================================================
 Package                    Arch        Version             Repository   Size
================================================================================
Installing:
 fail2ban                   noarch      1.1.0-6.el9         epel        9.3 k
Upgrading:
 selinux-policy             noarch      38.1.65-1.el9       baseos       42 k
 selinux-policy-targeted    noarch      38.1.65-1.el9       baseos      6.5 M
Installing dependencies:
 fail2ban-firewalld         noarch      1.1.0-6.el9         epel        9.5 k
 fail2ban-selinux           noarch      1.1.0-6.el9         epel         31 k
 fail2ban-sendmail          noarch      1.1.0-6.el9         epel         12 k
 fail2ban-server            noarch      1.1.0-6.el9         epel        465 k

Transaction Summary
================================================================================
Install  5 Packages
```

2.1.1 Fail2ban

- fail2ban dnf
- : fail2ban-firewalld, fail2ban-selinux, fail2ban-sendmail, fail2ban-server

```
================================================================================
 Package                    Arch        Version             Repository   Size
================================================================================
Installing:
 fail2ban                   noarch      1.1.0-6.el9         epel        9.3 k
Upgrading:
 selinux-policy             noarch      38.1.65-1.el9       baseos       42 k
 selinux-policy-targeted    noarch      38.1.65-1.el9       baseos      6.5 M
Installing dependencies:
 fail2ban-firewalld         noarch      1.1.0-6.el9         epel        9.5 k
 fail2ban-selinux           noarch      1.1.0-6.el9         epel         31 k
 fail2ban-sendmail          noarch      1.1.0-6.el9         epel         12 k
 fail2ban-server            noarch      1.1.0-6.el9         epel        465 k

Transaction Summary
================================================================================
Install  5 Packages
```

2.1.1 Fail2ban

- fail2ban dnf
- : fail2ban-firewalld, fail2ban-selinux, fail2ban-sendmail, fail2ban-server
- epel

```
================================================================================
 Package                    Arch        Version             Repository   Size
================================================================================
Installing:
 fail2ban                   noarch      1.1.0-6.el9         epel        9.3 k
Upgrading:
 selinux-policy             noarch      38.1.65-1.el9       baseos       42 k
 selinux-policy-targeted    noarch      38.1.65-1.el9       baseos      6.5 M
Installing dependencies:
 fail2ban-firewalld         noarch      1.1.0-6.el9         epel        9.5 k
 fail2ban-selinux           noarch      1.1.0-6.el9         epel         31 k
 fail2ban-sendmail          noarch      1.1.0-6.el9         epel         12 k
 fail2ban-server            noarch      1.1.0-6.el9         epel        465 k

Transaction Summary
================================================================================
Install  5 Packages
```

2.1.2

- `systemctl start fail2ban`

```
[root@server.user.net ~]# systemctl start fail2ban
[root@server.user.net ~]# systemctl enable fail2ban
Created symlink /etc/systemd/system/multi-user.target.wants/fail2ban.service → /usr/lib/systemd/system/fail2ban.servi
ce.
[root@server.user.net ~]#
```

2: fail2ban

2.1.2

- `systemctl start fail2ban`
- `systemctl enable fail2ban`

```
[root@server.user.net ~]# systemctl start fail2ban
[root@server.user.net ~]# systemctl enable fail2ban
Created symlink /etc/systemd/system/multi-user.target.wants/fail2ban.service → /usr/lib/systemd/system/fail2ban.servi
ce.
[root@server.user.net ~]#
```

2: fail2ban

2.1.2

- `systemctl start fail2ban`
- `systemctl enable fail2ban`
- `multi-user.target.wants`

```
[root@server.user.net ~]# systemctl start fail2ban
[root@server.user.net ~]# systemctl enable fail2ban
Created symlink /etc/systemd/system/multi-user.target.wants/fail2ban.service → /usr/lib/systemd/system/fail2ban.servi
ce.
[root@server.user.net ~]#
```

2: fail2ban

2.1.3 Fail2ban

- `tail -f /var/log/fail2ban.log`

```
[root@server.user.net ~]# sudo -i
[root@server.user.net ~]# tail -f /var/log/fail2ban.log
2026-01-05 16:34:15,243 fail2ban.server         [41656]: INFO    ------------------------------------------------
2026-01-05 16:34:15,244 fail2ban.server         [41656]: INFO    Starting Fail2ban v1.1.0
2026-01-05 16:34:15,246 fail2ban.observer       [41656]: INFO    Observer start...
2026-01-05 16:34:15,256 fail2ban.database       [41656]: INFO    Connected to fail2ban persistent database '/var/lib/
fail2ban/fail2ban.sqlite3'
2026-01-05 16:34:15,258 fail2ban.database       [41656]: WARNING New database created. Version '4'
```

3: fail2ban.log

2.1.3 Fail2ban

- `tail -f /var/log/fail2ban.log`
- Fail2ban 1.1.0

```
[root@server.user.net ~]# sudo -i
[root@server.user.net ~]# tail -f /var/log/fail2ban.log
2026-01-05 16:34:15,243 fail2ban.server         [41656]: INFO    ------------------------------------------------
2026-01-05 16:34:15,244 fail2ban.server         [41656]: INFO    Starting Fail2ban v1.1.0
2026-01-05 16:34:15,246 fail2ban.observer       [41656]: INFO    Observer start...
2026-01-05 16:34:15,256 fail2ban.database       [41656]: INFO    Connected to fail2ban persistent database '/var/lib/
fail2ban/fail2ban.sqlite3'
2026-01-05 16:34:15,258 fail2ban.database       [41656]: WARNING New database created. Version '4'
```

3: fail2ban.log

2.1.3 Fail2ban

- `tail -f /var/log/fail2ban.log`
- Fail2ban 1.1.0
- observer

```
[root@server.user.net ~]# sudo -i
[root@server.user.net ~]# tail -f /var/log/fail2ban.log
2026-01-05 16:34:15,243 fail2ban.server         [41656]: INFO    ------------------------------------------------
2026-01-05 16:34:15,244 fail2ban.server         [41656]: INFO    Starting Fail2ban v1.1.0
2026-01-05 16:34:15,246 fail2ban.observer       [41656]: INFO    Observer start...
2026-01-05 16:34:15,256 fail2ban.database       [41656]: INFO    Connected to fail2ban persistent database '/var/lib/
fail2ban/fail2ban.sqlite3'
2026-01-05 16:34:15,258 fail2ban.database       [41656]: WARNING New database created. Version '4'
```

3: fail2ban.log

2.1.3 Fail2ban

- `tail -f /var/log/fail2ban.log`
- Fail2ban 1.1.0
- observer
- `fail2ban.sqlite3`

```
[root@server.user.net ~]# sudo -i
[root@server.user.net ~]# tail -f /var/log/fail2ban.log
2026-01-05 16:34:15,243 fail2ban.server         [41656]: INFO    --------------------------------------------------
2026-01-05 16:34:15,244 fail2ban.server         [41656]: INFO    Starting Fail2ban v1.1.0
2026-01-05 16:34:15,246 fail2ban.observer       [41656]: INFO    Observer start...
2026-01-05 16:34:15,256 fail2ban.database       [41656]: INFO    Connected to fail2ban persistent database '/var/lib/
fail2ban/fail2ban.sqlite3'
2026-01-05 16:34:15,258 fail2ban.database       [41656]: WARNING New database created. Version '4'
```

3: fail2ban.log

2.1.4

- /etc/fail2ban/jail.d/customisation.local



4:

2.1.4

- /etc/fail2ban/jail.d/customisation.local
- nano



4:

2.1.5 SSH

- [DEFAULT] bantime = 3600

```
[user@server.user.net ~]$ touch /etc/fail2ban/jail.d/customisation.local
touch: cannot touch '/etc/fail2ban/jail.d/customisation.local': Permission denied
[user@server.user.net ~]$
```

5: customisation.local bantime SSH

2.1.5 SSH

- [DEFAULT] bantime = 3600
- [sshd], [sshd-ddos], [selinux-ssh]

```
[user@server.user.net ~]$ touch /etc/fail2ban/jail.d/customisation.local
touch: cannot touch '/etc/fail2ban/jail.d/customisation.local': Permission denied
[user@server.user.net ~]$
```

5: customisation.local bantime SSH

2.1.5 SSH

- [DEFAULT] bantime = 3600
- [sshd], [sshd-ddos], [selinux-ssh]
- ssh,2022

```
[user@server.user.net ~]$ touch /etc/fail2ban/jail.d/customisation.local
touch: cannot touch '/etc/fail2ban/jail.d/customisation.local': Permission denied
[user@server.user.net ~]$
```

5: customisation.local bantime SSH

2.1.5 SSH

- [DEFAULT] bantime = 3600
- [sshd], [sshd-ddos], [selinux-ssh]
- ssh,2022
- enabled = true

```
[user@server.user.net ~]$ touch /etc/fail2ban/jail.d/customisation.local
touch: cannot touch '/etc/fail2ban/jail.d/customisation.local': Permission denied
[user@server.user.net ~]$
```

5: customisation.local bantime SSH

2.1.6 Fail2ban

- `systemctl restart fail2ban`



6:

2.1.6 Fail2ban

- `systemctl restart fail2ban`
-



6:

2.1.7 SSH

- backend `pyinotify`



7: jail- SSH fail2ban

2.1.7 SSH

- backend pyinotify
- maxRetry, findtime, banTime = 3600



7: jail- SSH fail2ban

2.1.7 SSH

- backend pyinotify
- maxRetry, findtime, banTime = 3600
- jail- sshd, selinux-ssh, sshd-ddos



7: jail- SSH fail2ban

2.1.8 HTTP

- jail- : apache-auth, apache-badbots, apache-noscript, apache-overflows, apache-nohome, apache-botsearch, apache-fakegooglebot, apache-modsecurity, apache-shellshock

```
[root@server.user.net ~]# tail -f /var/log/fail2ban.log
2026-01-05 16:53:32,165 fail2ban.server         [41859]: INFO    Shutdown in progress...
2026-01-05 16:53:32,167 fail2ban.observer       [41859]: INFO    Observer stop ... try to end queue 5 seconds
2026-01-05 16:53:32,191 fail2ban.observer       [41859]: INFO    Observer stopped, 0 events remaining.
2026-01-05 16:53:32,237 fail2ban.server         [41859]: INFO    Stopping all jails
2026-01-05 16:53:32,239 fail2ban.database       [41859]: INFO    Connection to database closed.
2026-01-05 16:53:32,239 fail2ban.server         [41859]: INFO    Exiting Fail2ban
2026-01-05 16:53:32,438 fail2ban.server         [42034]: INFO    --------------------------------------------------
2026-01-05 16:53:32,440 fail2ban.server         [42034]: INFO    Starting Fail2ban v1.1.0
2026-01-05 16:53:32,469 fail2ban.observer       [42034]: INFO    Observer start...
2026-01-05 16:53:32,492 fail2ban.database       [42034]: INFO    Connected to fail2ban persistent database '/var/lib/
fail2ban/fail2ban.sqlite3'
```

8: HTTP jail- customisation.local

2.1.8 HTTP

- jail- : apache-auth, apache-badbots, apache-noscript, apache-overflows, apache-nohome, apache-botsearch, apache-fakegooglebot, apache-modsecurity, apache-shellshock
- enabled = true

```
[root@server.user.net ~]# tail -f /var/log/fail2ban.log
2026-01-05 16:53:32,165 fail2ban.server         [41859]: INFO    Shutdown in progress...
2026-01-05 16:53:32,167 fail2ban.observer       [41859]: INFO    Observer stop ... try to end queue 5 seconds
2026-01-05 16:53:32,191 fail2ban.observer       [41859]: INFO    Observer stopped, 0 events remaining.
2026-01-05 16:53:32,237 fail2ban.server         [41859]: INFO    Stopping all jails
2026-01-05 16:53:32,239 fail2ban.database       [41859]: INFO    Connection to database closed.
2026-01-05 16:53:32,239 fail2ban.server         [41859]: INFO    Exiting Fail2ban
2026-01-05 16:53:32,438 fail2ban.server         [42034]: INFO    --------------------------------------------------
2026-01-05 16:53:32,440 fail2ban.server         [42034]: INFO    Starting Fail2ban v1.1.0
2026-01-05 16:53:32,469 fail2ban.observer       [42034]: INFO    Observer start...
2026-01-05 16:53:32,492 fail2ban.database       [42034]: INFO    Connected to fail2ban persistent database '/var/lib/
fail2ban/fail2ban.sqlite3'
```

8: HTTP jail- customisation.local

HTTP

- `systemctl restart fail2ban`

```
#
# HTTP servers
#
[apache-auth]
enabled = true
[apache-badbots]
enabled = true
[apache-noscript]
enabled = true
[apache-overflows]
enabled = true
[apache-nohome]
enabled = true
[apache-botsearch]
enabled = true
[apache-fakegooglebot]
enabled = true
[apache-modsecurity]
```

2.1.9 HTTP

- `systemctl restart fail2ban`
- HTTP jail-

```
#
# HTTP servers
#
[apache-auth]
enabled = true
[apache-badbots]
enabled = true
[apache-noscript]
enabled = true
[apache-overflows]
enabled = true
[apache-nohome]
enabled = true
[apache-botsearch]
enabled = true
[apache-fakegooglebot]
enabled = true
[apache-modsecurity]
```

2.1.10 HTTP-

- apache-* jail

```
#
# HTTP servers
#
[apache-auth]
enabled = true
[apache-badbots]
enabled = true
[apache-noscript]
enabled = true
[apache-overflows]
enabled = true
[apache-nohome]
enabled = true
[apache-botsearch]
enabled = true
[apache-fakegooglebot]
enabled = true
[apache-modsecurity]
```

2.1.10 HTTP-

- apache-* jail
- sshd-ddos

```
#
# HTTP servers
#
[apache-auth]
enabled = true
[apache-badbots]
enabled = true
[apache-noscript]
enabled = true
[apache-overflows]
enabled = true
[apache-nohome]
enabled = true
[apache-botsearch]
enabled = true
[apache-fakegooglebot]
enabled = true
[apache-modsecurity]
```

2.1.11

- jail- : postfix, postfix-rbl, dovecot, postfix-sasl

```
[user@server.user.net ~]$ systemctl restart fail2ban
[user@server.user.net ~]$
```

11: jail-

2.1.11

- jail- : postfix, postfix-rbl, dovecot, postfix-sasl
- enabled = true

```
[user@server.user.net ~]$ systemctl restart fail2ban
[user@server.user.net ~]$
```

11: jail-

2.1.12

- fail2ban

```
[root@server.user.net ~]# tail -f /var/log/fail2ban.log
2026-01-05 17:01:56,635 fail2ban.server         [42034]: INFO    Shutdown in progress...
2026-01-05 17:01:56,636 fail2ban.observer       [42034]: INFO    Observer stop ... try to end queue 5 seconds
2026-01-05 17:01:56,658 fail2ban.observer       [42034]: INFO    Observer stopped, 0 events remaining.
2026-01-05 17:01:56,737 fail2ban.server         [42034]: INFO    Stopping all jails
2026-01-05 17:01:56,738 fail2ban.database       [42034]: INFO    Connection to database closed.
2026-01-05 17:01:56,738 fail2ban.server         [42034]: INFO    Exiting Fail2ban
2026-01-05 17:01:56,984 fail2ban.server         [42212]: INFO    --------------------------------------------------
2026-01-05 17:01:56,984 fail2ban.server         [42212]: INFO    Starting Fail2ban v1.1.0
2026-01-05 17:01:56,985 fail2ban.observer       [42212]: INFO    Observer start...
2026-01-05 17:01:56,990 fail2ban.database       [42212]: INFO    Connected to fail2ban persistent database '/var/lib/
fail2ban/fail2ban.sqlite3'
```

12: jail-

2.1.12

- fail2ban
- jail-

```
[root@server.user.net ~]# tail -f /var/log/fail2ban.log
2026-01-05 17:01:56,635 fail2ban.server         [42034]: INFO    Shutdown in progress...
2026-01-05 17:01:56,636 fail2ban.observer       [42034]: INFO    Observer stop ... try to end queue 5 seconds
2026-01-05 17:01:56,658 fail2ban.observer       [42034]: INFO    Observer stopped, 0 events remaining.
2026-01-05 17:01:56,737 fail2ban.server         [42034]: INFO    Stopping all jails
2026-01-05 17:01:56,738 fail2ban.database       [42034]: INFO    Connection to database closed.
2026-01-05 17:01:56,738 fail2ban.server         [42034]: INFO    Exiting Fail2ban
2026-01-05 17:01:56,984 fail2ban.server         [42212]: INFO    --------------------------------------------------
2026-01-05 17:01:56,984 fail2ban.server         [42212]: INFO    Starting Fail2ban v1.1.0
2026-01-05 17:01:56,985 fail2ban.observer       [42212]: INFO    Observer start...
2026-01-05 17:01:56,990 fail2ban.database       [42212]: INFO    Connected to fail2ban persistent database '/var/lib/
fail2ban/fail2ban.sqlite3'
```

12: jail-

2.1.13

- Jail is in operation now

```
[root@server.user.net ~]# tail -f /var/log/fail2ban.log
2026-01-05 17:01:56,635 fail2ban.server         [42034]: INFO    Shutdown in progress...
2026-01-05 17:01:56,636 fail2ban.observer       [42034]: INFO    Observer stop ... try to end queue 5 seconds
2026-01-05 17:01:56,658 fail2ban.observer       [42034]: INFO    Observer stopped, 0 events remaining.
2026-01-05 17:01:56,737 fail2ban.server         [42034]: INFO    Stopping all jails
2026-01-05 17:01:56,738 fail2ban.database       [42034]: INFO    Connection to database closed.
2026-01-05 17:01:56,738 fail2ban.server         [42034]: INFO    Exiting Fail2ban
2026-01-05 17:01:56,984 fail2ban.server         [42212]: INFO    --------------------------------------------------
2026-01-05 17:01:56,984 fail2ban.server         [42212]: INFO    Starting Fail2ban v1.1.0
2026-01-05 17:01:56,985 fail2ban.observer       [42212]: INFO    Observer start...
2026-01-05 17:01:56,990 fail2ban.database       [42212]: INFO    Connected to fail2ban persistent database '/var/lib/
fail2ban/fail2ban.sqlite3'
```

13: jail-

2.1.13

- Jail is in operation now
- postfix, dovecot, postfix-sasl

```
[root@server.user.net ~]# tail -f /var/log/fail2ban.log
2026-01-05 17:01:56,635 fail2ban.server         [42034]: INFO    Shutdown in progress...
2026-01-05 17:01:56,636 fail2ban.observer       [42034]: INFO    Observer stop ... try to end queue 5 seconds
2026-01-05 17:01:56,658 fail2ban.observer       [42034]: INFO    Observer stopped, 0 events remaining.
2026-01-05 17:01:56,737 fail2ban.server         [42034]: INFO    Stopping all jails
2026-01-05 17:01:56,738 fail2ban.database       [42034]: INFO    Connection to database closed.
2026-01-05 17:01:56,738 fail2ban.server         [42034]: INFO    Exiting Fail2ban
2026-01-05 17:01:56,984 fail2ban.server         [42212]: INFO    --------------------------------------------------
2026-01-05 17:01:56,984 fail2ban.server         [42212]: INFO    Starting Fail2ban v1.1.0
2026-01-05 17:01:56,985 fail2ban.observer       [42212]: INFO    Observer start...
2026-01-05 17:01:56,990 fail2ban.database       [42212]: INFO    Connected to fail2ban persistent database '/var/lib/
fail2ban/fail2ban.sqlite3'
```

13: jail-

2.2.1

- `fail2ban-client status`

```
#
# Mail servers
#
[postfix]
enabled = true
[postfix-rbl]
enabled = true
[dovecot]
enabled = true
[postfix-sasl]
enabled = true
```

2.2.1

- `fail2ban-client status`
- 16 jail-

```
#
# Mail servers
#
[postfix]
enabled = true
[postfix-rbl]
enabled = true
[dovecot]
enabled = true
[postfix-sasl]
enabled = true
```

2.2.1

- `fail2ban-client status`
- 16 jail-
- `apache-*`, `sshd`, `dovecot`, `postfix`

```
#
# Mail servers
#
[postfix]
enabled = true
[postfix-rbl]
enabled = true
[dovecot]
enabled = true
[postfix-sasl]
enabled = true
```

2.2.2 SSH

- `fail2ban-client status sshd`

```
#
# Mail servers
#
[postfix]
enabled = true
[postfix-rbl]
enabled = true
[dovecot]
enabled = true
[postfix-sasl]
enabled = true
```

2.2.2 SSH

- fail2ban-client status sshd
- Currently banned: 0

```
#
# Mail servers
#
[postfix]
enabled = true
[postfix-rbl]
enabled = true
[dovecot]
enabled = true
[postfix-sasl]
enabled = true
```

2.2.2 SSH

- fail2ban-client status sshd
- Currently banned: 0
- Total banned: 0

```
#
# Mail servers
#
[postfix]
enabled = true
[postfix-rbl]
enabled = true
[dovecot]
enabled = true
[postfix-sasl]
enabled = true
```

2.2.3 maxretry

- `fail2ban-client set sshd maxretry 2`

```
#
# Mail servers
#
[postfix]
enabled = true
[postfix-rbl]
enabled = true
[dovecot]
enabled = true
[postfix-sasl]
enabled = true
```

16: maxretry sshd

2.2.3 maxretry

- fail2ban-client set sshd maxretry 2
- 2 IP

```
#
# Mail servers
#
[postfix]
enabled = true
[postfix-rbl]
enabled = true
[dovecot]
enabled = true
[postfix-sasl]
enabled = true
```

16: maxretry sshd

2.2.4

2.2.5 IP

- `fail2ban-client status sshd`

```
[root@server.user.net ~]# tail -f /var/log/fail2ban.log
2026-01-05 17:07:59,457 fail2ban.server          [42212]: INFO    Shutdown in progress...
2026-01-05 17:07:59,459 fail2ban.observer        [42212]: INFO    Observer stop ... try to end queue 5 seconds
2026-01-05 17:07:59,493 fail2ban.observer        [42212]: INFO    Observer stopped, 0 events remaining.
2026-01-05 17:07:59,528 fail2ban.server          [42212]: INFO    Stopping all jails
2026-01-05 17:07:59,528 fail2ban.database        [42212]: INFO    Connection to database closed.
2026-01-05 17:07:59,529 fail2ban.server          [42212]: INFO    Exiting Fail2ban
2026-01-05 17:08:00,063 fail2ban.server          [42355]: INFO    --------------------------------------------------
2026-01-05 17:08:00,063 fail2ban.server          [42355]: INFO    Starting Fail2ban v1.1.0
2026-01-05 17:08:00,072 fail2ban.observer        [42355]: INFO    Observer start...
2026-01-05 17:08:00,094 fail2ban.database        [42355]: INFO    Connected to fail2ban persistent database '/var/lib/
fail2ban/fail2ban.sqlite3'
```

17: IP- sshd

2.2.5 IP

- fail2ban-client status sshd
- Currently banned: 1

```
[root@server.user.net ~]# tail -f /var/log/fail2ban.log
2026-01-05 17:07:59,457 fail2ban.server          [42212]: INFO    Shutdown in progress...
2026-01-05 17:07:59,459 fail2ban.observer        [42212]: INFO    Observer stop ... try to end queue 5 seconds
2026-01-05 17:07:59,493 fail2ban.observer        [42212]: INFO    Observer stopped, 0 events remaining.
2026-01-05 17:07:59,528 fail2ban.server          [42212]: INFO    Stopping all jails
2026-01-05 17:07:59,528 fail2ban.database        [42212]: INFO    Connection to database closed.
2026-01-05 17:07:59,529 fail2ban.server          [42212]: INFO    Exiting Fail2ban
2026-01-05 17:08:00,063 fail2ban.server          [42355]: INFO    --------------------------------------------------
2026-01-05 17:08:00,063 fail2ban.server          [42355]: INFO    Starting Fail2ban v1.1.0
2026-01-05 17:08:00,072 fail2ban.observer        [42355]: INFO    Observer start...
2026-01-05 17:08:00,094 fail2ban.database        [42355]: INFO    Connected to fail2ban persistent database '/var/lib/
fail2ban/fail2ban.sqlite3'
```

17: IP- sshd

2.2.5 IP

- fail2ban-client status sshd
- Currently banned: 1
- IP 192.168.1.30

```
[root@server.user.net ~]# tail -f /var/log/fail2ban.log
2026-01-05 17:07:59,457 fail2ban.server        [42212]: INFO    Shutdown in progress...
2026-01-05 17:07:59,459 fail2ban.observer      [42212]: INFO    Observer stop ... try to end queue 5 seconds
2026-01-05 17:07:59,493 fail2ban.observer      [42212]: INFO    Observer stopped, 0 events remaining.
2026-01-05 17:07:59,528 fail2ban.server        [42212]: INFO    Stopping all jails
2026-01-05 17:07:59,528 fail2ban.database      [42212]: INFO    Connection to database closed.
2026-01-05 17:07:59,529 fail2ban.server        [42212]: INFO    Exiting Fail2ban
2026-01-05 17:08:00,063 fail2ban.server        [42355]: INFO    --------------------------------------------------
2026-01-05 17:08:00,063 fail2ban.server        [42355]: INFO    Starting Fail2ban v1.1.0
2026-01-05 17:08:00,072 fail2ban.observer      [42355]: INFO    Observer start...
2026-01-05 17:08:00,094 fail2ban.database      [42355]: INFO    Connected to fail2ban persistent database '/var/lib/
fail2ban/fail2ban.sqlite3'
```

17: IP- sshd

2.2.6 IP

- `fail2ban-client set sshd unbanip 192.168.1.30`



18: IP-

2.2.7

- status sshd

```
[user@server.user.net server]$ cd /vagrant/provision/server
[user@server.user.net server]$ touch protect.sh
[user@server.user.net server]$ chmod +x protect.sh
[user@server.user.net server]$
```

19: sshd

2.2.7

- status sshd
- Currently banned: 0

```
[user@server.user.net server]$ cd /vagrant/provision/server
[user@server.user.net server]$ touch protect.sh
[user@server.user.net server]$ chmod +x protect.sh
[user@server.user.net server]$
```

19: sshd

2.2.7

- status sshd
- Currently banned: 0
-

```
[user@server.user.net server]$ cd /vagrant/provision/server
[user@server.user.net server]$ touch protect.sh
[user@server.user.net server]$ chmod +x protect.sh
[user@server.user.net server]$
```

19: sshd

2.2.8 ignoreip

- [DEFAULT] ignoreip = 127.0.0.1/8 192.168.1.30



20: ignoreip customisation.local

2.2.8 ignoreip

- [DEFAULT] ignoreip = 127.0.0.1/8 192.168.1.30
- IP



20: ignoreip customisation.local

2.2.9 ignoreip

- Ignore 192.168.1.30 by ip

```
[bahis@server.bahis.net ~]$ sudo tail -f /var/log/fail2ban.log
[sudo] password for bahis:
2026-02-13 14:02:40,110 fail2ban.jail            [50545]: INFO    Jail 'apache-shellshock' start
ed
2026-02-13 14:02:40,110 fail2ban.filtersystemd   [50545]: INFO    [postfix] Jail is in operation
 now (process new journal entries)
2026-02-13 14:02:40,111 fail2ban.jail            [50545]: INFO    Jail 'postfix' started
2026-02-13 14:02:40,111 fail2ban.filtersystemd   [50545]: INFO    [postfix-rbl] Jail is in opera
tion now (process new journal entries)
2026-02-13 14:02:40,111 fail2ban.jail            [50545]: INFO    Jail 'postfix-rbl' started
2026-02-13 14:02:40,112 fail2ban.filtersystemd   [50545]: INFO    [dovecot] Jail is in operation
 now (process new journal entries)
2026-02-13 14:02:40,112 fail2ban.jail            [50545]: INFO    Jail 'dovecot' started
2026-02-13 14:02:40,112 fail2ban.filtersystemd   [50545]: INFO    [postfix-sasl] Jail is in oper
ation now (process new journal entries)
2026-02-13 14:02:40,112 fail2ban.jail            [50545]: INFO    Jail 'postfix-sasl' started
2026-02-13 14:02:40,113 fail2ban.jail            [50545]: INFO    Jail 'sshd-ddos' started
```

21: IP-

2.2.9 ignoreip

- Ignore 192.168.1.30 by ip
- IP

```
[bahis@server.bahis.net ~]$ sudo tail -f /var/log/fail2ban.log
[sudo] password for bahis:
2026-02-13 14:02:40,110 fail2ban.jail           [50545]: INFO    Jail 'apache-shellshock' start
ed
2026-02-13 14:02:40,110 fail2ban.filtersystemd  [50545]: INFO    [postfix] Jail is in operation
 now (process new journal entries)
2026-02-13 14:02:40,111 fail2ban.jail           [50545]: INFO    Jail 'postfix' started
2026-02-13 14:02:40,111 fail2ban.filtersystemd  [50545]: INFO    [postfix-rbl] Jail is in opera
tion now (process new journal entries)
2026-02-13 14:02:40,111 fail2ban.jail           [50545]: INFO    Jail 'postfix-rbl' started
2026-02-13 14:02:40,112 fail2ban.filtersystemd  [50545]: INFO    [dovecot] Jail is in operation
 now (process new journal entries)
2026-02-13 14:02:40,112 fail2ban.jail           [50545]: INFO    Jail 'dovecot' started
2026-02-13 14:02:40,112 fail2ban.filtersystemd  [50545]: INFO    [postfix-sasl] Jail is in oper
ation now (process new journal entries)
2026-02-13 14:02:40,112 fail2ban.jail           [50545]: INFO    Jail 'postfix-sasl' started
2026-02-13 14:02:40,113 fail2ban.jail           [50545]: INFO    Jail 'sshd-ddos' started
```

21: IP-

2.2.10 SSH

```
[root@server.bahis.net ~]# fail2ban-client status sshd
Status for the jail: sshd
|- Filter
|   |- Currently failed: 0
|   |- Total failed:     0
|   `- Journal matches:  _SYSTEMD_UNIT=sshd.service + _COMM=sshd + _COMM=sshd-session
`- Actions
    |- Currently banned: 0
    |- Total banned:     0
    `- Banned IP list:
```

22: sshd ignoreip

2.2.10 SSH

-
- Currently banned: 0

```
[root@server.bahis.net ~]# fail2ban-client status sshd
Status for the jail: sshd
|- Filter
|  |- Currently failed: 0
|  |- Total failed:     0
|  `- Journal matches:  _SYSTEMD_UNIT=sshd.service + _COMM=sshd + _COMM=sshd-session
`- Actions
   |- Currently banned: 0
   |- Total banned:     0
   `- Banned IP list:
```

22: sshd ignoreip

2.2.10 SSH

-
- `Currently banned: 0`
- IP

```
[root@server.bahis.net ~]# fail2ban-client status sshd
Status for the jail: sshd
|- Filter
|  |- Currently failed: 0
|  |- Total failed:     0
|  `- Journal matches:  _SYSTEMD_UNIT=sshd.service + _COMM=sshd + _COMM=sshd-session
`- Actions
   |- Currently banned: 0
   |- Total banned:     0
   `- Banned IP list:
```

22: sshd ignoreip

2.3.1

- protect/etc/fail2ban/jail.d

```
[root@server.bahis.net ~]# cd /vagrant/provision/server
[root@server.bahis.net server]# mkdir -p /vagrant/provision/server/protect/etc/fail2ban/jail.d
[root@server.bahis.net server]# cp -R /etc/fail2ban/jail.d/customisation.local
cp: missing destination file operand after '/etc/fail2ban/jail.d/customisation.local'
Try 'cp --help' for more information.
[root@server.bahis.net server]# cp -R /etc/fail2ban/jail.d/customisation.local /vagrant/provisi
on/server/protect/etc/fail2ban/jail.d/
[root@server.bahis.net server]# cd /vagrant/provision/server
[root@server.bahis.net server]# touch protect.sh
[root@server.bahis.net server]# chmod +x protect.sh
[root@server.bahis.net server]#
```

23: protect customisation.local

2.3.1

- protect/etc/fail2ban/jail.d
- customisation.local

```
[root@server.bahis.net ~]# cd /vagrant/provision/server
[root@server.bahis.net server]# mkdir -p /vagrant/provision/server/protect/etc/fail2ban/jail.d
[root@server.bahis.net server]# cp -R /etc/fail2ban/jail.d/customisation.local
cp: missing destination file operand after '/etc/fail2ban/jail.d/customisation.local'
Try 'cp --help' for more information.
[root@server.bahis.net server]# cp -R /etc/fail2ban/jail.d/customisation.local /vagrant/provisi
on/server/protect/etc/fail2ban/jail.d/
[root@server.bahis.net server]# cd /vagrant/provision/server
[root@server.bahis.net server]# touch protect.sh
[root@server.bahis.net server]# chmod +x protect.sh
[root@server.bahis.net server]#
```

23: protect customisation.local

- fail2ban



24: protect.sh

2.3.2 protect.sh

- fail2ban
- /etc



24: protect.sh

2.3.2 protect.sh

- fail2ban
- /etc
- restorecon -vR /etc



24: protect.sh

2.3.2 protect.sh

- fail2ban
- /etc
- restorecon -vR /etc
-



24: protect.sh

2.3.3 provisioning Vagrantfile

- `server.vm.provision`

```
server.vm.provision "server protect",
type: "shell",
preserve_order: true,
path: "provision/server/protect.sh"
```

25: provision Vagrantfile

2.3.3 provisioning Vagrantfile

- server.vm.provision
- provision/server/protect.sh

```
server.vm.provision "server protect",
type: "shell",
preserve_order: true,
path: "provision/server/protect.sh"
```

25: provision Vagrantfile

2.3.3 provisioning Vagrantfile

- server.vm.provision
- provision/server/protect.sh
- preserve_order: true

```
server.vm.provision "server protect",
type: "shell",
preserve_order: true,
path: "provision/server/protect.sh"
```

25: provision Vagrantfile

3

3.

3.1

- Fail2ban

3.1

- Fail2ban
- SSH, HTTP

3.1

- Fail2ban
- SSH, HTTP
- IP `maxretry`

3.1

- Fail2ban
- SSH, HTTP
- IP `maxretry`
-

3.1

- Fail2ban
- SSH, HTTP
- IP `maxretry`
-
- `ignoreip`

3.1

- Fail2ban
- SSH, HTTP
- IP `maxretry`
-
- `ignoreip`
- jail-

3.1

- Fail2ban
- SSH, HTTP
- IP `maxretry`
-
- `ignoreip`
- jail-
- provisioning

3.1

- Fail2ban
- SSH, HTTP
- IP `maxretry`
-
- `ignoreip`
- jail-
- provisioning
- brute force