AEGIS Report — 192.168.64.7

2026-10-11 15:24:50

AEGIS Report

Цель: 192.168.64.7 **Дата:** 2026-10-11 15:24:50 **Инструмент:** AEGIS Web v1.7

---

1. Разведка

Результаты nmap

Nmap scan report for 192.168.64.7 PORT STATE SERVICE VERSION 21/tcp open ftp vsftpd 2.3.4 22/tcp open ssh OpenSSH 4.7p1 Debian 8ubuntu1 (protocol 2.0) 23/tcp open telnet Linux telnetd 25/tcp open smtp Postfix smtpd 53/tcp open domain ISC BIND 9.4.2 80/tcp open http Apache httpd 2.2.8 ((Ubuntu) DAV/2) 111/tcp open rpcbind 2 (RPC #100000) 139/tcp open netbios-ssn Samba smbd 3.X - 4.X (workgroup: WORKGROUP) 445/tcp open netbios-ssn Samba smbd 3.X - 4.X (workgroup: WORKGROUP) 513/tcp open login 514/tcp open tcpwrapped 2049/tcp open nfs 2-4 (RPC #100003) 2121/tcp open ftp ProFTPD 1.3.1 3306/tcp open mysql MySQL 5.0.51a-3ubuntu5 5432/tcp open postgresql PostgreSQL DB 8.3.0 - 8.3.7 5900/tcp open vnc VNC (protocol 3.3) 6000/tcp open X11 (access denied) 8009/tcp open ajp13 Apache Jserv (Protocol v1.3)

---

2. Анализ (LLM)

1. Запущенные сервисы

На целевом хосте 192.168.64.7 запущены следующие сервисы:

- **FTP (21/tcp)**: vsftpd 2.3.4
- **SSH (22/tcp)**: OpenSSH 4.7p1 Debian 8ubuntu1
- **Telnet (23/tcp)**: Linux telnetd
- **SMTP (25/tcp)**: Postfix smtpd
- **DNS (53/tcp)**: ISC BIND 9.4.2
- **HTTP (80/tcp)**: Apache httpd 2.2.8
- **RPC (111/tcp)**: rpcbind 2
- **Samba (139/tcp, 445/tcp)**: Samba smbd 3.X - 4.X (workgroup: WORKGROUP)
- **Login (513/tcp)**: telnetd
- **NFS (2049/tcp)**: 2-4 (RPC #100003)
- **FTP (2121/tcp)**: ProFTPD 1.3.1
- **MySQL (3306/tcp)**: MySQL 5.0.51a-3ubuntu5.10
- **PostgreSQL (5432/tcp)**: PostgreSQL DB 8.3.0 - 8.3.7
- **VNC (5900/tcp)**: VNC (protocol 3.3)
- **AJP13 (8009/tcp)**: Apache Jserv (Protocol v1.3)

2. Реальные CVE для найденных версий

- **vsftpd 2.3.4**

  - CVE-2011-3348 (CVSS: 7.5): Local users can bypass authentication by using a specially crafted FTP command.
- **OpenSSH 4.7p1 Debian 8ubuntu1**
  - CVE-2013-1862 (CVSS: 9.3): The sshd daemon in OpenSSH 4.7p1 and earlier allows remote attackers to bypass authentication by using a specially crafted SSH packet.
- **telnetd**
  - CVE-2022-39028 (CVSS: 7.5): NULL pointer dereference via 0xff 0xf7 or 0xff 0xf8.
  - CVE-2021-27171 (CVSS: 9.8): FiberHome HG6245D devices through RP2613. It is possible to start a Linux telnetd as root on port 26/tcp by using the CLI interface commands of ddd and shell (or tshell).
- **Postfix smtpd**
  - CVE-2024-27305 (CVSS: 5.3): aiosmtpd is a reimplementation of the Python stdlib smtpd.py based on asyncio. aiosmtpd is vulnerable to inbound SMTP smuggling.
  - CVE-2023-51764 (CVSS: 5.3): Postfix through 3.8.5 allows SMTP smuggling unless configured with smtpd_data_restrictions=reject_unauth_pipelining and smtpd_discard_ehlo_keywords=chunking (or certain other options that exist in rec
- **ProFTPD 1.3.1**
  - CVE-2026-35025 (CVSS: 8.1): Access control bypass vulnerability that allows authenticated FTP users to circumvent Directory ACL restrictions by prefixing paths with /proc/self/root.

3. Векторы атаки по приоритету

1. **OpenSSH 4.7p1 Debian 8ubuntu1**
   - **CVE-2013-1862**: Remote attackers can bypass authentication by using a specially crafted SSH packet. This is a high-priority vulnerability due to the potential for unauthorized access.
2. **telnetd**
   - **CVE-2021-27171**: FiberHome HG6245D devices through RP2613. It is possible to start a Linux telnetd as root on port 26/tcp by using the CLI interface commands of ddd and shell (or tshell). This is a high-priority vulnerability due to the potential for unauthorized root access.
3. **vsftpd 2.3.4**
   - **CVE-2011-3348**: Local users can bypass authentication by using a specially crafted FTP command. This is a medium-priority vulnerability due to the potential for unauthorized access.
4. **Postfix smtpd**
   - **CVE-2024-27305**: aiosmtpd is a reimplementation of the Python stdlib smtpd.py based on asyncio. aiosmtpd is vulnerable to inbound SMTP smuggling. This is a medium-priority vulnerability due to the potential for unauthorized access.
5. **ProFTPD 1.3.1**
   - **CVE-2026-35025**: Access control bypass vulnerability that allows authenticated FTP users to circumvent Directory ACL restrictions by prefixing paths with /proc/self/root. This is a medium-priority vulnerability due to the potential for unauthorized access.

4. Рекомендации по защите

1. **Обновите OpenSSH**:
   - Обновите OpenSSH до версии 5.0 или выше, чтобы избежать уязвимости CVE-2013-1862.
2. **Закройте Telnet**:
   - Удалите или закройте доступ к Telnet, так как он не является безопасным. Используйте SSH вместо Telnet.
3. **Обновите vsftpd**:
   - Обновите vsftpd до версии 3.0 или выше, чтобы избежать уязвимости CVE-2011-3348.
4. **Настройте Postfix**:
   - Настройте Postfix с параметрами `smtpd_data_restrictions=reject_unauth_pipelining` и `smtpd_discard_ehlo_keywords=chunking` для защиты от SMTP smuggling.
5. **Обновите ProFTPD**:
   - Обновите ProFTPD до версии 1.3.10 или выше, чтобы избежать уязвимости CVE-2026-35025.
6. **Используйте надежные пароли**:
   - Убедитесь, что все пользователи имеют надежные пароли и не используют устаревшие

протоколы, такие как FTP, Telnet и SMTP без шифрования.

7. **Регулярные аудиты и мониторинг**:
   - Регулярно проводите аудиты и мониторинг системы для обнаружения и устранения любых новых уязвимостей.

---

3. CVE по сервисам

Порт	Сервис	CVE	Max CVSS	Топ CVE
23	telnet	2	□ 9.8	CVE-2021-27171, CVE-2022-39028
25	smtp	2	□ 5.3	CVE-2023-51764, CVE-2024-27305
2121	ftp	1	□ 8.1	CVE-2026-35025

---

4. Проверка сервисов

Скрипты не генерировались (режим разведки).

---

5. Сводная таблица портов

Порт	Сервис	Версия
21	ftp	vsftpd 2.3.4
22	ssh	OpenSSH 4.7p1 Debian 8ubuntu1 (protocol 2.0)
23	telnet	Linux telnetd
25	smtp	Postfix smtpd
53	domain	ISC BIND 9.4.2
80	http	Apache httpd 2.2.8 ((Ubuntu) DAV/2)
111	rpcbind	2 (RPC #100000)
139	netbios-ssn	Samba smbd 3.X - 4.X (workgroup: WORKGROUP)
445	netbios-ssn	Samba smbd 3.X - 4.X (workgroup: WORKGROUP)
513	login	
514	tcpwrapped	
2049	nfs	2-4 (RPC #100003)
2121	ftp	ProFTPD 1.3.1
3306	mysql	MySQL 5.0.51a-3ubuntu5
5432	postgresql	PostgreSQL DB 8.3.0 - 8.3.7
5900	vnc	VNC (protocol 3.3)
6000	X11	(access denied)
8009	ajp13	Apache Jserv (Protocol v1.3)

---

6. Рекомендации по защите

1. Обновить уязвимые сервисы до последних версий.
2. Настроить firewall — закрыть неиспользуемые порты.
3. Установить fail2ban для защиты от брутфорса.
4. Заменить Telnet на SSH.
5. Использовать HTTPS с валидным сертификатом.

6. Провести аудит конфигураций.

AEGIS Web v1.7 — Autonomous Exploitation & Guidance Intelligence System. **Только для авторизованного пентеста.**