Homework 1 · Part A

Formative mock examination · 120 minutes · 100 points

Work on this part honestly in one 120-minute sitting. Write by hand on paper. Use only this question paper; no notes, books, internet or AI during the diagnostic sitting. This is a recommended practice protocol, not an announcement of the actual final exam's permitted materials. After the timed attempt, you may study the material and clearly label any later corrections. Preserve the original attempt for feedback.

The TA will mark this part seriously so that you can assess readiness for the exam. Mistakes in Part A do **not** reduce your final course grade. Its points are diagnostic and are not added to the assessed Part B score. This mock covers Lecture 1, not the whole final-exam syllabus. Show reasoning: an unsupported true/false label earns no credit.

Conventions. Rational means complete and transitive. Continuity means a closed weak-preference graph: if $x^n \to x$, $y^n \to y$ and $x^n \succeq y^n$ for all n, then $x \succeq y$. Convex preferences have convex upper contour sets. Strict convexity uses distinct bundles and mixtures with weights in $(0,1)$. Monotonicity means $x \gg y \Rightarrow x \succ y$; strong monotonicity means $x \geq y$, $x \neq y \Rightarrow x \succ y$. Local nonsatiation (LNS) means every relative neighbourhood of every bundle contains a strictly preferred bundle. All topological statements use the stated domain's relative Euclidean topology.

A1. True or false, with justification

40 points · suggested 40 minutes

Each statement is worth 5 points. Unless another domain is specified, use $X = \mathbb{R}^2_+$. State whether each claim is true or false. Prove a true claim and give a fully specified counterexample for a false claim.

(a) The relation $x \succeq y \iff x_1 + x_2 \geq y_1 + y_2 - 1$ is complete.

(b) The relation $x \succeq y \iff x_1 + x_2 \geq y_1 + y_2 - 1$ is transitive.

(c) The preferences represented by $u(x) = x_1 + \mathbf{1}\{x_2 \geq 1\}$ are continuous.

(d) The preferences represented by $u(x) = \min\{x_1, 2x_2\}$ are convex.

(e) Continuous preferences imply that *every* representing utility function is continuous.

(f) A continuous utility function must represent convex preferences.

(g) If u is concave on a convex domain, the preferences it represents are convex.

(h) Rational, continuous, strictly convex preferences must be locally nonsatiated.

A2. A consumer with an ideal bundle

30 points · suggested 35 minutes

Let $X = \mathbb{R}^2_+$ and $u(x) = -(x_1 - 3)^2 - (x_2 - 2)^2$.

(a) Draw the indifference set through $(3, 0)$ and the weak upper contour set of $(3, 0)$. Respect the domain. [6]

(b) Prove rationality and continuity, and determine whether the preferences are convex or strictly convex. A picture alone is not a proof. [8]

(c) Are these preferences monotone, strongly monotone or LNS? Give a witness for each failed property. [6]

(d) Let $v = e^u$ and $w = \max\{u, -1\}$. Which represents the same preferences as u? If not, exhibit two bundles whose comparison changes. Does the ranking represented by v remain strictly convex? [6]

(e) Could *any* convex utility function represent these preferences on X? Use two carefully chosen indifferent bundles. [4]

A3. A majority of criteria

15 points · suggested 20 minutes

On $X = \mathbb{R}^3$, define $x \succeq y$ if at least two of the three inequalities $x_i \geq y_i$ hold.

(a) Prove completeness, including coordinate ties. [4]

(b) Test transitivity using $a = (4, 2, 0)$, $b = (2, 0, 4)$ and $c = (0, 4, 2)$. State the required comparisons explicitly. [5]

(c) Is the relation continuous under the definition on this paper? [3]

(d) Could any real-valued utility represent it? Which theorem or elementary implication decides this? [3]

A4. A qualitative question

15 points · suggested 20 minutes

A researcher writes: “Our consumer has complete, transitive preferences. Therefore we can write a real-valued utility function. After an increasing transformation, we may assume it is continuous and concave. Thus every choice problem has a unique solution.”

Assess this argument step by step. Identify which conclusions need additional assumptions, give at least two explicit counterexamples, and state a correct set of sufficient assumptions for existence and uniqueness on a nonempty compact convex feasible set in $\mathbb{R}^2_+$. Explain why continuity and concavity are different issues. Do not simply list theorem names.

Total suggested time: 115 minutes; keep 5 minutes to check your work.