

PRACTICAL 10:

AIM:

Design Web Applications using Client-Side Session Management

STEP 1: CREATE PROJECT

1. Open Visual Studio
2. Click **Create New Project**
3. Select:
ASP.NET Web Application (.NET Framework)
4. Click Next
5. Select:
Web Forms
6. Enter Project Name: ClientSessionDemo
7. Click Create

STEP 2: ADD WEB FORM

1. Right click Project → Add → Web Form
2. Name: WebForm1.aspx

STEP 3: Design UI / FRONTEND CODE

WebForm1.aspx

```
<%@ Page Language="C#" AutoEventWireup="true" CodeBehind="WebForm1.aspx.cs"
Inherits="ClientSessionDemo.WebForm1" %>

<!DOCTYPE html>

<html>
<head runat="server">
    <title></title>
</head>
<body>
    <form id="form1" runat="server">
        <div>
            User ID:
            <asp:TextBox ID="TextBox1" runat="server"></asp:TextBox>
```

```

<asp:Button ID="Button2" runat="server" Text="Save in ViewState"
OnClick="Button2_Click" />
<asp:Button ID="Button3" runat="server" Text="Get ViewState" OnClick="Button3_Click"
/>
<asp:Label ID="Label2" runat="server"></asp:Label>

<br /><br />

Hidden Field:
<asp:HiddenField ID="HiddenField2" runat="server" Value="HiddenValue123" />
<asp:Button ID="Button1" runat="server" Text="Get Hidden Field"
OnClick="Button1_Click" />
<asp:Label ID="Label1" runat="server"></asp:Label>

<br /><br />

Query String:
<asp:TextBox ID="TextBox2" runat="server"></asp:TextBox>
<asp:Button ID="Button4" runat="server" Text="Send via QueryString"
OnClick="Button4_Click" />

<br /><br />

Cookies:
<asp:TextBox ID="TextBox3" runat="server"></asp:TextBox>
<asp:Button ID="Button5" runat="server" Text="Create Cookie" OnClick="Button5_Click"
/>
<asp:Button ID="Button6" runat="server" Text="Read Cookie" OnClick="Button6_Click" />
<asp:Label ID="Label3" runat="server"></asp:Label>
</div>
</form>
</body>
</html>

```

WebForm2.aspx

```

<%@ Page Language="C#" AutoEventWireup="true" CodeBehind="WebForm2.aspx.cs"
Inherits="ClientSessionDemo.WebForm2" %>

```

```

<!DOCTYPE html>

<html>
<head runat="server">
<title></title>
</head>
<body>
<form id="form1" runat="server">
<div>
Receive Query String:
<asp:TextBox ID="TextBox1" runat="server"></asp:TextBox>
<asp:Button ID="Button1" runat="server" Text="Get Data"
OnClick="Button1_Click" />
</div>
</form>
</body>
</html>

```

STEP 4: BACKEND CODE

WebForm1.aspx.cs

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

namespace ClientSessionDemo
{
    public partial class WebForm1 : System.Web.UI.Page
    {
        protected void Page_Load(object sender, EventArgs e)
        {
        }

        // ViewState Save
        protected void Button2_Click(object sender, EventArgs e)
        {
            ViewState["userid"] = TextBox1.Text;
            TextBox1.Text = string.Empty;
            Response.Write("ViewState Created Successfully");
        }

        // ViewState Retrieve
        protected void Button3_Click(object sender, EventArgs e)
        {
            if (ViewState["userid"] != null)
            {
                Label2.Text = ViewState["userid"].ToString();
            }
        }

        // Hidden Field Read
        protected void Button1_Click(object sender, EventArgs e)
        {
            Label1.Text = HiddenField2.Value;
        }

        // Query String Send
        protected void Button4_Click(object sender, EventArgs e)
        {
            Response.Redirect("WebForm2.aspx?data=" + TextBox2.Text);
        }

        // Cookie Create
        protected void Button5_Click(object sender, EventArgs e)
        {
            Response.Cookies["name"].Value = TextBox3.Text;
            Response.Cookies["name"].Expires = DateTime.Now.AddMinutes(1);

            Label3.Text = "Cookie Created";
            TextBox3.Text = "";
        }

        // Cookie Read
        protected void Button6_Click(object sender, EventArgs e)
        {
            if (Request.Cookies["name"] == null)
            {
            }
        }
    }
}
```

```

        {
            TextBox3.Text = "No Cookie Found";
        }
        else
        {
            TextBox3.Text = Request.Cookies["name"].Value;
        }
    }
}

```

WebForm2.aspx.cs

```

using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

namespace ClientSessionDemo
{
    public partial class WebForm2 : System.Web.UI.Page
    {
        protected void Page_Load(object sender, EventArgs e)
        {
        }
        protected void Button1_Click(object sender, EventArgs e)
        {
            string data = Request.QueryString["data"].ToString();
            TextBox1.Text = data;
        }
    }
}

```

STEP 5: RUN APPLICATION

1. Press F5

OUTPUT

ViewState Created Successfully

User ID: 3

Hidden Field:

Query String:

Cookies:

User ID: 3

Hidden Field:

Query String:

Cookies: Cookie Created

Receive Query String: