

In [1]:

```
import numpy as np
import pandas as pd
import seaborn as sns
from sklearn.model_selection import train_test_split
from sklearn.tree import DecisionTreeClassifier
```

In [2]:

```
df=pd.read_csv(r"C:\Users\Arshad Shaik\AppData\Local\Microsoft\Windows\INetCache\IE\WQV0
df
```

Out[2]:

	Age	Sex	BP	Cholesterol	Na_to_K	Drug
0	23	F	HIGH	HIGH	25.355	drugY
1	47	M	LOW	HIGH	13.093	drugC
2	47	M	LOW	HIGH	10.114	drugC
3	28	F	NORMAL	HIGH	7.798	drugX
4	61	F	LOW	HIGH	18.043	drugY
...
195	56	F	LOW	HIGH	11.567	drugC
196	16	M	LOW	HIGH	12.006	drugC
197	52	M	NORMAL	HIGH	9.894	drugX
198	23	M	NORMAL	NORMAL	14.020	drugX
199	40	F	LOW	NORMAL	11.349	drugX

200 rows × 6 columns

In [3]:

```
df['BP'].value_counts()
df['Na_to_K'].value_counts()
```

Out[3]:

```
Na_to_K
12.006    2
18.295    2
25.355    1
11.939    1
16.347    1
..
24.658    1
24.276    1
13.967    1
19.675    1
11.349    1
Name: count, Length: 198, dtype: int64
```

In [4]:

```
df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 200 entries, 0 to 199
Data columns (total 6 columns):
#   Column          Non-Null Count  Dtype
---  -
0   Age              200 non-null    int64
1   Sex              200 non-null    object
2   BP               200 non-null    object
3   Cholesterol      200 non-null    object
4   Na_to_K          200 non-null    float64
5   Drug             200 non-null    object
dtypes: float64(1), int64(1), object(4)
memory usage: 9.5+ KB
```

In [5]:

```
df.describe()
```

Out[5]:

	Age	Na_to_K
count	200.000000	200.000000
mean	44.315000	16.084485
std	16.544315	7.223956
min	15.000000	6.269000
25%	31.000000	10.445500
50%	45.000000	13.936500
75%	58.000000	19.380000
max	74.000000	38.247000

In [6]:

```
df.tail()
```

Out[6]:

	Age	Sex	BP	Cholesterol	Na_to_K	Drug
195	56	F	LOW	HIGH	11.567	drugC
196	16	M	LOW	HIGH	12.006	drugC
197	52	M	NORMAL	HIGH	9.894	drugX
198	23	M	NORMAL	NORMAL	14.020	drugX
199	40	F	LOW	NORMAL	11.349	drugX

In [7]:

```
convert={"BP":{"HIGH":129,"NORMAL":80,"LOW":50}}
df=df.replace(convert)
df
```

Out[7]:

	Age	Sex	BP	Cholesterol	Na_to_K	Drug
0	23	F	129	HIGH	25.355	drugY
1	47	M	50	HIGH	13.093	drugC
2	47	M	50	HIGH	10.114	drugC
3	28	F	80	HIGH	7.798	drugX
4	61	F	50	HIGH	18.043	drugY
...
195	56	F	50	HIGH	11.567	drugC
196	16	M	50	HIGH	12.006	drugC
197	52	M	80	HIGH	9.894	drugX
198	23	M	80	NORMAL	14.020	drugX
199	40	F	50	NORMAL	11.349	drugX

200 rows × 6 columns

In [8]:

```
convert={"Cholesterol":{"HIGH":103,"NORMAL":97}}
df=df.replace(convert)
df
```

Out[8]:

	Age	Sex	BP	Cholesterol	Na_to_K	Drug
0	23	F	129	103	25.355	drugY
1	47	M	50	103	13.093	drugC
2	47	M	50	103	10.114	drugC
3	28	F	80	103	7.798	drugX
4	61	F	50	103	18.043	drugY
...
195	56	F	50	103	11.567	drugC
196	16	M	50	103	12.006	drugC
197	52	M	80	103	9.894	drugX
198	23	M	80	97	14.020	drugX
199	40	F	50	97	11.349	drugX

200 rows × 6 columns

In [9]:

```
x=["Age","BP","Cholesterol","Na_to_K"]  
y=["drugY","drugC"]  
all_inputs=df[x]  
all_classes=df["Drug"]
```

In [10]:

```
(x_train,x_test,y_train,y_test)=train_test_split(all_inputs,all_classes,test_size=0.3)
```

In [11]:

```
clf=DecisionTreeClassifier(random_state=0)
```

In [12]:

```
clf.fit(x_train,y_train)
```

Out[12]:

```
▼      DecisionTreeClassifier  
DecisionTreeClassifier(random_state=0)
```

In [13]:

```
score=clf.score(x_test,y_test)  
print(score)
```

```
0.9833333333333333
```

In []: