

MCQ Exam Result

Result Summary

Field	Value
Test ID	41393
Total Questions	20
Marks Obtained	16
Attempted	20
Non-Attempted	0
Percentage	80.00%
Grade	Outstanding

Question Details

Q.No	Question	Your Answer	Correct Answer	Result	Status
1	Which statement about Set interface is TRUE?	Set extends Collection interface and adds no new methods	Set extends Collection interface and adds no new methods	Correct	Attempted
2	What will this code output? <pre>import java.util.LinkedHashSet; import java.util.Set; public class WrapperTricky { public static void main(String[] args) throws InterruptedException { Set set = new LinkedHashSet(); set.add("Banana"); set.add("Apple"); set.add("Apple"); set.add("Cherry"); set.remove("Banana"); set.add("Banana"); System.out.println(set); } }</pre>	[Apple, Cherry, Banana]	[Apple, Cherry, Banana]	Correct	Attempted
3	Which statement about SortedMap is TRUE?	SortedMap provides methods like firstKey(), lastKey(), headMap(), tailMap()	SortedMap provides methods like firstKey(), lastKey(), headMap(), tailMap()	Correct	Attempted
4	What is the output of this code? <pre>import java.util.*; public class Test { public static void main(String[] args) {</pre>	NullPointerException	NullPointerException	Correct	Attempted

Q.No	Question	Your Answer	Correct Answer	Result	Status
	<pre> SortedSet set = new TreeSet(); set.add(5); set.add(null); set.add(2); set.add(8); System.out.println(set); } } </pre>				
5	Waht is output of following Code? <pre> import java.util.HashSet; import java.util.Set; public class SetComparison { public static void main(String[] args) { Set hashSet = new HashSet(); hashSet.add("Third"); hashSet.add("First"); hashSet.add("Second"); hashSet.add("First"); System.out.println("HashSet: " + hashSet); } } </pre>	Order is unpredictable, but duplicates are not allowed HashSet: [Second, Third, First]	Order is unpredictable, but duplicates are not allowed HashSet: [Second, Third, First]	Correct	Attempted
6	What is the time complexity for basic operations in both HashSet and LinkedHashSet?	O(1) average case for add, remove, contains	O(1) average case for add, remove, contains	Correct	Attempted
7	What is the output of this code? <pre> public class Test { public static void main(String[] args) { SortedMap map = new TreeMap(); map.put(5, "Five"); map.put(2, "Two"); map.put(5, "Five-Updated"); map.put(8, "Eight"); System.out.println(map.keySet()); } } </pre>	[2, 5, 8]	[2, 5, 8]	Correct	Attempted
8	What is the output? <pre> import java.util.*; public class Test { public static void main(String[] args) { TreeMap map = new TreeMap(); map.put("Banana", 2); map.put("apple", 5); map.put("Apple", 3); map.put("banana", 1); SortedMap subMap = map.subMap("A "b"); System.out.println(subMap.keySet()); subMap.put("cherry", 4); } } </pre>	[Apple, Banana] then throws IllegalArgumentExceptio n	[Apple, Banana, apple] then throws IllegalArgumentExc eption	Incorrect	Attempted
9	What is the output of this code? <pre> import java.util.*; public class Test { public static void main(String[] args) { Set set1 = new HashSet(); Set set2 = new HashSet(); set1.add(1); set1.add(2); set1.add(3); set2.add(2); </pre>	[1, 2, 3]	[2, 3]	Incorrect	Attempted

Q.No	Question	Your Answer	Correct Answer	Result	Status
	<pre> set2.add(3); set2.add(4); set1.retainAll(set2); System.out.println(set1); } } </pre>				
10	How does Hashtable handle collisions?	Uses separate chaining with linked lists	Uses separate chaining with linked lists	Correct	Attempted
11	What is the output of this code? <pre> import java.util.*; public class EmployeeSortAndConvert { public static void main(String[] args) { Hashtable table = new Hashtable(); table.put(1, "One"); table.put(2, null); table.put(null, "NullKey"); table.put(3, "Three"); System.out.println(table.size()); } } </pre>	NullPointerException at table.put(2, null)	NullPointerException at table.put(null, "NullKey")	Incorrect	Attempted
12	Which statement about SortedSet is FALSE?	SortedSet does not permit null elements if natural ordering is used	SortedSet guarantees constant-time performance for basic operations	Incorrect	Attempted
13	What is the output? <pre> import java.util.*; class Key { int id; Key(int id) { this.id = id; } @Override public int hashCode() { return 1; } @Override public boolean equals(Object obj) { return this.id == ((Key)obj).id; } } public class Test { public static void main(String[] args) { Hashtable table = new Hashtable(); for(int i = 1; i <= 5; i++) { table.put(new Key(i), "Value" + i); } System.out.println(table.size()); System.out.println(table.get(new Key(3))); } } </pre>	5 Value3	5 Value3	Correct	Attempted
14	Which Set implementation provides constant-time performance for basic operations?	Both B and C	Both B and C	Correct	Attempted
15	What is true about TreeSet's subSet() method?	All of the above	All of the above	Correct	Attempted

Q.No	Question	Your Answer	Correct Answer	Result	Status
16	Comparing Hashtable with HashMap, which is CORRECT?	All of the above	All of the above	Correct	Attempted
17	Which statement about Hashtable is FALSE?	Hashtable maintains insertion order of elements	Hashtable maintains insertion order of elements	Correct	Attempted
18	Which statement about the Map interface in Java is FALSE?	Map allows duplicate keys but overwrites the previous value	Map allows duplicate keys but overwrites the previous value	Correct	Attempted
19	What is the output? <pre>import java.util.*; public class Test { public static void main(String[] args) { TreeSet set = new TreeSet(); set.add("Apple"); set.add("banana"); set.add("apple"); set.add("Banana"); set.add("APPLE"); System.out.println(set.size()); System.out.println(set.first() + " " + set.last()); } }</pre>	5 APPLE banana	5 APPLE banana	Correct	Attempted
20	What is the output of this code? <pre>import java.util.*; public class Test { public static void main(String[] args) { Map map = new HashMap(); map.put("A", 10); map.put("B", 20); map.computeIfPresent("A", (k, v) -> v 5); map.computeIfPresent("C", (k, v) -> v 5); System.out.println(map.get("A") + " ", " map.get("C")); } }</pre>	15, null	15, null	Correct	Attempted