Date:24/10/2026

CO2-AT2-SCENARIO BASED

COURSE CODE: DSA0308

COURSE NAME:NATURAL LANGUAGE AND PREPROCESSING

REG NO:192424322 NAME:M.ARSHINI

ANSWERS:

Question 1: Morphological Processing of “Analyzing”, “Analysis”, and “Analytical”

Problem Identification

A search engine processes different forms of words such as analyzing, analysis, and analytical. These words are related to the concept of analysis but have different morphological structures.

The objective is to develop a Python program that identifies the root word, separates prefixes and suffixes, classifies each word as inflectional or derivational, and normalizes related words for search engine indexing.

Algorithm

1. Start the program.
2. Initialize the input words: analyzing, analysis, and analytical.
3. Check each word using predefined morphological rules.
4. Identify the root word and the suffix.
5. Classify the transformation as inflectional or derivational.
6. Normalize related words to the common representation analyz.
7. Display the original word, root, affixes, transformation type, and normalized output.
8. Stop the program.

Code:

```
words = ["analyzing", "analysis", "analytical"]


morphology = {
```

```
    "analyzing": {
        "root": "analyze",
        "prefix": "None",
        "suffix": "-ing",
        "type": "Inflectional",
        "normalized": "analysis_family"
    },
    "analysis": {
        "root": "analysis",
        "prefix": "None",
        "suffix": "None",
        "type": "Derivational family / base noun",
        "normalized": "analysis_family"
    },
    "analytical": {
        "root": "analysis",
        "prefix": "None",
        "suffix": "-ical",
        "type": "Derivational",
        "normalized": "analysis_family"
    }
}


print("MORPHOLOGICAL PROCESSING REPORT")
print("-" * 100)
print(f"{'Word':<15}{'Root':<15}{'Prefix':<12}"
      f"{'Suffix':<12}{'Type':<30}{'Normalized'}")
print("-" * 100)

for word in words:
```

```
    data = morphology[word]
    print(f"{word:<15}{data['root']:<15}"
          f"{data['prefix']:<12}{data['suffix']:<12}"
          f"{data['type']:<30}{data['normalized']}")

print("-" * 100)
print("Normalization completed for search engine indexing.")
```

OUTPUT:



```
lat2-1.py
MORPHOLOGICAL PROCESSING REPORT
----------------------------------------------------------------------------------------
--------------------
Word           Root           Prefix      Suffix      Type
    Normalized
----------------------------------------------------------------------------------------
--------------------
analyzing      analyze        None        -ing        Inflectional
    analysis_family
analysis       analysis       None        None        Derivational family / base
 nounanalysis_family
analytical     analysis       None        -ical       Derivational
    analysis_family
----------------------------------------------------------------------------------------
--------------------
Normalization completed for search engine indexing.
```

Result Analysis:

1. The program successfully processes the words analyzing, analysis, and analytical using rule-based morphological analysis.

2. The word analyzing is derived from the verb analyze with the suffix -ing, while analytical is an adjective formed using the suffix -ical.

3. The program identifies the root words, affixes, and morphological types of the given words.

4. All three words are mapped to a common lexical-family identifier, analysis_family, to support efficient search engine indexing.

5. Thus, morphological normalization improves search accuracy by grouping related words and helping retrieve relevant documents containing different forms of the same lexical concept.

Question 2: Morphological Parsing of “Disagree”, “Agreement”, and “Agreeable”

1. Problem Identification

An AI-based sentiment analysis platform processes words such as disagree, agreement, and agreeable. The program must identify prefixes, roots, and suffixes, classify morphological transformations, and explain how each transformation affects meaning.

2. Algorithm

1. Start the program.
2. Store the three input words.
3. Identify the common base word agree.
4. Detect the prefix dis- and suffixes -ment and -able.
5. Classify each word according to its morphological formation.
6. Explain the semantic effect of each affix.
7. Normalize all words to the base form agree.
8. Display the results and stop.

Code:

```
words = ["disagree", "agreement", "agreeable"]


morphology = {
   "disagree": {
      "prefix": "dis-",
      "root": "agree",
      "suffix": "None",
      "type": "Derivational prefix",
      "meaning": "To have a different or opposite opinion"
   },
   "agreement": {
      "prefix": "None",
      "root": "agree",
      "suffix": "-ment",
```

```
        "type": "Derivational suffix",
        "meaning": "The state or result of agreeing"
    },
    "agreeable": {
        "prefix": "None",
        "root": "agree",
        "suffix": "-able",
        "type": "Derivational suffix",
        "meaning": "Pleasant or acceptable"
    }
}

print("MORPHOLOGICAL PARSING REPORT")
print("=" * 100)

for word in words:
    data = morphology[word]
    print("\nOriginal Word :", word)
    print("Prefix       :", data["prefix"])
    print("Root         :", data["root"])
    print("Suffix       :", data["suffix"])
    print("Type         :", data["type"])
    print("Meaning      :", data["meaning"])
    print("Normalized   :", data["root"])

print("\nMorphological parsing completed.")
```

OUTPUT:

```
MORPHOLOGICAL PARSING REPORT
============================================================
====================

Original Word : disagree
Prefix        : dis-
Root          : agree
Suffix        : None
Type          : Derivational prefix
Meaning       : To have a different or opposite opinion
Normalized    : agree

Original Word : agreement
Prefix        : None
Root          : agree
Suffix        : -ment
Type          : Derivational suffix
Meaning       : The state or result of agreeing
Normalized    : agree

Original Word : agreeable
Prefix        : None
Root          : agree
Suffix        : -able
Type          : Derivational suffix
Meaning       : Pleasant or acceptable
Normalized    : agree

Morphological parsing completed.
> M.Arshini(192424322)
```

Result Analysis

1. Disagree: The prefix dis- introduces opposition or negation, changing the meaning of agree.
2. Agreement: The suffix -ment converts a verb into a noun representing a state or result.
3. Agreeable: The suffix -able forms an adjective meaning pleasant or acceptable.
4. Normalization: All three words share the lexical base agree, but their meanings are not identical.
5. Application: A sentiment analysis system can use the morphological information to distinguish agreement from disagreement instead of treating every related word as having the same sentiment.

Question 3: Morphology-Based Normalization of “Govern”, “Government”, and “Governance”

1. Problem Identification

A news aggregation system processes documents containing govern, government, and governance. These words share a lexical base but have different grammatical forms and meanings.

The objective is to identify roots and derivational suffixes, determine the derivational level, and normalize related words for topic modeling and document clustering.

2. Algorithm

1. Start the program.
2. Initialize the words govern, government, and governance.
3. Identify the common root govern.
4. Detect the suffixes -ment and -ance.
5. Classify the derivational structure of each word.
6. Map all words to the normalized form govern.
7. Display the morphological report.
8. Stop the program.

Code:

```
words = ["govern", "government", "governance"]


morphology = {
   "govern": {
      "root": "govern",
      "suffix": "None",
      "level": "Level 0 - Base form"
   },
   "government": {
      "root": "govern",
      "suffix": "-ment"
"level": "Level 1 - Derived noun"
   },
```

```
    "governance": {
        "root": "govern",
        "suffix": "-ance",
        "level": "Level 1 - Derived noun"
    }
}

print("MORPHOLOGICAL NORMALIZATION REPORT")
print("=" * 85)
print(f"{'Word':<15}{'Root':<15}{'Suffix':<15}"
      f"{'Derivational Level':<30}{'Normalized'}")
print("-" * 85)

for word in words:
    data = morphology[word]
    print(f"{word:<15}{data['root']:<15}"
          f"{data['suffix']:<15}{data['level']:<30}"
          f"{data['root']}")

print("-" * 85)
print("Normalization completed for topic modeling and clustering.")
```

Output:

```
MORPHOLOGICAL NORMALIZATION REPORT
=====================================================================================
Word           Root           Suffix         Derivational Level            Normalized
-------------------------------------------------------------------------------------
govern         govern         None           Level 0 - Base form           govern
government     govern         -ment          Level 1 - Derived noun        govern
governance     govern         -ance          Level 1 - Derived noun        govern
-------------------------------------------------------------------------------------
Normalization completed for topic modeling and clustering.
M.Arshini(192424322)
```

Result Analysis:

1. Govern: The base verb means to rule, control, or administer.
2. Government: The suffix -ment forms a noun referring to the governing body or system.
3. Governance: The suffix -ance forms a noun referring to the process or manner of governing.
4. Derivational hierarchy: Govern is the base form, while government and governance are derived nouns.
5. Application: Normalization can group related documents for topic modeling and clustering, although the individual words should be retained when their different meanings matter.

Question 4: Morphological Parsing of “Activate”, “Activation”, and “Reactivation”

1. Problem Identification

A document classification system processes activate, activation, and reactivation. The program must identify prefixes, roots, and suffixes, explain derivational transformations, and map the words to a common base representation.

2. Algorithm

1. Start the program.
2. Initialize the three input words.
3. Identify the lexical root act.
4. Detect the derivational structure of each word.
5. Identify the prefix re- in reactivation.
6. Determine changes in word class and meaning.
7. Normalize all words to act.
8. Display the parsed representation and stop.

Code:

```
words = ["activate", "activation", "reactivation"]


morphology = {
    "activate": {
        "prefix": "None",
        "root": "act",
        "suffix": "-ivate",
        "sequence": "act -> activate",
        "word_class": "Verb",
        "meaning": "To make something active"
    },
    "activation": {
        "prefix": "None",
        "root": "act",
```

```
        "suffix": "-ivation",
        "sequence": "act -> activate -> activation",
        "word_class": "Noun",
        "meaning": "The process of making something active"
    },
    "reactivation": {
        "prefix": "re-",
        "root": "act",
        "suffix": "-ivation",
        "sequence": "act -> activate -> activation -> reactivation",
        "word_class": "Noun",
        "meaning": "The process of making something active again"
    }
}

print("MORPHOLOGICAL PARSING REPORT")
print("=" * 100)

for word in words:
    data = morphology[word]
    print("\nOriginal Word :", word)
    print("Prefix        :", data["prefix"])
    print("Root          :", data["root"])
    print("Suffix        :", data["suffix"])
    print("Derivation    :", data["sequence"])
    print("Word Class    :", data["word_class"])
    print("Meaning       :", data["meaning"])
    print("Normalized    :", data["root"])

print("\nMorphological parsing completed.")
```

Output:

```
ive.py
MORPHOLOGICAL PARSING REPORT
================================================================================
====================

Original Word : activate
Prefix        : None
Root          : act
Suffix        : -ivate
Derivation    : act -> activate
Word Class    : Verb
Meaning       : To make something active
Normalized    : act

Original Word : activation
Prefix        : None
Root          : act
Suffix        : -ivation
Derivation    : act -> activate -> activation
Word Class    : Noun
Meaning       : The process of making something active
Normalized    : act

Original Word : reactivation
Prefix        : re-
Root          : act
Suffix        : -ivation
Derivation    : act -> activate -> activation -> reactivation
Word Class    : Noun
Meaning       : The process of making something active again
Normalized    : act

Morphological parsing completed.
M.Arshini(192424322)
```

Result Analysis:

1. Activate: A verb meaning to make something active.
2. Activation: A noun describing the process of making something active. The word class changes from verb to noun.
3. Reactivation: The prefix re- adds the meaning “again,” indicating that something is made active once more.
4. Derivational sequence: The words illustrate verb formation, noun formation, and the addition of a prefix to express repetition.
5. Application: A document classification system can group these words under the lexical root act while preserving their original forms for precise semantic interpretation.

Question 5: Inflectional Normalization of “Create”, “Creates”, and “Creating”

1. Problem Identification

A search optimization module processes words such as create, creates, and creating. These words have the same base verb but differ in grammatical form.

The objective is to identify grammatical suffixes, extract the root form, classify tense or aspect-related forms, and normalize all words to create for efficient information retrieval.

2. Algorithm

1. Start the program.
2. Initialize the input words create, creates, and creating.
3. Identify the root form create.
4. Detect the suffixes -s and -ing.
5. Classify each word as a base form, third-person singular present, or present participle.
6. Normalize all words to create.
7. Display the morphological report.
8. Stop the program.

Code:

```
words = ["create", "creates", "creating"]


morphology = {
   "create": {
      "suffix": "None",
      "category": "Base form",
      "root": "create"
   },
   "creates": {
      "suffix": "-s",
      "category": "Third-person singular present",
      "root": "create"
   },
```

```
    "creating": {
        "suffix": "-ing",
        "category": "Present participle / progressive form",
        "root": "create"
    }
}

print("INFLECTIONAL NORMALIZATION REPORT")
print("=" * 95)
print(f"{'Word':<15}{'Suffix':<12}{'Grammatical Category':<40}"
      f"{'Root':<12}{'Normalized'}")
print("-" * 95)

for word in words:
    data = morphology[word]
    print(f"{word:<15}{data['suffix']:<12}"
          f"{data['category']:<40}"
          f"{data['root']:<12}{data['root']}")

print("-" * 95)
print("Inflectional normalization completed.")
```

OUTPUT:

```
INFLECTIONAL NORMALIZATION REPORT
===============================================================================================
Word           Suffix      Grammatical Category                    Root        Normalized
-----------------------------------------------------------------------------------------------
create         None        Base form                               create      create
creates        -s          Third-person singular present           create      create
creating       -ing        Present participle / progressive form   create      create
-----------------------------------------------------------------------------------------------
Inflectional normalization completed.
M.Arshini(192424322)
```

Result Analysis:

1. Create: The base form of the verb, used with plural subjects, the pronoun I, and infinitive constructions.
2. Creates: The suffix -s indicates the third-person singular present form, as in “She creates.”
3. Creating: The suffix -ing produces the present participle, used in progressive constructions such as “She is creating.”
4. Normalization: All three words are mapped to the base form create without changing their underlying lexical identity.
5. Application: Inflectional normalization improves search efficiency by allowing documents containing different grammatical forms to be retrieved together.