```
/* Experiment No:- 3
            :-WAP to design a menu driven calculator using switch and goto
  Title
          :-Arslaan naseem siddiqui
 Division:-F.E.(Computer Enigneering) - C
 Roll No :-11
             :-241P011*/
 UIN
#include <stdio.h>
 int main() {
     printf("\t\t\t\t*****Menu Driven Calculator****\n");
     float a, b, result;
     char operation, cont;
     printf("+:-Addition\n");
     printf("-:-Subtraction\n");
     printf("*:-Multiplication\n");
     printf("/:-Division\n");
     printf("%%:-Modolus\n");
 Start: // Label for goto
 // Enter any number and operation.
 printf("Enter the Num-1:-");
 scanf("%f", &a);
 printf("Enter the Num-2:-");
 scanf("%f", &b);
 printf("Enter the operation:-");
 scanf(" %c", &operation);
 switch (operation) {
 case '+':
     result = a + b;
     printf("%.2f + %.2f = %.2f\n", a, b, result);
     break;
 case '-':
     result = a - b;
     printf(" \%.2f - \%.2f = \%.2f\n", a, b, result);
     break;
 case '*':
     result = a * b;
     printf("%.2f * %.2f = %.2f\n", a, b, result);
     break;
case '/':
 if (b != 0) {
     result = a / b;
     printf("%.2f / %.2f = %.2f\n", a, b, result);
     printf("Error:-Division by zero is not allowed.\n");
 break;
```

```
case '%':
     result = (int)a % (int)b;
     printf("%.2f mod %.2f = %.2f\n", (int)a, (int)b, (int)result);
     break;
 default:
     printf("Invalid Operation\n");
     return 0;
 }
 printf("Continue ? (Y/N):");
 scanf(" %c", &cont);
if (cont == 'T') {
 printf("Thank you for using Calculator");
 return 0;
    goto Start; // Go back to start of the menu
 return 0;
/*outpot
Menu Driven Calculator****
+:-Addition
-:-Subtraction
*:-Multiplication
/:-Division
%:-Modolus
Enter the Num-1:-50
Enter the Num-2:-50
Enter the operation:-+
50.00 + 50.00 = 100.00*/
```