

```

from flask import Flask, request, jsonify
from groq import Groq
import os
import json

app = Flask(__name__)
client =
Groq(api_key=os.environ.get("GROQ_API_KEY")
)

@app.route("/webhook", methods=["POST"])
def webhook():
    try:
        # TradingView sends either JSON or
plain text
        if request.is_json:
            data = request.get_json()
        else:
            raw = request.data.decode("utf-
8")

            try:
                data = json.loads(raw)
            except:
                data = {"message": raw}

        print(f"📧 Received alert: {data}")

        # Build a prompt from the alert
data
        alert_text = json.dumps(data,

```

```
indent=2) if isinstance(data, dict) else  
str(data)
```

```
        prompt = f"""You are an expert  
forex and trading analyst helping a  
beginner trader.
```

```
  
A TradingView alert just fired with this  
data:  
{alert_text}
```

```
Please provide:
```

1. ****Is this a good trade?**** – Clear YES /
NO / WAIT with a brief reason
2. ****Entry suggestion**** – Recommended entry
price or zone
3. ****Stop Loss**** – Where to place it and
why
4. ****Take Profit**** – Target level(s)
5. ****Risk warning**** – Any risks a beginner
should know about

```
  
Keep your response clear, simple, and  
beginner-friendly. Avoid heavy jargon."""
```

```
        response =  
client.chat.completions.create(  
    model="llama3-70b-8192",  
    max_tokens=1024,  
    messages=[{"role": "user",  
"content": prompt}]  
)
```

```
        analysis =
```

```

response.choices[0].message.content
    print(f"🤖 Groq says:\n{analysis}")

    return jsonify({
        "status": "ok",
        "alert": data,
        "analysis": analysis
    }), 200

except Exception as e:
    print(f"❌ Error: {e}")
    return jsonify({"status": "error",
"message": str(e)}), 500

@app.route("/", methods=["GET"])
def health():
    return jsonify({"status": "running",
"message": "TradingView → Groq AI webhook
is live ✅"}), 200

if __name__ == "__main__":
    port = int(os.environ.get("PORT",
5000))
    app.run(host="0.0.0.0", port=port)

```