

1. Создание локального сайта на Hugo

bash

Установка Hugo (Linux/macOS)

brew install hugo *# macOS*

или

sudo apt install hugo *# Ubuntu/Debian*

Создание нового сайта

hugo new site my-portfolio

cd my-portfolio

Добавление темы (пример с темой PaperMod)

git init

git submodule add <https://github.com/adityatelange/hugo-PaperMod.git> themes/PaperMod

Настройка конфигурации

echo 'theme = "PaperMod"' >> hugo.toml

2. Создание страниц

content/_index.md — главная страница:

Markdown

Сору

CodePreview

title: "Портфолио"

Привет! 🙋

Меня зовут [Ваше имя]. Я [ваша профессия].

Обо мне

[Краткое описание о себе]

Навыки

- Навык 1

- Навык 2

- Навык 3

Контакты

- Email: atihonov386@gmail.com

- GitHub: [Artem38180](https://github.com/Artem38180)

content/about.md — страница "О себе":

markdown

title: "О себе"

layout: "single"

Подробная информация о вашем опыте, проектах и достижениях.

3. Конфигурация hugo.toml

toml

baseURL = 'https://username.github.io/'

languageCode = 'ru-ru'

title = 'Моё портфолио'

theme = 'PaperMod'

[params]

author = 'Ваше имя'

```
description = 'Портфолио разработчика'
```

```
[menu]
```

```
[[menu.main]]
```

```
name = 'Главная'
```

```
url = '/'
```

```
weight = 10
```

```
[[menu.main]]
```

```
name = 'О себе'
```

```
url = '/about/'
```

```
weight = 20
```

4. Скрипт GitHub Actions

Создайте файл .github/workflows/hugo.yml:

yaml

```
name: Deploy Hugo site to Pages
```

```
on:
```

```
push:
```

```
branches: ["main"]
```

```
workflow_dispatch:
```

```
permissions:
```

```
contents: read
```

```
pages: write
```

```
id-token: write
```

```
concurrency:
```

```
group: "pages"
```

```
cancel-in-progress: false
```

defaults:

run:

shell: bash

jobs:

build:

runs-on: ubuntu-latest

env:

HUGO_VERSION: 0.124.1

steps:

- name: Install Hugo CLI

run: |

```
wget -O ${{ runner.temp }}/hugo.deb  
https://github.com/gohugoio/hugo/releases/download/v\${HUGO\_VERSION}/hugo\_extended\_\${HUGO\_VERSION}\_linux-amd64.deb
```

```
sudo dpkg -i ${{ runner.temp }}/hugo.deb
```

```
hugo version
```

- name: Install Dart Sass

run: sudo snap install dart-sass

- name: Checkout

uses: actions/checkout@v4

with:

submodules: recursive

fetch-depth: 0

- name: Setup Pages

id: pages

uses: actions/configure-pages@v4

- name: Install Node.js dependencies

run: "[[-f package-lock.json || -f npm-shrinkwrap.json]] && npm ci || true"

- name: Build with Hugo

env:

HUGO_ENVIRONMENT: production

HUGO_ENV: production

run: |

hugo \

--gc \

--minify \

--baseURL "\${{ steps.pages.outputs.base_url }}/"

- name: Upload artifact

uses: actions/upload-pages-artifact@v3

with:

path: ./public

deploy:

environment:

name: github-pages

url: "\${{ steps.deployment.outputs.page_url }}"

runs-on: ubuntu-latest

needs: build

steps:

- name: Deploy to GitHub Pages

id: deployment

uses: actions/deploy-pages@v4