## Практическая 5

## MainActivity.kt:

```
import android.os.Bundle
import androidx.appcompat.app.AppCompatActivity
import com.example.kekw.databinding.ActivityMainBinding // Замените на имя
class MainActivity : AppCompatActivity() {
   override fun onCreate(savedInstanceState: Bundle?) {
       binding = ActivityMainBinding.inflate(layoutInflater)
       setContentView(binding.root)
            result.append("Ваш выбор: ")
               result.append(binding.cbCar.text).append(" ")
               result.append(binding.cbBus.text).append(" ")
               result.append(binding.cbTraktor.text).append(" ")
            if (result.toString() == "Ваш выбор: ") {
               binding.tvChoose.text = result.toString()
```

## activity\_main.xml:

```
<?xml version="1.0" encoding="utf-8"?>

<LinearLayout
    xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:id="@+id/main"
    android:layout width="match parent"</pre>
```

```
android:layout height="match parent"
   android:padding="50dp"
   <LinearLayout
       android:layout width="wrap content"
       android:layout_height="wrap_content"
       android:padding="10dp">
       <CheckBox
           android:layout width="wrap content"
           android:layout height="wrap content"
           android:layout width="wrap content"
           android:layout height="wrap content"
           android:layout width="wrap content"
           android:layout height="wrap content"
           android:text="TpakTop"/>
       android:id="@+id/btnChoose"
       android:layout width="wrap content"
       android:layout height="wrap content"
       android:text="Выбор" />
       android:layout width="wrap content"
       android:textSize="16sp"
       android:layout gravity="center" />
</LinearLayout>
```





