

Table: users

Field	Data Type
id	INT (PK, AUTO_INCREMENT)
full_name	VARCHAR(100)
email	VARCHAR(150) UNIQUE
phone	VARCHAR(20)
password_hash	VARCHAR(255)
role	ENUM('customer','staff','admin')
created_at	DATETIME
is_active	BOOLEAN
updated_at	DATETIME

Table: user_addresses

Field	Data Type
id	INT (PK)
user_id	INT NOT NULL (FK → users.id)
address_line1	VARCHAR(150)
address_line2	VARCHAR(150)
city	VARCHAR(100)
postcode	VARCHAR(20)
is_default	BOOLEAN
created_at	DATETIME

Table: orders

Field	Data Type
id	INT (PK)
reference_number	VARCHAR(30) UNIQUE
user_id	INT (FK → users.id, NULLABLE for guest)
sender_name	VARCHAR(100)
sender_address1	VARCHAR(150)
sender_address2	VARCHAR(150)
sender_city	VARCHAR(100)
sender_postcode	VARCHAR(20)
recipient_name	VARCHAR(100)
recipient_address1	VARCHAR(150)
recipient_address2	VARCHAR(150)
recipient_city	VARCHAR(100)
recipient_postcode	VARCHAR(20)
delivery_instructions	TEXT
weight	DECIMAL(6,2)
length	DECIMAL(6,2)
width	DECIMAL(6,2)
height	DECIMAL(6,2)
quantity	INT
parcel_value	DECIMAL(10,2)
delivery_type	ENUM('collection','dropoff')
delivery_price	DECIMAL(10,2)
collection_price	DECIMAL(10,2)
total_price	DECIMAL(10,2)
current_status	ENUM('order_placed','awaiting_collection','collection_failed','collected','in_transit','out_for_delivery','delivery_failed','delivered','returned_to_sender','cancelled')

Field	Data Type
estimated_delivery_date	DATE
created_at	DATETIME
collection_point_id	INT (FK → collection_points.id) NULL
contact_email	VARCHAR(150)
contact_phone	VARCHAR(20)
payment_status	ENUM('pending','paid','failed')
updated_at	DATETIME

Table: tracking_history

Field	Data Type
id	INT (PK)
order_id	INT NOT NULL (FK → orders.id)
status	VARCHAR(50)
location	VARCHAR(150)
description	TEXT
updated_by	INT NOT NULL (FK → users.id)
created_at	DATETIME

Table: operating_areas

Field	Data Type
id	INT (PK)
postcode	VARCHAR(20) UNIQUE
city	VARCHAR(100)
is_active	BOOLEAN
created_at	DATETIME

Table: announcements

Field	Data Type
id	INT (PK)
title	VARCHAR(150)
message	TEXT
is_active	BOOLEAN
created_at	DATETIME
created_by	INT (FK → users.id)
expires_at	DATETIME NULL

Table: payments

Field	Data Type
id	INT (PK)
order_id	INT UNIQUE(FK → orders.id)
payment_method	VARCHAR(50)
amount	DECIMAL(10,2)
payment_status	ENUM('pending','paid','failed')
transaction_reference	VARCHAR(100)
created_at	DATETIME

Table: collection_points

Field	Data Type
id	INT (PK)
name	VARCHAR(100)
address_line1	VARCHAR(150)
address_line2	VARCHAR(150)
city	VARCHAR(100)
postcode	VARCHAR(20)
is_active	BOOLEAN

Field	Data Type
created_at	DATETIME