“SPEED OF DIAGNOSIS IS ITSELF A TREATMENT”

Hospital resistance reports take 12 months.

Hospital resistance reports take 12 months.

- Static PDFs. Hospital-wide averages. Manual spreadsheets.

Hospital resistance reports take 12 months.

- Static PDFs. Hospital-wide averages. Manual spreadsheets.
- By the time the report is ready, the ward has changed.

Hospital resistance reports take 12 months.

- Static PDFs. Hospital-wide averages. Manual spreadsheets.
- By the time the report is ready, the ward has already changed.
- Human lives depend on empirical choices that arrive too late.

THE COST OF BEING SLOW


HIDDEN OUTBREAK: UROLOGY WARD (JUNE)
4 patients · Identical 5-drug resistant E. coli
Expected: 0.2 cases | Annual PDF Report: BLIND
Raunistula
Kupittaa
Iso-Heikkilä
Turku / Tyks
1
0
Aurajoki
TYKS UROLOGY & MED-A WARDS
Pt #1 ESBL
Pt #2 Day 6
Pt #3 · Day 11
Pt #4 · Day 18
Lauste
Piikkiö

The bacteria don't wait for your annual resistance report to be ready...

AEI

ANTIBIOTIC EFFICACY INDICATOR

AEI Platform

1. Streams live HL7 lab data across 9 wards & THL national feeds
2. Ward treatment rankings & outbreak detection in seconds rather than a year
3. All-in-one reproducible workbench with 1-click R, Python & LaTeX export

The Team

Clinical & Statistical Engine · Full-Stack & HL7 Pipeline · Workbench & UX

THANK YOU!