



Comment	Description	Designator	Footprint	LibRef	Quantity
Capacitor 1uF+/- 10%	Chip Capacitor, 1 uF,		CAPC1608X90X35ML1		
16V 0603	+/- 10%, 16 V, 0603	CC1, CC11	5T15	CMP-001-00004-6	2
100 0003	(1608 Metric)		5115		
Capacitor 1 uF+/-	Chip Capacitor, 1 uF,	002, 0022, Cdec1,	CAPC2013X135X45NL		
10%50 V 0805	+/- 10%, 50 V, 0805	CT3, CT11	10T25	CMP-001-00007-6	5
107000 ¥ 0000	(2012 Metric)	010, 0111			
Tantal	CAPTANT 100UF 10%	Cdec2, CT2, CT22	FP-T491B107K006AT-	CMP-03017-000031-1	3
rantai	6.3V 1411	0.0002, 0.12, 0.122	MFG	G.1. 00011 000001 1	ŭ
EUFR1V101	Aluminium	Cdec3	CAPPRD350W60D800 H1150	EEUFR1V101	
	⊟ectrolytic				
	Capacitor, Fr Series,				1
	100 - F, - 20%, 35 V, 8				
	Mm, Radial Leaded				
⊟ectrolythic	Auminium	CT1, CT33	CAPPRD350W60D800 H1150	EUFR1V101	
	Bectrolytic				2
	Capacitor, Fr Series, 100 - F, - 20%, 35 V, 8				2
	Mm, Radial Leaded				
151053YS04500	IVIIII, I VAUI AI LEAUEU	D?	WL-TMRW_D5.8H11.7	OMP-1477-00001-2	1
1010001004000	High Power Infrared		* * L 11VII W V_LO.OI 11 1.7	GVII 1711 00001-2	<u>'</u>
TSAL6200	Emitting Diode,				
	GaAlAs, MQW, 1.35 V,	DS?	MSH-TSAL6200	OMP-2000-07327-1	2
	100 mA, -40 to 85				
	degC, 2-Pin THD,				
	RoHS, Bulk				
22-11-2032	CONN HEADER VERT	J1, J2	ED 20 44 2022 MEC	OMD 04770 000440 4	2
22-11-2032	3POS2.54MM	J1, J2	FP-22-11-2032-MFG	OMP-04776-000113-1	2
0603	Chip Resistor, 0 Ohm,	JP, Rbyp, RD2, RD22, Rsen2, RT2, RT12, RT22, RT32, Rtr3	RESC1609X50X30NL8T	OMP-2000-03816-5	10
	Jumper, 100 mW, -55				
	to 155 degC, 0603				
	(1608 Metric), RoHS,				
	Tape and Reel				
1KR5J	1K0.125W5%0805	RD1, RD11, Rsen3, RT1, RT13, RT23,	RES00805(2012)_L	OMP-009-00076-2	
	(2012 Metric) SMD				8
MFR-25FBF52-10K	Axial Resistor, 10	RT33, Rtr1 RD3, RD33, Rsen1, RT3, RT11, RT21, RT31, Rtr2	RESA60-630X240	CMP-009-00047-4	
	KOhm, +/- 1%, 0.25				8
	W, -55 to 155 degC, 2-				
	Pin THD, RoHS, Bulk				
	IR Receiver Modules				
TSOP38238	for Remote Control	Sensor	MSH-TSOP38238	CMP-010-00018-3	1
	System, 2.5 to 5.5 V, -				
	25 to 85 degC, 3-Pin				
	THD, RoHS, Bulk				
NE555DR	Precision Timer, 4.5	SMD, SMD1	D0008A_N	CMP-016-00007-3	2
	to 16 V, 0 to 70 degC, 8				
	Pin SOIC(D), Green				
	(RoHS& no Sb/Br),				
	Tape and Reel				
NE555P	Precision Timer, 4.5	тнт, тнт2	P0008A	OMP-2000-04954-1	
	to 16 V, 0 to 70 degC, 8				2
	Pin DIP, Pb-Free,				
	Tube				
	NPN Slicon AF Transistor, 45 V				
BC847C	VOEO, 100 mAIC,	TRsmd	INF-SOT23_L	CMP-1177-00037-1	1
	SOT23, Reel, Green				
	, ,				
	Amplifier Transistor,	<u>_</u> .			
BC547CG	NPN Slicon, 3-Pin TO	irant	ONSC-TO-92-3-29-11	UMP-1048-01464-1	1
	92, Pb-Free, Bulk Box				