

Nginx的location

```
1 location / {
2     # 匹配所有访问, 优先级最低
3 }
4 location /wg {
5     # 匹配访问的目录
6 }
7 location = /a.jpg {
8     # 匹配针对某个文件的访问
9 }
10 location ~ /\.jsp$ {
11     # 启用区分大小写的正则表达式
12 }
13 location ~* /\.jpg$ {
14     # 启用不区分大小写的正则表达式
15 }
```

LNMP*

安装过程

```
1 $ yum -y install epel-*
2 $ yum -y install nginx mariadb mariadb-server php php-mysql php-gd php-fpm
3 $ cd /etc/nginx
4 $ cp nginx.conf.default nginx.conf
5 $ vim nginx.conf
```

```
43 location / {
44     root /usr/share/nginx/html;
45     index index.php;
46 }
47
48 #error_page 404 /404.html;
49
50 # redirect server error pages to the static page /50x.html
51 #
52 error_page 500 502 503 504 /50x.html;
53 location = /50x.html {
54     root html;
55 }
56
57 # proxy the PHP scripts to Apache listening on 127.0.0.1:80
58 #
59 #location ~ /\.php$ {
60 #    proxy_pass http://127.0.0.1;
61 #}
62
63 # pass the PHP scripts to FastCGI server listening on 127.0.0.1:9000
64 #
65 location ~ /\.php$ {
66     root /usr/share/nginx/html;
67     fastcgi_pass 127.0.0.1:9000;
68     fastcgi_index index.php;
69     fastcgi_param SCRIPT_FILENAME $document_root$fastcgi_script_name;
70     include fastcgi_params;
71 }
```

配置默认网站根目录

配置默认首页

Nginx整合PHP的配置

配置去哪里读取php文件

将原先的/scripts修改为\$document_root, 否则会报找不到文件错误

```
1 $ systemctl restart nginx php-fpm mariadb
2 $ vim /usr/share/nginx/html/index.php
3 <?php
4 phpinfo();
```

PHP Version 5.4.16



System	Linux node-174 3.10.0-1160.el7.x86_64 #1 SMP Mon Oct 19 16:18:59 UTC 2020 x86_64
Build Date	Apr 1 2020 04:09:10
Server API	FPM/FastCGI
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/etc
Loaded Configuration File	/etc/php.ini
Scan this dir for additional .ini files	/etc/php.d
Additional .ini files parsed	/etc/php.d/curl.ini, /etc/php.d/fileinfo.ini, /etc/php.d/gd.ini, /etc/php.d/json.ini, /etc/php.d/mysql.ini, /etc/php.d/mysqli.ini, /etc/php.d/pdo.ini, /etc/php.d/pdo_mysql.ini, /etc/php.d/pdo_sqlite.ini, /etc/php.d/phar.ini, /etc/php.d/sqlite3.ini, /etc/php.d/zip.ini
PHP API	20100412
PHP Extension	20100525

基于LNMP完成电商的安装

```
1 # 1. 上传电商包
2 cd /usr/share/nginx/html/
3 unzip tinyshopV2.5_data.zip # 如果提示覆盖, 输入y
4 chmod -R 777 /usr/share/nginx/html
5 浏览器访问, 根据提示完成安装
```

192.168.194.174/install/index.php?step=3

Tiny系列产品 | 安装向导

许可协议 检查安装环境 创建数据库 安装完成

数据库地址 MySQL数据库的地址, 本地默认: 127.0.0.1:3306

数据库名称

账户

密码

数据库表前缀

✓ 数据库连接正确

管理员账户

密码

再次确认

TinyShop

开源电子商务

商品中心

订单中心

客户中心

营销推广

统计报表

内容管理

系统设置

参数设定

管理首页

主题设置

站点设置

其它配置

邮箱配置

信息模板

提醒管理

第三方整合

支付与配送

安全管理

数据库管理

系统信息:

版本号:	2.5	<div>商业授权查询:</div> <div>如果您已购买了TinyShop产品商业使用授权, 您可以在我们的商业授权信息,如果授权类型与查询信息不符, 说明您可能购买的是非法商业授权</div> <div>联系我们: QQ:121264163 电话:0531-88988232</div>
服务器系统及PHP版本:	Linux / PHP V5.4.16	
服务器软件:	nginx/1.20.1	
MySQL版本:	5.5.68-MariaDB	
最大上传许可:	2M	

重要信息:

待发货订单:	0条	待回复商品咨询:	0条
商品库存报警:	0条	待处理的提现申请:	0条
待处理的退款单:	0条	商品差评:	0条

信息统计:

会员总数:	0	商品总数:	20
订单总数:	0	订单汇总:	

开发团队:

www.tinyrise.org