```sql
/*SELECT h.nome, h.cpf, h.telefone FROM hospede AS h
JOIN reserva AS r ON h.id = r.id_hospede
WHERE r.entrada LIKE '2023-10-%';*/

/*SELECT COUNT(*) FROM reserva_quarto AS rq
JOIN quarto AS q ON rq.id_quarto = q.id
WHERE q.tipo = 'Duplo Solteiro';*/

/*SELECT COUNT(*) FROM reserva AS r
JOIN hospede AS h ON r.id_hospede = h.id
WHERE h.nome = 'Carlos dos Santos' AND r.entrada LIKE '2023-%';*/

/*SELECT COUNT(*) FROM reserva_quarto AS rq
JOIN reserva AS r ON rq.id_reserva = r.id
WHERE r.entrada LIKE '2023-%';*/

/*SELECT r.entrada, r.saida, r.valor_total FROM reserva AS r
JOIN hospede AS h ON r.id_hospede = h.id
WHERE h.nome = 'João da Silva' AND r.entrada LIKE '2023-10-%';*/

/*SELECT h.nome, q.tipo FROM hospede AS h
JOIN reserva AS r ON h.id = r.id_hospede
JOIN reserva_quarto AS rq ON r.id = rq.id_reserva
JOIN quarto AS q ON rq.id_quarto = q.id
WHERE r.entrada LIKE '2023-%'
ORDER BY h.nome ASC;*/

/*SELECT h.nome, h.telefone, r.entrada, r.saida, q.tipo, q.valor FROM hospede
AS h
JOIN reserva AS r ON h.id = r.id_hospede
JOIN reserva_quarto AS rq  ON r.id = rq.id_reserva
JOIN quarto AS q ON rq.id_quarto = q.id
WHERE r.entrada LIKE '2023-%'
ORDER BY r.entrada DESC;*/
```