

# Java APIs for Developers

Office formats and Native Java Code Free support and free evaluation

# Spring Data MongoDB: Delete document

By mkyong (http://www.mkyong.com/author/mkyong/) | May 19, 2011 | Updated : April 8, 2013 | Viewed : 20,873 times +65 pv/w

In Spring data for MongoDB, you can use remove() and findAndRemove() to delete documents from MongoDB.

- 1. remove() delete single or multiple documents.
- 2. findAndRemove() delete single document, and returns the deleted document.

#### **Common Mistake**

Don't use findAndRemove() to perform a batch delete (remove multiple documents), only the first document that matches the query will be removed. Refer query4 below:

# 1. Delete document example

See a full example to show the use of remove() and findAndRemove().

```
package com.mkyong.core;
import java.util.ArrayList;
import java.util.List;
import org.springframework.context.ApplicationContext;
import\ org.springframework.context.annotation.AnnotationConfigApplicationContext;
import org.springframework.data.mongodb.core.MongoOperations;
import org.springframework.data.mongodb.core.query.Criteria;
import org.springframework.data.mongodb.core.query.Query;
import com.mkyong.config.SpringMongoConfig;
import com.mkyong.model.User;
* Delete example
* @author mkyong
*/
public class DeleteApp {
   public static void main(String[] args) {
       ApplicationContext ctx =
                      new AnnotationConfigApplicationContext(SpringMongoConfig.class);
       MongoOperations mongoOperation =
                      (MongoOperations) ctx.getBean("mongoTemplate");
        // insert 6 users for testing
       List<User> users = new ArrayList<User>();
       User user1 = new User("1001", "ant", 10);
       User user2 = new User("1002", "bird", 20);
       User user3 = new User("1003", "cat", 30);
       User user4 = new User("1004", "dog", 40);
       User user5 = new User("1005", "elephant", 50);
       User user6 = new User("1006", "frog", 60);
       users.add(user1);
       users.add(user2);
       users.add(user3);
       users.add(user4);
       users.add(user5);
       users.add(user6);
       mongoOperation.insert(users, User.class);
       Query query1 = new Query();
       query1.addCriteria(Criteria.where("name").exists(true)
            .orOperator(
                           Criteria.where("name").is("frog"),
                           Criteria.where("name").is("dog")
                        ));
       mongoOperation.remove(query1, User.class);
       Query query2 = new Query();
       query2.addCriteria(Criteria.where("name").is("bird"));
       User userTest2 = mongoOperation.findOne(query2, User.class);
       mongoOperation.remove(userTest2);
        // The first document that matches the query is returned and also
       // removed from the collection in the database.
       Query query3 = new Query();
       query3.addCriteria(Criteria.where("name").is("ant"));
       User userTest3 = mongoOperation.findAndRemove(query3, User.class);
       System.out.println("Deleted document : " + userTest3);
       // either cat or elephant is deleted only,
                // common mistake, don't use for batch delete.
         Query query4 = new Query();
                  query4.addCriteria(Criteria.where("name") .exists(true)
               .orOperator(
                             Criteria.where("name").is("cat"),
                     Criteria.where("name").is("elephant")
```

```
);
    mongoOperation.findAndRemove(query4, User.class);
    System.out.println("Deleted document : " + userTest4);
    */

    System.out.println("\nAll users : ");
    List<User> allUsers = mongoOperation.findAll(User.class);
    for (User user : allUsers) {
        System.out.println(user);
    }

    mongoOperation.dropCollection(User.class);
}
```

#### Output

```
Deleted document : User [id=5162e0153004c3cb0a907370, ic=1001, name=ant, age=10]

All users :
User [id=5162e0153004c3cb0a907372, ic=1003, name=cat, age=30]
User [id=5162e0153004c3cb0a907374, ic=1005, name=elephant, age=50]
```



# APIs for Java Developers

(i) X

Ad DOC, XLS, PDF, PPT, Image and more Try a free evaluation version

aspose.com

Learn more

## **Download Source Code**

Download it – SpringMongoDB-Delete-Example.zip (http://www.mkyong.com/wp-content/uploads/2011/05/SpringMongoDB-Delete-Example.zip) (24 KB)



## References

- Saving, Updating, and Removing Documents from MongoDB (http://static.springsource.org/springdata/mongodb/docs/current/reference/html/mongo.core.html#mongo-template.save-update-remove)
- 2. Java MongoDB delete example/ (http://www.mkyong.com/mongodb/java-mongodb-delete-document/)

Tags: delete (http://www.mkyong.com/tag/delete/) mongodb (http://www.mkyong.com/tag/mongodb/) spring-data (http://www.mkyong.com/tag/spring-data/)

### Share this article on

Twitter (https://twitter.com/intent/tweet?text=Spring Data MongoDB: Delete document&url=http://www.mkyong.com/mongodb/spring-data-mongodb-delete-document/&via=mkyong) Facebook (https://www.facebook.com/sharer/sharer.php?u=http://www.mkyong.com/mongodb/spring-data-mongodb-delete-document/) Google+ (https://plus.google.com/share?url=http://www.mkyong.com/mongodb/spring-data-mongodb-delete-document/)



Sponsored

#### About the Author

mkyong

Founder of Mkyong.com (http://mkyong.com), love Java and open source stuff. Follow him on Twitter (https://twitter.com/mkyong), or befriend him on Facebook (http://www.facebook.com/java.tutorial) or Google Plus

(https://plus.google.com/110948163568945735692?rel=author). If you like my tutorials, consider make a donation to these charities (http://www.mkyong.com/blog/donate-to-charity/).

#### **Related Posts**

76k	Spring Data MongoDB : Insert document (/mongodb/spring-data-mongodb-insert-document/? utm_source=mkyong&utm_medium=author&utm_campaign=related-post&utm_content=0)
337k	Spring Data MongoDB hello world example (/mongodb/spring-data-mongodb-hello-world-example/? utm_source=mkyong&utm_medium=author&utm_campaign=related-post&utm_content=1)
96k	Spring Data MongoDB: Update document (/mongodb/spring-data-mongodb-update-document/? utm_source=mkyong&utm_medium=author&utm_campaign=related-post&utm_content=2)
47k	Spring Data MongoDB: Save binary file, GridFS example (/mongodb/spring-data-mongodb-save-binary-file-gridfs-example/?utm_source=mkyong&utm_medium=author&utm_campaign=related-post&utm_content=3)
24k	Spring Data MongoDB remove _class column (/mongodb/spring-data-mongodb-removeclass-column/? utm_source=mkyong&utm_medium=author&utm_campaign=related-post&utm_content=4)
38k	Spring Data MongoDB: get last modified records (date sorting) (/mongodb/spring-data-mongodb-get-last-modified-records-date-sorting/?utm_source=mkyong&utm_medium=author&utm_campaign=related-post&utm_content=5)
25k	Spring Data MongoDB - Select fields to return (/mongodb/spring-data-mongodb-select-fields-to-return/? utm_source=mkyong&utm_medium=author&utm_campaign=related-post&utm_content=6)
58k	Spring Data MongoDB - Aggregation Grouping Example (/mongodb/spring-data-mongodb-aggregation-grouping-example/?utm_source=mkyong&utm_medium=author&utm_campaign=related-post&utm_content=7)
63k	Spring Boot + Spring Data MongoDB example (/spring-boot/spring-boot-spring-data-mongodb-example/? utm_source=mkyong&utm_medium=author&utm_campaign=related-post&utm_content=8)

# Popular Posts

1.2m

 ${\tt JAXB\ hello\ world\ example\ (\it Ijava/jaxb-hello-world-example/?utm\_source=mkyong\&utm\_medium=author\&utm\_campaign=top-pv\&utm\_content=1)}$ 

632k

 $A pache \ HttpClient \ Examples \ (\emph{ijava/apache-httpclient-examples/?utm\_source=mkyong\&utm\_medium=author\&utm\_campaign=top-pv\&utm\_content=2)$ 

562k

 $Spring\ AOP\ Example\ -\ Advice\ (/spring/spring-aop-examples-advice/?utm\_source=mkyong\&utm\_medium=author\&utm\_campaign=top-pv\&utm\_content=3)$ 

931k

 ${\tt JAX-WS~Hello~World~Example-RPC~Style~(/webservices/jax-ws/jax-ws-hello-world-example/?utm\_source=mkyong\&utm\_medium=author\&utm\_campaign=top-pv\&utm\_content=4)}$ 

783k

 ${\tt JSF~2.0~hello~world~example/?utm\_source=mkyong\&utm\_medium=author\&utm\_campaign=top-pv\&utm\_content=5)}$ 

623k

 $Log4j \ hello\ world\ example\ (/logging/log4j-hello-world-example/?utm\_source=mkyong\&utm\_medium=author\&utm\_campaign=top-pv\&utm\_content=6)$ 

1.4m

#### Spring Data MongoDB: Delete document

How to convert Java object to / from JSON (Gson) (/java/how-do-convert-java-object-to-from-json-format-gson-api/? utm\_source=mkyong&utm\_medium=author&utm\_campaign=top-pv&utm\_content=7)

545k

Java StringTokenizer example (/java/java-stringtokenizer-example/?utm\_source=mkyong&utm\_medium=author&utm\_campaign=top-pv&utm\_content=8)

584

How to install JDK on Ubuntu (/java/how-to-install-java-jdk-on-ubuntu-linux/?utm\_source=mkyong&utm\_medium=author&utm\_campaign=top-pv&utm\_content=9)

903k

 $Hibernate\ Query\ examples\ (HQL)\ (/hibernate/hibernate-query-examples-hql/?utm\_source=mkyong\&utm\_medium=author\&utm\_campaign=top-pv\&utm\_content=10)$ 

524k

How to include custom library into maven local repository? (/maven/how-to-include-library-manully-into-maven-local-repository/? utm\_source=mkyong&utm\_medium=author&utm\_campaign=top-pv&utm\_content=11)

616k

Java - Read a file from resources folder (/java/java-read-a-file-from-resources-folder/?utm\_source=mkyong&utm\_medium=author&utm\_campaign=top-pv&utm\_content=12)

535k

How to loop a Map in Java (/java/how-to-loop-a-map-in-java/?utm\_source=mkyong&utm\_medium=author&utm\_campaign=top-pv&utm\_content=13)

825k

Spring JdbcTemplate Querying examples (/spring/spring-jdbctemplate-querying-examples/?utm\_source=mkyong&utm\_medium=author&utm\_campaign=top-pv&utm\_content=14)

1.1m

How to convert String to Date - Java (/java/how-to-convert-string-to-date-java/?utm\_source=mkyong&utm\_medium=author&utm\_campaign=top-pv&utm\_content=15)

1.2m

Android spinner (drop down list) example (/android/android-spinner-drop-down-list-example/?utm\_source=mkyong&utm\_medium=author&utm\_campaign=top-pv&utm\_content=16)

1.1m

JAX-WS Tutorial (/tutorials/jax-ws-tutorials/?utm\_source=mkyong&utm\_medium=author&utm\_campaign=top-pv&utm\_content=17)

1.1m

How to install Maven on Windows (/maven/how-to-install-maven-in-windows/?utm\_source=mkyong&utm\_medium=author&utm\_campaign=top-pv&utm\_content=18)


1.4m

JSON.simple example - Read and write JSON (/java/json-simple-example-read-and-write-json/?utm\_source=mkyong&utm\_medium=author&utm\_campaign=top-pv&utm\_content=19)

1.1m

How to read and parse CSV file in Java (/java/how-to-read-and-parse-csv-file-in-java/?utm\_source=mkyong&utm\_medium=author&utm\_campaign=top-pv&utm\_content=20)

### Leave a Reply






 $[\ldots]$  Spring Data MongoDB : Delete document Example to remove() and findAndRemove() to delete document from mongoDB.  $[\ldots]$ 



⊙ 5 years 3 months ago







 $\mathbf{\hat{I}}$ 

# **iHerb**

# Rising Posts (100k-500k pv)

+214	4.9k	Spring Boot Hello World Example - JSP (/spring-boot/spring-boot-hello-world-example-jsp/? utm_source=mkyong&utm_medium=sidebar&utm_campaign=100k-500k&utm_content=0)
+154	1.4k	Spring Boot Hello World Example - Thymeleaf (/spring-boot/spring-boot-hello-world-example-thymeleaf/? utm_source=mkyong&utm_medium=sidebar&utm_campaign=100k-500k&utm_content=1)
+4.	6k	$Spring\ Boot\ Tutorials\ (/tutorials/spring-boot-tutorials/?utm\_source=mkyong\&utm\_medium=sidebar\&utm\_campaign=100k-500k\&utm\_content=2)$
+4.	5k	Java 8 Streams filter examples (/java8/java-8-streams-filter-examples/?utm_source=mkyong&utm_medium=sidebar&utm_campaign=100k-500k&utm_content=3)
+3.	4k	Java 8 Tutorials (/tutorials/java-8-tutorials/?utm_source=mkyong&utm_medium=sidebar&utm_campaign=100k-500k&utm_content=4)